

B=blue, b=light blue, Brn = brown, C=cream, G=green, g=pale greenish, Gld=gold, L=lavender, Li=Lilac, M=magenta, O=orange, P=purple, R=red, r=pink, rR=Rose, S=Salmon, V=violet, v=pale violet, W=white, Y=yellow, y=pale yellow, "()" = less common color(s), "*" = with, "*" = marked with, "?" = to, "?" = or														NOTE - THIS IS A WORKING LIST AND NOT COMPLETE - Blooming times, flower color/configuration/size, names and other data are												First common name listed is current ITIS 1st choice; bold is my filename.	Lighter gray = inferred QH months (e.g., specimen documented near last day of prior month)	Bold outline = published blooming period Solid gray = documented Quail Hollow blooms												Contributor initials: KK = Ken Kellman, VC = Vince Cheap, AK = Al Keuter	(inflorescence size for Asteraceae, corolla size for Fabaceae)
Added to Ken's List	Index order	Sandhill	Wet areas	Non-native	Collected	Photo / ID	Type	Plant	Common name	Location in Park (all from KK unless otherwise noted)	January	February	March	April	May	June	July	August	September	October	November	December	Flower Color	Plant # of parent plants, if = fused, see separat #	Petal size (mm)	Family name	Family common name	Older scientific name(s) / Synonyms	Descriptive notes												
31	457	43	38	148	124	306		AK	Shrub	<i>Toxicodendron diversilobum</i>	poison oak	Throughout park												Y/WG		< 0	Anacardiaceae	Sumac	<i>Rhus diversiloba</i>												
6.8%	9.4%			32.4%	27.1%	67.0%		AK	Herb	<i>Cornium maculatum</i>	poison hemlock , deadly hemlock, Poison parsley, cigue maculee, cigue tachete	Behind the ranch house near the Eucalyptus stand, alongside the Italian Trail trailhead												W		< 1	Apiaceae	Umbel		Biennial. First documented at QH: June, 2006											
								KK	Herb	<i>Daucus pusillus</i>	American wild carrot, rattlesnake weed, rattlesnake carrot, southwest wild carrot	Morgan's Meadow												W		< 1	Apiaceae	Umbel													
								AK	Herb	<i>Heracleum lanatum</i>	common cowparsnip , cow parsnip	Bonetti Creek near redwood meadow; [AK:] along shaded creek side of lower Italian Trail												W		< 3	Apiaceae	Umbel	<i>Heracleum maximum</i>												
		X						AK	Herb	<i>Hydrocotyle ranunculoides</i>	floating marshpennywort, water-pennywort, floating marsh pennywort , floating pennywort, floating pennyroyal	Pond edge												W		< 3	Apiaceae	Umbel		Perennial											
		X						AK	Herb	<i>Oenanthe sarmentosa</i>	American oenanthe , water parsley	Cattail marsh; [AK] pond edge												W		< 2	Apiaceae	Umbel													
								AK	Herb	<i>Osmorhiza berteroi</i>	sweetcicely, mountain sweet-cicely, Chilean sweet cicely, sweet cicely , mountain sweetroot, cicely	Shaded mixed forest areas												W		< 2	Apiaceae	Umbel	<i>Osmorhiza chilensis</i> (broken into three species: <i>O. berteroi</i> , <i>O. purpurea</i> and <i>O. dipusperata</i>); <i>O. brevipes</i> , <i>O. divaricata</i> , <i>O. nuda</i> , <i>Washingtonia divaricata</i>												
								AK	Herb	<i>Sanicula crassicaulis</i>	Pacific blacksnakeroot, gambleweed , Pacific sanicle	Shaded mixed forests; [AK:] meadows alongside various trails												Y		< 1	Apiaceae	Umbel													
								AK	Herb	<i>Torilis arvensis</i>	field hedge parsley , Canada hedgeparsely, hedge parsley, hedgeparsely, spreading hedgeparsely	Meadows throughout park												W(r)		< 1	Apiaceae	Umbel													
								AK	Herb	<i>Vinca major</i>	periwinkle , bigleaf periwinkle, greater periwinkle	Creek bank below pond dam; [AK:] along the Discovery Loop near the creek												PB(W)	5	30 - 50	Apocynaceae	Dogbane	<i>Vinca major</i> var. <i>variegata</i>												
		X							Herb	<i>Arisaema sp.</i>	Jack-in-the-pulpit	Willow swamp behind orchard (planted)												G(+Brn)			Araceae	Calla													
								AK	Herb	<i>Hedera helix</i>	English ivy	Near confluence. [AK:] Edge of willow swamp along access road, near main parking lot												G	5		Araliaceae	Ginseng													
								AK	Herb	<i>Achillea millefolium</i>	common yarrow, yarrow , bloodwort, carpenter's weed, milfoil, Hierba de las Cortaduras, Plumajillo, western yarrow	Near spring on driveway; across QH Road on trail												W(r)			Asteraceae	Sunflower													
									Herb	<i>Agoseris grandiflora</i>	grand mountain dandelion, bigflower agoseris, shortbeak agoseris	Backside of Italian trail up the hill												Y			Asteraceae	Sunflower	<i>Agoseris laciniata</i> , <i>A. Prebeja</i> , <i>Troximon grandiflora</i>												
								AK	Herb	<i>Anthemis cotula</i>	mayweed , chamomile, dog fennel, stinking chamomille, dogfennel, mayweed chamomille, mayweed dogfennel, stinkweed	Near buildings												W			Asteraceae	Sunflower	<i>Manuta cotula</i>	White rays											
									Shrub	<i>Artemisia californica</i>	California sagebrush	Open slide area above Italian Trail												y			Asteraceae	Sunflower													
								AK	Herb	<i>Artemisia douglasiana</i>	Douglas' sagewort, California mugwort , Douglas' mugwort	Meadow edges throughout park												Y			Asteraceae	Sunflower	<i>Artemisia vulgaris</i> var. <i>douglasiana</i>	leaves densely white tomentose below, sparsely tomentose above; phyllaries gray-tomentose											
								KK	Herb	<i>Artemisia dracunculoides</i>	dragon sagewort, false tarragon, wild tarragon, silky wormwood, pinion wormwood, green sagewort, tarragon, wormwood	Eastern edge of north field												Y			Asteraceae	Sunflower	<i>Artemisia dracunculoides</i> , <i>A. d. var. dracunculifolia</i> , <i>A. d. var. glauca</i> , <i>A. d. ssp. glauca</i> , <i>A. glauca</i> , <i>A. g. var. dracunculifolia</i> , <i>Oligosporus dracunculus</i> , <i>O. d. ssp. dracunculoides</i> , <i>O. d. ssp. glaucus</i>	leave glabrous, phyllaries glabrous											
									Herb	<i>Baccharis douglasii</i>	Douglas' baccharis, saltmarsh baccharis	Flat above creek just below pond												W			Asteraceae	Sunflower													
								AK	Shrub	<i>Baccharis pilularis</i>	coyote brush	Throughout park												W/r			Asteraceae	Sunflower													
AK								AK	Herb	<i>Bellis perennis</i>	lawndaisy , English daisy, lawn daisy, European daisy	Lawn behind ranch house.												W(r/P)			Asteraceae	Sunflower													
								AK	Herb	<i>Carduus pycnocephalus</i>	Italian plumeless thistle, compact-headed thistle, Italian thistle	Manure dump behind walnut grove												P(r)			Asteraceae	Sunflower													
									Herb	<i>Centaurea melitensis</i>	Maltese starthistle, Maltese star thistle, Malta star thistle, spotted knapweed, tocalote, Napa thistle	Manure pile/dump behind walnut grove												Y			Asteraceae	Sunflower													
								AK	Herb	<i>Cirsium occidentale</i> var. <i>venustum</i>	cobwebby thistle, Venus thistle , Coulter's thistle	Off Italian Trail. [AK:] Along switchback on Woodrat Trail												R			Asteraceae	Sunflower	<i>Cirsium proteanum</i>												
								AK	Herb	<i>Cirsium vulgare</i>	bull thistle , common thistle, spear thistle	Meadows throughout park												P			Asteraceae	Sunflower	<i>Cardus lanceolatus</i> , <i>Cardus vulgaris</i> , <i>Cirsium lanceolatum</i> , <i>Cirsium lanceolatum</i> var. <i>hypoleucum</i>												
								AK	Herb	<i>Conyza canadensis</i>	horseweed , Canada horseweed, Canadian horseweed, horseweed fleabane, mares tail, maretail	Meadows throughout park												W(Y)			Asteraceae	Sunflower		Like Solidago, tiny radiate heads											

B=blue, b=light blue, Brn = brown, C=cream, G=green, g=pale greenish, Gld=gold, L=lavender, Li=Lilac, M=magenta, O=orange, P=purple, R=red, r=pink, rR=Rose, S=Salmon, V=violet, v=pale violet, W=white, Y=yellow, y=pale yellow, 'Y' = less common color(s), "+" = with, "*" = marked with, "r" = to, "r" = or										NOTE: THIS IS A WORKING LIST AND NOT COMPLETE - Blooming times, flower color/configuration/size, names and other data are												First common name listed is current ITIS 1st choice; lighter gray = inferred QH months (e.g., specimen documented near last day of prior month)												Bold outline = published blooming period; Solid gray = documented Quail Hollow blooms												Contributor initials: KK = Ken Kellman, VC = Vince Cheap, AK = Al Keuter												(inflorescence size for Asteraceae, corolla size for Fabaceae)											
31	457	43	38	148	124	306											First common name listed is current ITIS 1st choice; lighter gray = inferred QH months (e.g., specimen documented near last day of prior month)												Contributor initials: KK = Ken Kellman, VC = Vince Cheap, AK = Al Keuter												(inflorescence size for Asteraceae, corolla size for Fabaceae)																												
6.8%	9.4%	9.4%	32.4%	27.1%	67.0%											First common name listed is current ITIS 1st choice; lighter gray = inferred QH months (e.g., specimen documented near last day of prior month)												Contributor initials: KK = Ken Kellman, VC = Vince Cheap, AK = Al Keuter												(inflorescence size for Asteraceae, corolla size for Fabaceae)																													
Added to Ken's List	Index order	Sandhill	Wet areas	Non-native	Collected	Photo / ID	Type	Plant	Common name	Location in Park (all from KK unless otherwise noted)	January	February	March	April	May	June	July	August	September	October	November	December	Flower Color	Plant # of parent plants, if = fused, see separat #	Petal size (mm)	Family name	Family common name	Older scientific name(s) / Synonyms	Descriptive notes																																								
AK	27					AK	Herb	<i>Corethrogyne filaginifolia</i> var. <i>californica</i>	California sandaster	Along lower Italian Trail														P(r/W)		Asteraceae	Sunflower	<i>Lessingia filaginifolia</i> var. <i>californica</i>																																									
	28						Herb	<i>Corethrogyne filaginifolia</i> var. <i>filaginifolia</i>	common sandaster	Throughout park															P(r/W)		Asteraceae	Sunflower	<i>Lessingia filaginifolia</i> var. <i>filaginifolia</i> , <i>Corethrogyne filaginifolia</i> var. <i>rigida</i>																																								
	29						Herb	<i>Cotula australis</i>	Australian waterbuttons, Australian cotula	Grassland east of Lower Italian Trail															y		Asteraceae	Sunflower																																									
AK	30					AK	Herb	<i>Cotula coronopifolia</i>	brassbuttons, common brassbuttons, brass buttons	Marshy area next to the driveway behind the ranch house (wet years, e.g. '06, '10)														Y		Asteraceae	Sunflower																																										
	31					AK	Shrub	<i>Ericameria arborescens</i>	goldenfleece, golden fleece, golden bush	Open area on lower Italian Trail. [AK:] Along sandy part of Sunset Trail															Y		Asteraceae	Sunflower	<i>Haplopappus arborescens</i>																																								
	32					AK	Shrub	<i>Ericameria ericoides</i> ssp. <i>blakei</i>	California goldenbush, mock-heather, goldenbush, California heathgoldenrod	Chaparral throughout park															Y		Asteraceae	Sunflower	<i>Haplopappus ericoides</i> ssp. <i>blakei</i>																																								
	33					AK	Herb	<i>Eriophyllum confertiflorum</i>	golden-yarrow, yellow-yarrow	Chaparral edges throughout park																Y		Asteraceae	Sunflower																																								
	34						Herb	<i>Eurybia radulina</i>	roughleaf aster, woodland aster, broadleaf aster	Near French Broom corner, Italian Trail															W(v)		Asteraceae	Sunflower	<i>Aster radulinus</i> , <i>Aster eliasii</i> , <i>Weberaster radulinus</i>																																								
	35	X				KK	Herb	<i>Euthamia occidentalis</i>	western goldenrod, western goldentop	Wet area between pond and curve in driveway															Y		Asteraceae	Sunflower	<i>Solidago occidentalis</i> , <i>Euthamia californica</i> , <i>Euthamia linearifolia</i>																																								
	36	X				KK	AK	Herb	<i>Filago californica</i>	California cottonrose, California filago, California fluffweed	Sand parkland, Italian Trail														y		Asteraceae	Sunflower	<i>Ogilla californica</i>	Erect, leaves rounded																																							
	37					KK	Herb	<i>Filago gallica</i>	narrow leaved filago, narrowleaf cottonrose	Open, sandy grasslands															y		Asteraceae	Sunflower		Erect pointed leaves																																							
	38					KK	Herb	<i>Gamochaeta purpurea</i>	spoonleaf purple everlasting, purple cudweed, purple everlasting	Discovery Trail near post #2																		Asteraceae	Sunflower	<i>Gnaphalium purpureum</i>	Spike headed everlasting																																						
	39					AK	Herb	<i>Gnaphalium californicum</i>	ladies' tobacco, California cudweed	Chaparral edges															W		Asteraceae	Sunflower	ITIS accepts <i>Pseudognaphalium</i> , but Jepson says <i>Gnaphalium</i> .	Round (spheric) flower heads; green leaves; phyllaries white to straw-colored or pink-tinged.																																							
	40						Herb	<i>Gnaphalium canescens</i> ssp. <i>beneolens</i>	Wright's cudweed																W		Asteraceae	Sunflower	<i>Gnaphalium beneolens</i> , ITIS accepts <i>Pseudognaphalium</i> , but Jepson says <i>Gnaphalium</i> .	Ovoid flower heads; two color forms: white both sides of leaf or jade green; phyllaries white or pale straw-colored.																																							
	41					KK	Herb	<i>Gnaphalium luteoalbum</i>	Jersey cudweed, winged cudweed, weedy cudweed	Parking lot															W-C		Asteraceae	Sunflower	ITIS accepts <i>Pseudognaphalium</i> , but Jepson says <i>Gnaphalium</i> .	Cylindric to ovoid heads; white, spoon-shaped leaves; phyllaries whitish to yellowish above																																							
	42	X				KK	Herb	<i>Gnaphalium palustre</i>	western marsh cudweed, marsh everlasting, lowland cudweed	Receding pond edge															W		Asteraceae	Sunflower		Hemispherical head of heads. Bracts exceed head																																							
	43						Herb	<i>Gnaphalium ramosissimum</i>	pink cudweed	Dry openings in chaparral and meadows															r		Asteraceae	Sunflower	ITIS accepts <i>Pseudognaphalium</i> , but Jepson says <i>Gnaphalium</i> .	Cylindric heads; phyllaries whitish to greenish or pink; greenish leaves becoming glabrous.																																							
	44	X				AK	Herb	<i>Gnaphalium</i> sp. 2	sandhills everlasting, Zayante cudweed	Sand parkland															r/W		Asteraceae	Sunflower	NOTE: unpublished taxon	Everlasting																																							
	45					AK	Herb	<i>Heterotheca grandiflora</i>	telegraph weed	Disturbed areas especially around buildings															Y		Asteraceae	Sunflower		Ray pappus 0, ray fruits glabrous																																							
AK	46					AK	Herb	<i>Heterotheca sessiliflora</i> ssp. <i>echioides</i>	sessileflower false golden aster, bristly golden aster	Throughout park															Y		Asteraceae	Sunflower	<i>Chrysopsis villosa</i> var. <i>camphorata</i>	Ray pappus present; ray fruits hairy																																							
	47						Herb	<i>Heterotheca sessiliflora</i> ssp. <i>echioides</i> (var. <i>camphorata</i>)	sessileflower false golden aster, bristly golden aster	Throughout park															Y		Asteraceae	Sunflower	<i>Chrysopsis villosa</i> var. <i>camphorata</i>	Ray pappus present; ray fruits hairy																																							
	48					AK	Herb	<i>Hieracium albiflorum</i>	white hawkweed, white flowered hawkweed	Italian trail, AK: Sunset Trail															W		Asteraceae	Sunflower																																									
	49	X				AK	Herb	<i>Hypochoeris glabra</i>	smooth catsear, smooth cat's ear	Open grasslands throughout park															Y		Asteraceae	Sunflower		Small flowers, annual																																							
	50					AK	Herb	<i>Hypochoeris radicata</i>	hairy cat's ear, rough cat's ear	Throughout park															Y(y/W)		Asteraceae	Sunflower		Large flowers, perennial																																							
	51						Herb	<i>Lactuca serriola</i>	prickly wild lettuce	Roadside															Y(W)		Asteraceae	Sunflower																																									
	52					KK	Herb	<i>Layia gaillardoides</i>	woodland layia	Morgan's Meadow															Y		Asteraceae	Sunflower		Rare in county																																							
	53	X				KK	AK	Herb	<i>Layia platyglossa</i>	coastal tidytip, coastal tidytip	Peak of main sand parkland														Y		Asteraceae	Sunflower	<i>L. platyglossa</i> ssp. <i>campestris</i> , <i>L. platyglossa</i> ssp. <i>breviata</i> , <i>L. ziegleri</i>																																								
	54					AK	Herb	<i>Madia elegans</i> ssp. <i>elegans</i>	common madia	Roadside															Y		Asteraceae	Sunflower																																									
	55						Herb	<i>Madia elegans</i> ssp. <i>vernalis</i>	springtime common madia	Morgan's Meadow															Y		Asteraceae	Sunflower																																									
	56					KK	Herb	<i>Madia exigua</i>	small tarweed	Italian Trail, in open chaparral															Y		Asteraceae	Sunflower		Tiny madia																																							
	57					KK	AK	Herb	<i>Madia gracilis</i>	grassy tarweed, slender tarweed, slender madia	Meadow near post 12 of discovery trail; Sunset sand bowl													Y		Asteraceae	Sunflower																																										
	58					AK	Herb	<i>Madia madioides</i>	woodland madia, forest madia	In oak woods, especially Italian Trail															Y		Asteraceae	Sunflower	Newer treatment: <i>Anisocarpus madioides</i>																																								
	59						Herb	<i>Madia sativa</i>	Chile Tarweed, Coast Tarweed	Roadside															YG(R)		Asteraceae	Sunflower																																									
	60	X				AK	Herb	<i>Malacothrix floccifera</i>	woolly desertdandelion, woolly malacothrix, woolly dandelion, leafy malacothrix	Open sandy areas, sand parkland, chaparral edges															W(Y)		Asteraceae	Sunflower																																									
	61					AK	Herb	<i>Matricaria discoidea</i>	disc mayweed, pineappleweed, pineapple weed	Around buildings															Y		Asteraceae	Sunflower	<i>Chamomilla suaveolens</i> , <i>Artemisia matricarioides</i> , <i>Lepidanthus suaveolens</i> , <i>Lepidotheca suaveolens</i> , <i>Matricaria matricarioides</i> , <i>M. matricarioides</i> , <i>M. suaveolens</i> , <i>Santolina suaveolens</i> , <i>Tanacetum suaveolens</i> , <i>Matricaria matricarioides</i>																																								
	62					KK	Herb	<i>Monolopia gracilens</i>	woodland monolopia	Ridge trail below first vista bench															Y		Asteraceae	Sunflower		Woolly, cupped shape involucre, but not united, ligules entire																																							

B=blue, b=light blue, Brn = brown, C=cream, G=green, g=pale greenish, Gld=gold, L=lavender, Li=Lilac, M=magenta, O=orange, P=purple, R=red, r=pink, rR=Rose, S=Salmon, V=violet, v=pale violet, W=white, Y=yellow, y=pale yellow, 'Y' = less common color(s), "*" = with, "*" = marked with, "r" = to, "r" = or																														
31	457	43	38	148	124	306	NOTE: THIS IS A WORKING LIST AND NOT COMPLETE - Blooming times, flower color/configuration/size, names and other data are				First common name listed is current ITIS 1st choice; bold is my filename.	Lighter gray = inferred QH months (e.g., specimen documented near last day of prior month)	Bold outline = published blooming period Solid gray = documented Quail Hollow blooms												Contributor initials: KK = Ken Kellman, VC = Vince Cheap, AK = Al Keuter (inflorescence size for Asteraceae, corolla size for Fabaceae)					
6.8%	9.4%	32.4%	27.1%	67.0%																										
Added to Ken's List	Index order	Sandhill	Wet areas	Non-native	Collected	Photo / ID	Type	Plant	Common name	Location in Park (all from KK unless otherwise noted)	January	February	March	April	May	June	July	August	September	October	November	December	Flower Color	Plant # of parent plants; if = fused, see separat #)	Petal size (mm)	Family name	Family common name	Older scientific name(s) / Synonyms	Descriptive notes	
	152					AK	Shrub	<i>Lupinus albus</i> var. <i>albus</i>	silver lupine, silver bush lupine	Chaparral and Ponderosa Pine Parkland													V/L		Fabaceae	Pea		Perennial shrub; silvery leaves, blue flowers		
	153					AK	Shrub	<i>Lupinus arboreus</i> var. <i>arboreus</i>	yellow bush lupine	Meadow edges throughout park													Y(L/P)		Fabaceae	Pea		Perennial shrub; yellow flowers		
	154						Herb	<i>Lupinus bicolor</i> and <i>L. bicolor</i> var. <i>trifida</i>	miniature lupine , annual lupine, bicolor lupine	Meadows throughout park.													B(b,r,W)		Fabaceae	Pea		Annual, pedicel gen < 3 mm.		
	155					AK	Herb	<i>Lupinus latifolius</i>	broadleaf lupine, broad-leaf lupine, broad leaved lupine	Roadside. [AK:] Along shady parts of Sunset and Woodrat Trails													B		Fabaceae	Pea		Subshrub or shrub perennial, flower petals blue or purple to white. Moist areas in woodlands, shady to open areas		
	156					AK	Herb	<i>Lupinus nanus</i>	sky lupine	Meadows throughout park.													B(b,L,r,W)		Fabaceae	Pea		Annual, pedicel gen > 3 mm.		
	157	X					Herb	<i>Lupinus polyphyllus</i> var. <i>grandifolius</i>	bigleaf lupine, lupine, large leaved lupine	Cat-tail marsh.													V,L,r,W		Fabaceae	Pea		Barely woody perennial, flower petals violet to lavender to pink to white. Moist areas to bogs		
	158					KK	AK	<i>Medicago polymorpha</i>	burclover, bur clover , California burclover, toothed medick	Along side of driveway @ base wall													Y		Fabaceae	Pea		<i>Medicago apiculata</i> , <i>M. denticulata</i> , <i>M. hispida</i> , <i>M. h. var. apiculata</i> , <i>M. h. var. confinis</i> , <i>M. polycarpa</i> , <i>M. polymorpha</i> var. <i>brevipinna</i> , <i>M. p. var. ciliaris</i> , <i>M. p. var. polygyna</i> , <i>M. p. var. tricycla</i> , <i>M. p. var. vulgaris</i>		
	159					AK	Herb	<i>Rupertia physodes</i>	forest scurftree, California tea	Italian Trail, [AK:] Sunset Trail														C,Y		Fabaceae	Pea		<i>Psoralea physodes</i>	
	160						Herb	<i>Thermopsis macrophylla</i>	Santa Inez goldenbanner, false lupine	Draw below switchback on Italian Trail														Y		Fabaceae	Pea			
	161					KK	AK	<i>Trifolium albopurpureum</i>	rancheria clover , common Indian clover	First overlook bench on Sunset Trail. [AK:] Morgan's meadow.														P+W		Fabaceae	Pea		No involucre, flowers not reflexed, calyx, purple	
VC	162						AK	<i>Trifolium bifidum</i> var. <i>bifidum</i>	notchleaf clover	[VC:] Sunset Trail near Morgan's meadow. [AK:] Morgan's meadow.													y/rP		Fabaceae	Pea		GH: Pls. w/ deeply notched leaves length vs. width = 1.6; pls. w/ shallow-notched leaves length vs. width = 5.		
	163						Herb	<i>Trifolium campestre</i>	Field (Big-hop) clover, field clover, large hop clover, lesser hop clover, low hop clover, hop clover	All meadows.														Y		Fabaceae	Pea		<i>Trifolium procumbens</i>	
	164					KK	Herb	<i>Trifolium ciliolatum</i>	foothill clover, tree clover	Morgan's Meadow.														r/P		Fabaceae	Pea		No involucre, flowers reflexed, purple; calyx lobes toothed	
	165					AK	Herb	<i>Trifolium dubium</i>	suckling clover , shamrock, little Hop clover, smallhop clover, hop clover	Redwood Meadow off Italian Trail. [AK:] Along NE edge of Discovery Trail														Y		Fabaceae	Pea		No involucre, small yellow flowers, 5 - 15 / head.	
	166						Herb	<i>Trifolium gracilentum</i>	pin-point clover, pinpoint clover	Morgan's Meadow.														r/rP		Fabaceae	Pea		No involucre, peduncle glabrous, red-purple flowers, reflexed in age.	
	167					AK	Herb	<i>Trifolium hirtum</i>	rose clover	Roadside. [AK:] Meadow alongside access road just inside park entrance														r		Fabaceae	Pea		False involucre w/ leaf subtending plumose calyx head, pink to purple.	
	168					KK	AK	<i>Trifolium microcephalum</i>	small-headed clover	Double slide gulch; Morgan's Meadow.														r/L		Fabaceae	Pea		Plants in Double Slide Gulch w/glabrous involucre!! Morgan's Meadow plants w/ regular hairy involucre.	
VC / AK	169					AK	Herb	<i>Trifolium microdon</i>	thimble clover	Morgan's meadow														W/r		Fabaceae	Pea		Plants in Double Slide Gulch w/glabrous involucre!! Morgan's Meadow plants w/ regular hairy involucre.	
	170					AK	Herb	<i>Trifolium repens</i>	white clover , Dutch clover, ladino clover, white Dutch clover	All meadows. [AK:] Ranch house lawn.														W		Fabaceae	Pea			
	171					KK	AK	<i>Trifolium subterraneum</i>	sub clover, subterranean clover	Along driveway at base of rock wall.														Y+P		Fabaceae	Pea		3 white flowers w/ red calyx, stipules whitish w/ red stripes.	
	172					AK	Herb	<i>Trifolium wildenovii</i>	tomcat clover	Morgan's Meadow.														L/P+W		Fabaceae	Pea		<i>Trifolium tridentatum</i>	
	173					KK	AK	<i>Vicia americana</i>	American deer vetch, American purple vetch [English], American vetch , vesce d'Amérique [French]	Shaded woods along Italian and Ridge Trails.															BP /L	15-25	Fabaceae	Pea		3 - 9 flowers on peduncles, not crowded, on > 1 side of axis.
	174					KK	AK	<i>Vicia sativa</i> ssp. <i>nigra</i>	common vetch, garden vetch, slimleaf vetch, vetch, smaller common vetch	Orchard. [AK:] Alongside middle W leg of Discovery Loop trail.														rP /W	10-18	Fabaceae	Pea		Pods black, flowers sessile in axils, flowers gen. smaller than leaflet length.	
	175					AK	Herb	<i>Vicia sativa</i> ssp. <i>sativa</i>	garden vetch, spring vetch	Meadows throughout park.														rP	18-30	Fabaceae	Pea		Pods brown to black, fls. sessile in axils; fls. +/- = leaflet length	
	176					KK	AK	<i>Vicia villosa</i> ssp. <i>varia</i>	vetch woolpod, winter vetch, smooth vetch	Roadside														VP,L /W	10-18	Fabaceae	Pea		Gen. > 9 flowers crowded on peduncles, gen. on 1 side of axis only.	
AK	177					AK	Shrub	<i>Wisteria floribunda</i>	purple wisteria	On blacksmith's shed														P		Fabaceae	Pea			
	178					AK	Herb	<i>Dicentra formosa</i>	Pacific bleeding heart , bleeding heart	Planted behind garage of house. [AK:] Planted along side of ranch house															P/ C,y		Fumariaceae	Fumewort		
AK	179					AK	AK	<i>Fumaria capreolata</i>	white ramping fumitory	Between fence and road at southern end of park															W/ W+P		Fumariaceae	Fumewort		
	180					KK	AK	<i>Garrya elliptica</i>	wavyleaf silktassel, coast silk tassel	Ridge Trail, north end "Interchute plateau"															W/C/g		Garryaceae	Silk Tassel		
	181					AK	Herb	<i>Erodium botrys</i>	long-beaked filaree , big heron bill, storksbill, filaree	Meadows throughout park.															r	5	Geraniaceae	Geranium		Leaves pinnatifid, fruit beaks 5 - 12 cm w/ 2 folds @ base.
	182					AK	Herb	<i>Erodium cicutarium</i>	redstem stork's bill , redstem filaree, redstem storksbill	Meadows and disturbed areas throughout park.															r(P)	5	Geraniaceae	Geranium		Leaves pinnately compound; leaflets pinnately lobed, beak 2 - 5 cm.

B=blue, b=light blue, Brn = brown, C=cream, G=green, g=pale greenish, Gld=Gold, L=lavender, Li=Lilac, M=magenta, O=orange, P=purple, R=red, r=pink, rR=Rose, S=Salmon, V=violet, v=pale violet, W=white, Y=yellow, y=pale yellow, () = less common color(s), "+" = with, "*" = marked with, "?" = to, "x" = or																														
31	457	43	38	148	124	306	NOTE - THIS IS A WORKING LIST AND NOT COMPLETE - Blooming times, flower color/configuration/size, names and other data are			First common name listed is current ITIS 1st choice; bold is my filename.	Lighter gray = inferred QH months (e.g., specimen documented near last day of prior month)	Bold outline = published blooming period Solid gray = documented Quail Hollow blooms												Contributor initials: KK = Ken Kellman, VC = Vince Cheap, AK = Al Keuter (inflorescence size for Asteraceae, corolla size for Fabaceae)						
6.8%	9.4%	32.4%	27.1%	67.0%																										
Added to Ken's List	Index order	Sandhill	Wet areas	Non-native	Collected	Photo / ID	Type	Plant	Common name	Location in Park (all from KK unless otherwise noted)	January	February	March	April	May	June	July	August	September	October	November	December	Flower Color	Number of parent parts, if fused; see sepals #	Petal size (mm)	Family name	Family common name	Older scientific name(s) / Synonyms	Descriptive notes	
	183					AK	Herb	<i>Erodium moschatum</i>	musky stork's bill, musk filaree	Along driveway @ base of rock wall. [AK:] Lawn behind house.													r	5		Geraniaceae	Geranium		Leave pinnately compound; leaflets toothed, base 2 - 4 cm.	
	184					AK	Herb	<i>Geranium dissectum</i>	cutleaf geranium , cut-leaved geranium, cut-leaved cranesbill	Meadows throughout park. [AK:] Parking lot.													P	5		Geraniaceae	Geranium	Geranium laxum	Sepals with awn.	
	185					AK	Herb	<i>Geranium molle</i>	awnless geranium , dovefoot geranium, cranesbill	Lawn behind house. [AK:] orchard													P	5		Geraniaceae	Geranium		Sepals un-awned	
	186					AK	Shrub	<i>Ribes divaricatum</i> var. <i>pubiflorum</i>	straggly gooseberry, spreading gooseberry, creek gooseberry	Along entire creek													W	5		Grossulariaceae	Gooseberry	Grossularia divaricata		
	187					AK	Shrub	<i>Eriodictyon californicum</i>	yerba santa	Throughout park													W/P	5		Hydrophyllaceae	Waterleaf			
	188					AK	Herb	<i>Nemophila parviflora</i>	smallflower nemophila , woodland nemophila	Top of Italian Trail, in shaded oak area; [AK:] creek edge near bottom of Discovery Loop Trail													W,B	5		Hydrophyllaceae	Waterleaf			
	189						Herb	<i>Phacelia distans</i>	common phacelia	Discovery Trail extension to Lne Property.													W/B	5		Hydrophyllaceae	Waterleaf			
	190	X				AK	Herb	<i>Phacelia douglasii</i>	Douglas' phacelia	Discovery Trail extension to Lne Property.													b/P	5		Hydrophyllaceae	Waterleaf			
	191						Herb	<i>Phacelia imbricata</i>	imbricate phacelia	Morgan's Meadow.													W/L	5		Hydrophyllaceae	Waterleaf			
	192						Herb	<i>Phacelia nemoralis</i>	stinging phacelia	Along backside of Italian Trail													GW /Y			Hydrophyllaceae	Waterleaf			
	193						Herb	<i>Hypericum anagalloides</i>	tinker's penny	Near tub in north field, Cat-tail marsh													Gld/S	5		Hypericaceae	St. Johnswort			
	194					AK	Herb	<i>Iris fernaldii</i>	slender tubed iris	Forest edges throughout park													Y	6		Iridaceae	Iris		Perianth tube funnel-shaped; basal lvs 6 - 8 mm wide; petals 6 - 12 mm wide	
AK	195					AK	Herb	<i>Iris macrosiphon</i>	Santa Cruz iris	Forest edges throughout park													(C/ GldY), (L/ BP)	6		Iridaceae	Iris		Perianth tube abruptly inflated at top (bowl-like); basal lvs 3 - 6 mm wide; petals 6 - 11 mm wide. A naturally occurring multiparent hybrid north of the Golden Gate bridge is called the Marin Iris. (See http://www.pacificcoastiris.org for details.)	
	196					KK	AK	Herb	<i>Romulea rosea</i> var. <i>australis</i>	rosy sandcrocus	Saddle trail between Italian Tr. & yellow tank. Wet years only. [AK:] Meadow below upper Discovery Tr.													r, Li +Y	6	15-20	Iridaceae	Iris		
	197					AK	Herb	<i>Sisyrinchium bellum</i>	blue eyed grass	Meadows throughout park														BP/P,b	6		Iridaceae	Iris		
	198						Herb	<i>Lamium amplexicaule</i>	henbit	Lawn behind house.														RP			Lamiaceae	Mint		
	199					AK	Shrub	<i>Lepechinia calycina</i>	woodbalm , pitcher sage	Along backside of Italian Trail. [AK:] Lompico Ridge Trail													W			Lamiaceae	Mint			
	200					AK	Herb	<i>Marrubium vulgare</i>	white horehound , horehound	Very beginning of Italian Trail													W			Lamiaceae	Mint			
	201	X					Herb	<i>Mentha arvensis</i>	marsh mint	Orchard marsh near Chain Fern													W/ P,V			Lamiaceae	Mint			
	202					AK	Herb	<i>Mentha spicata</i> var. <i>spicata</i>	spearmint	east end of pond. [AK:] Lompico Ridge Trail													W,r,L			Lamiaceae	Mint			
	203	X					Herb	<i>Mentha suaveolens</i>	apple mint	Drainage ditch from Cat-tail marsh to pond													W/r			Lamiaceae	Mint	<i>Mentha rotundifolia</i>		
	204	X				AK	Herb	<i>Monardella undulata</i>	curly-leaved coyote mint	Sand Parkland & across QH road													P			Lamiaceae	Mint			
	205					AK	Herb	<i>Monardella villosa</i> var. <i>villosa</i>	coyote mint	Morgan's Meadow; Oak woodlands													r/P			Lamiaceae	Mint			
	206						Shrub	<i>Rosmarinus officinalis</i>	rosemary	Near gate on Italian Trail													V/ BV			Lamiaceae	Mint			
	207					AK	Shrub	<i>Salvia mellifera</i>	black sage	Chaparral throughout park													W/ b,L			Lamiaceae	Mint			
AK	208					AK	Shrub	<i>Satureja douglasii</i>	yerba buena	Ponderosa Pine Woodland near lower Italian Trail													W/L			Lamiaceae	Mint			
	209					AK	Herb	<i>Scutellaria tuberosa</i>	Dannie's skullcap , Dannie's skullcap, blue skullcap	Sand Parkland; areas of sandy soil throughout park														VB			Lamiaceae	Mint		
	210					KK	Herb	<i>Stachys ajugoides</i> var. <i>rigida</i>	rigid hedge nettle, hedge nettle	Brushy slopes														W+r			Lamiaceae	Mint	<i>Stachys rigida</i>	Clusters 6 - 16 flowered, corolla pink to magenta or purplish. Leaf blades 5 - 9 cm, ovate to lanceolate
	211					AK	Herb	<i>Stachys bullata</i>	California hedge nettle	Forest edges throughout park														r/P			Lamiaceae	Mint		Clusters 6-flowered, corolla white to pink. Leaf blades 3 - 18 cm, +/- ovate.
	212	X				AK	Herb	<i>Lemna valdiviana</i>	valdivia duckweed	Pond surface																Lemnaceae	Duckweed			
AK	213					AK	Herb	<i>Allium neapolitanum</i>	white garlic , Neapolitan garlic, Neapolitan onion	Edge of eucalyptus grove behind ranch house														W	6		Liliaceae	Lily		
	214					AK	Herb	<i>Calochortus albus</i>	globe lily	Woods on backside of Italian trail; Morgans Meadow														W/r			Liliaceae	Lily		
	215						Herb	<i>Calochortus luteus</i>	yellow mariposa lily	Small grassy opening, due E of buildings, W side of ridge trail														Y	3		Liliaceae	Lily		
	216					AK	Herb	<i>Chlorogalum pomeridianum</i> var. <i>pomeridianum</i>	amole, soap plant	Redwood meadow														W+ G/P	6		Liliaceae	Lily		
	217					AK	Herb	<i>Dichelesterma capitatum</i>	blue dicks	Meadow near Discovery Trail; Morgan's Meadow														BP,rP,W			Liliaceae	Lily	<i>Brodiaea pulchella</i>	Flowers without pedicels
	218					AK	Herb	<i>Fritillaria affinis</i> var. <i>affinis</i>	checker lily	Backside Italian trail, in dark woods; Ridge Trail														BrnPlyG	6		Liliaceae	Lily	<i>Fritillaria lanceolata</i>	

B=blue, b=light blue, Brn = brown, C=cream, G=green, g=pale greenish, Gld=gold, L=lavender, Li=Lilac, M=magenta, O=orange, P=purple, R=red, r=pink, rR=Rose, S=Salmon, V=violet, v=pale violet, W=white, Y=yellow, y=pale yellow, " (") = less common color(s), "*" = with, "*" = marked with, "r" = to, "r" = or																																																																												
31	457	43	38	148	124	306	NOTE: THIS IS A WORKING LIST AND NOT COMPLETE - Blooming times, flower color/configuration/size, names and other data are										First common name listed is current ITIS 1st choice; bold is my filename.										Lighter gray = inferred QH months (e.g., specimen documented near last day of prior month)										Bold outline = published blooming period										Solid gray = documented Quail Hollow blooms										Contributor initials: KK = Ken Kellman, VC = Vince Cheap, AK = Al Keuter										(inflorescence size for Asteraceae, corolla size for Fabaceae)									
6.8%	9.4%	32.4%	27.1%	67.0%																																																																								
Added to Ken's List	Index order	Sandhill	Wet areas	Non-native	Collected	Photo / ID	Type	Plant	Common name	Location in Park (all from KK unless otherwise noted)	January	February	March	April	May	June	July	August	September	October	November	December	Flower Color	Number of parent plants, if = fused; see separat #)	Petal size (mm)	Family name	Family common name	Older scientific name(s) / Synonyms	Descriptive notes																																															
	280					AK	Herb	<i>Claytonia perfoliata</i> ssp. <i>perfoliata</i>	miners lettuce	Meadows throughout park														W(r)	5	Portulacaceae	Purselane	<i>Montia perfoliata</i>																																																
	281						Herb	<i>Montia fontana</i>	water chickweed, blinks	Inside corral. 1995 wet year														5	Portulacaceae	Purselane	<i>Montia hallii</i>																																																	
	282					AK	Herb	<i>Portulaca oleracea</i>	akulikuli-kula, common purslane, duckweed, garden purslane, little hogweed, pursley, pusley, wild portulaca	Beginning of Italian Trail. [AK:] open area along edge of central meadow near corral.													Y	5	Portulacaceae	Purselane																																																		
	283					AK	Herb	<i>Anagallis arvensis</i>	scarlet pimpernel, poor-man's weatherglass	Meadows throughout park														S(B,BW)	5	Primulaceae	Primrose																																																	
	284	X				KK	Herb	<i>Centunculus minimus</i>	chaffweed, false pimpernel	Moist soil beyond orchard near trail. With <i>Juncus bufonius</i> , <i>Lythrum hyssopifolium</i>														r	- 4	Primulaceae	Primrose	<i>Anagallis minima</i>																																																
	285					KK	AK	Herb	<i>Dodecatheon clevelandii</i>	padre's shootingstar	Sand Parkland "annex"; Morgan's Meadow; [AK:] Kellman's Clearing													MW	5	Primulaceae	Primrose																																																	
	286					AK	Herb	<i>Trientalis latifolia</i> ssp. <i>latifolia</i>	broadleaf starflower, Pacific starflower	Redwood forest along backside of Italian Trail														W, r/r	5 - 7	Primulaceae	Primrose	<i>Trientalis latifolia</i>																																																
	287					KK	Herb	<i>Actaea rubra</i>	red baneberry, western baneberry	Redwood area below switchback on Italian Trail														W	0	Ranunculaceae	Buttercup	<i>Actaea arguta</i>	Ternate leaves, perennial																																															
	288					AK	Herb	<i>Aquilegia formosa</i>	crimson columbine, western columbine, red columbine	Along backside of Italian Trail														R-Y	5	Ranunculaceae	Buttercup																																																	
	289					KK	AK	Herb	<i>Delphinium hesperium</i>	foothill larkspur, western larkspur	Morgan's Meadow													BP,r,W	4 s5	Ranunculaceae	Buttercup																																																	
	290	X				AK	Herb	<i>Ranunculus californicus</i>	California buttercup	Wet meadows throughout park														Y/W	5	Ranunculaceae	Buttercup	<i>Ranunculus californicus</i> var. <i>austroriparianus</i> , R. c. var. <i>cuneatus</i> , R. c. var. <i>gracilis</i> , R. c. var. <i>rugulosus</i> , R. c. var. <i>typicus</i> , R. <i>rugulosus</i>																																																
AK	291					AK	Herb	<i>Ranunculus muricatus</i>	spinyfruit buttercup	Top side of Discovery Loop trail, horse corral W of caretaker's cabin.														Y	5	Ranunculaceae	Buttercup																																																	
	292					AK	Shrub	<i>Ceanothus cuneatus</i> var. <i>cuneatus</i> [Proposed name: C c var. <i>dubius</i>]	buck brush, coast Ceanothus	Chaparral beyond north field														W, b/L	5	Rhamnaceae	Buckthorn																																																	
	293					AK	Shrub	<i>Ceanothus papillosus</i> var. <i>papillosus</i>	wartleaf Ceanothus, warty leaved Ceanothus	Chaparral beyond north field; [AK:] upper Sunset Trail, Lompico Ridge Trail														B	5	Rhamnaceae	Buckthorn																																																	
	294					AK	Shrub/ Tree	<i>Ceanothus thyrsiflorus</i> [Proposed name: C. t. var. <i>thyrsiflorus</i>]	blue blossom ceanothus, blueblossom, blue brush	Italian Trail														b/B	5	Rhamnaceae	Buckthorn																																																	
	295					AK	Shrub	<i>Frangula californica</i> ssp. <i>californica</i>	California buckthorn, California coffee berry	Ridge Trail; [AK:] Italian Trail and lower Sunset Trail														y/Gy	5	Rhamnaceae	Buckthorn	<i>Rhamnus californica</i> ssp. <i>californica</i>																																																
	296					AK	Shrub	<i>Adenostoma fasciculatum</i>	chamise, greasewood	Chaparral throughout park														C/W	5	Rosaceae	Rose																																																	
	297						Herb	<i>Aphanes arvensis</i>	field parsley piert, dew cup	Along Nature Trail near post 2	NOT FOUND IN CALIFORNIA												Rosaceae	Rose	<i>Alchemilla arvensis</i> , A. <i>occidentalis</i> , A. <i>cuneifolia</i> , <i>Aphanes occidentalis</i>																																																			
AK	298					AK	Shrub	<i>Chaenomeles speciosa</i>	flowering quince	Edge of willow wetland adjacent to ranch house lawn near parking lot.														R	5	Rosaceae	Rose																																																	
	299					AK	Shrub	<i>Cotoneaster pannosus</i>	silverleaf cotoneaster, firethorn	west of Italian Trail before redwood meadow														W	5	Rosaceae	Rose																																																	
	300					AK	Shrub/ Tree	<i>Crataegus monogyna</i>	oneseed hawthorn, singleseed hawthorn, English hawthorn	Creek bank at southern edge of park. [AK:] Shady part of Sunset Trail														W	5	Rosaceae	Rose																																																	
	301					AK	Herb	<i>Fragaria vesca</i>	California strawberry	Italian Trail; lower meadow edges														W	5	Rosaceae	Rose	<i>Fragaria californica</i>																																																
	302					AK	Shrub/ Tree	<i>Heteromeles arbutifolia</i>	toyon, Christmas berry	[AK:] Along Italian, Sunset and Discovery Loop Trails														W	5	Rosaceae	Rose	<i>Photinia arbutifolia</i>																																																
	303					AK	Shrub	<i>Holodiscus discolor</i>	creambush oceanspray, hillside oceanspray, oceanspray	Above creek near Lane property. [AK:] Along uphill side of Sunset Trail below first overlook bench.														W	5	Rosaceae	Rose																																																	
	304					AK	Herb	<i>Horkelia cuneata</i> ssp. <i>cuneata</i>	wedgeleaf horkelia, wedge-leaved horkelia	Chaparral throughout park														W	5	Rosaceae	Rose																																																	
	305					KK	Shrub	<i>Oemleria cerasiformis</i>	Indian plum, oso berry	Rise just above confluence of creeks; across road														W	5	Rosaceae	Rose	<i>Osmaronia cerasiformis</i>																																																
	306	X					Herb	<i>Argentina egedii</i> ssp. <i>egedii</i>	Pacific silverweed	Pond edge														Y	5	Rosaceae	Rose	<i>Potentilla egedii</i> , <i>Potentilla anserina</i> ssp. <i>pacifica</i>																																																
	307						Herb	<i>Potentilla glandulosa</i>	gland cinquefoil, sticky cinquefoil	Along backside of Italian Trail														Y/W	5	Rosaceae	Rose																																																	
	308					AK	Shrub	<i>Rosa gymnocarpa</i>	dwarf rose, wood rose	Forests throughout park														r	5	Rosaceae	Rose		Loose shrub +/- 5 - 20 dm; fewer than 10 pistils																																															
	309					AK	Shrub	<i>Rosa multiflora</i>	multiflora rose	QHR/Lane Fenceline of S triangle [AK:] Apparently planted at several fenceposts														W	5	Rosaceae	Rose	<i>Rosa californica</i>																																																
	310					AK	Shrub	<i>Rosa spithamea</i>	ground rose	Base of hill above beginning of Italian Trail; [AK:] lower Woodrat Trail														r	5	Rosaceae	Rose		Dwarf shrub, generally < 5 dm, rhizomed, more than 10 pistils																																															
	311					AK	Herb	<i>Rubus discolor</i>	Himalaya blackberry, Himalayan blackberry, Himalaya berry	Forest edges throughout park														W/r	5	Rosaceae	Rose	<i>Rubus procerus</i>	Unlobed leaves in groups of 5																																															

B=blue, b=light blue, Brn = brown, C=cream, G=green, g=pale greenish, Gld=Gold, L=lavender, Li=Lilac, M=magenta, O=orange, P=purple, R=red, r=pink, rR=Rose, S=Salmon, V=violet, v=pale violet, W=white, Y=yellow, y=pale yellow, () = less common color(s), "+" = with, "-" = marked with, "*" = to, "x" = or																														
31	457	43	38	148	124	306	NOTE - THIS IS A WORKING LIST AND NOT COMPLETE - Blooming times, flower color/configuration/size, names and other data are				First common name listed is current ITIS 1st choice; bold is my filename.	Lighter gray = inferred QH months (e.g., specimen documented near last day of prior month)	Bold outline = published blooming period Solid gray = documented Quail Hollow blooms												Contributor initials: KK = Ken Kellman, VC = Vince Cheap, AK = Al Keuter			(inflorescence size for Asteraceae, corolla size for Fabaceae)		
Added to Ken's List	Index order	Sandhill	Wet areas	Non-native	Collected	Photo / ID	Type	Plant	Common name	Location in Park (all from KK unless otherwise noted)	January	February	March	April	May	June	July	August	September	October	November	December	Flower Color	Number of parent plants, if = fused; see separat #)	Petal size (mm)	Family name	Family common name	Older scientific name(s) / Synonyms	Descriptive notes	
	312						AK	Herb	<i>Rubus parviflorus</i>	thimbleberry, western thimbleberry														W(r)	5	Rosaceae	Rose		Larger, 3-lobed leaves	
	313						AK	Herb	<i>Rubus ursinus</i>	California blackberry														W	5	Rosaceae	Rose		Unlobed leaves in groups of 3	
	314							Herb	<i>Sanguisorba minor</i>	salad burnet, small burnet																Rosaceae	Rose			
	315						AK	Herb	<i>Galium aparine</i>	bedstraw, catchweed bedstraw, cleavers, goose grass, scarrhgrass, sticky-willy, stickywilly, white hedge														W	4	Rubiaceae	Madder	<i>Galium agreste</i> var. <i>echinospermum</i> , <i>G. aparine</i> var. <i>echinospermum</i> , <i>G. a. var. intermedium</i> , <i>G. a. var. minor</i> , <i>G. a. var. vailantii</i> , <i>Galium spurium</i> var. <i>echinospermum</i> , <i>G. s. var. vailantii</i> , <i>Galium vailantii</i>	Leaves in whorls of 6-8, narrowly oblanceolate	
	316						AK	Herb	<i>Galium californicum</i>	California bedstraw														y	4	Rubiaceae	Madder		Leaves in whorls of 4, hairy; fruit is a berry, +/- hairy	
	317							Herb	<i>Galium nuttallii</i>	San Diego bedstraw, climbing bedstraw														y,W,G	4 (5)	Rubiaceae	Madder		Climbing, leaves 4/ node [AK: Not reported from NorCal]	
AK	318						AK	Herb	<i>Galium porrigens</i> var. <i>porrigens</i>	graceful bedstraw, climbing bedstraw														y/W	4	Rubiaceae	Madder		Climbing, leaves 4/ node, very few hairs, margins w/ prickles; fruit is a berry, hairs 0	
	319						AK	Herb	<i>Lithophragma affine</i>	San Francisco woodland-star, woodland star														W	5	Saxifragaceae	Saxifrage			
	320						KK	Herb	<i>Saxifraga californica</i>	California saxifrage														W	5	2.5-4.5	Saxifragaceae	Saxifrage		
	321						AK	Herb	<i>Sairocarpus multiflorus</i>	Sierra snapdragon, withered snapdragon														r/R		Scrophulariaceae	Snapdragon / Figwort	<i>Jepson</i> says <i>Antirrhinum multiflorum</i> is the current name, but ITIS says the reverse.		
	322							Herb	<i>Castilleja affinis</i>	coast Indian paintbrush, Indian paint brush															R/Y		Scrophulariaceae	Snapdragon / Figwort		
	323	X					AK	Herb	<i>Castilleja exserta</i> ssp. <i>exserta</i>	exserted Indian paintbrush, owl clover, purple owl's-clover, purple owl's clover															PR/W		Scrophulariaceae	Snapdragon / Figwort		
	324	X					AK	Herb	<i>Castilleja foliolosa</i>	Texas Indian paintbrush, wooly paintbrush															OR(YG)		Scrophulariaceae	Snapdragon / Figwort		
	325	X					AK	Herb	<i>Collinsia bartsii</i> var. <i>bartsii</i>	white blue eyed Mary, white Chinese houses															W		Scrophulariaceae	Snapdragon / Figwort		
	326							Herb	<i>Cordylanthus rigidus</i>	stiffbranch bird's beak, rigid bird's beak															y		Scrophulariaceae	Snapdragon / Figwort		
	327	X					AK	Herb	<i>Nuttallanthus canadensis</i>	Canada toadflax, oldfield toadflax, oldfield-toadflax, blue toadflax															V/B		Scrophulariaceae	Snapdragon / Figwort	<i>Linaria texana</i> , <i>Jepson</i> says <i>Linaria canadensis</i> is the current name, ITIS says the reverse.	
	328	X					AK	Herb	<i>Mimulus androsaceus</i>	rockjasmine monkeyflower, androsace monkey flower															RP		Scrophulariaceae	Snapdragon / Figwort	<i>Mimulus palmeri</i> var. <i>androsaceus</i>	Flowers on pedicels. Petals reddish, red purple
	329	X					AK	Shrub	<i>Mimulus aurantiacus</i> ssp. <i>aurantiacus</i>	orange bush monkeyflower, sticky monkey flower															YO/O		Scrophulariaceae	Snapdragon / Figwort	<i>Diplocus aurantiacus</i> ; ITIS says <i>D. a. var. aurantiacus</i> is the current name, <i>Jepson</i> says the <i>Mimulus a. var. a.</i>	
	330		X					Herb	<i>Mimulus guttatus</i>	seep-spring monkey flower															Y		Scrophulariaceae	Snapdragon / Figwort		Petals dotted with red
	331		X				AK	Herb	<i>Mimulus moschatus</i>	muskflower, musk monkeyflower															Y		Scrophulariaceae	Snapdragon / Figwort		Petals yellow
	332	X						Herb	<i>Mimulus rattanii</i> var. <i>decurtatus</i>	Rattan's monkeyflower, Santa Cruz monkeyflower, Rattan's monkey flower															r/M		Scrophulariaceae	Snapdragon / Figwort		Flowers sessile. Petals red-purple
	333						AK	Herb	<i>Scrophularia californica</i> ssp. <i>californica</i>	California figwort, California bee plant, coast figwort,															Brn-Maroon /YG		Scrophulariaceae	Snapdragon / Figwort		All yellow flowers
	334						AK	Herb	<i>Veronica americana</i>	American speedwell, brooklime, American brooklime															VB		Scrophulariaceae	Snapdragon / Figwort		
	335						KK	AK	Herb	<i>Veronica arvensis</i>	common speedwell, corn speedwell, rock speedwell, wall speedwell														B/V		Scrophulariaceae	Snapdragon / Figwort		
	336							Herb	<i>Datura stramonium</i>	Jamestown weed, jimsonweed, map apple, moonflower, stinkwort, thorn apple															W,bP	5	Solanaceae	Nightshade		
	337						AK	Herb	<i>Solanum americanum</i>	American black nightshade, small flowered nightshade															W	5	Solanaceae	Nightshade	<i>Solanum nodiflorum</i>	
	338						AK	Herb	<i>Solanum umbelliferum</i>	blue witch															L/BP	5	Solanaceae	Nightshade		
	339		X				AK	Herb	<i>Urtica dioica</i> ssp. <i>holosericea</i>	stinging nettle, slim nettle, hoary stinging nettle															g	0 s4	Urticaceae	Nettle	<i>Urtica holosericea</i>	
	340						KK	Herb	<i>Urtica urens</i>	burning nettle, dwarf nettle															g	0 s4	Urticaceae	Nettle		
	341						AK	Herb	<i>Verbena lasiostachys</i>	western vervain, California vervain															B/P		Verbenaceae	Verbena		

B=blue, b=light blue, Brn = brown, C=cream, G=green, g=pale greenish, Gld=gold, L=lavender, Li=Lilac, M=magenta, O=orange, P=purple, R=red, r=pink, rR=Rose, S=Salmon, V=violet, v=pale violet, W=white, Y=yellow, y=pale yellow, " (") = less common color(s), "*" = with, "*" = marked with, "?" = to, "?" = or																														
31	457	43	38	148	124	306	NOTE - THIS IS A WORKING LIST AND NOT COMPLETE - Blooming times, flower color/configuration/size, names and other data are		First common name listed is current ITIS 1st choice; bold is my filename.	Lighter gray = inferred QH months (e.g., specimen documented near last day of prior month)	Bold outline = published blooming period Solid gray = documented Quail Hollow blooms												Contributor initials: KK = Ken Kellman, VC = Vince Cheap, AK = Al Keuter							
6.8%	9.4%	32.4%	27.1%	67.0%													(inflorescence size for Asteraceae, corolla size for Fabaceae)													
Added to Ken's List	Index order	Sandhill	Wet areas	Non-native	Collected	Photo / ID	Type	Plant	Common name	Location in Park (all from KK unless otherwise noted)	January	February	March	April	May	June	July	August	September	October	November	December	Flower Color	Plant # (if not parent's parts, if = fused, see separat #)	Petal size (mm)	Family name	Family common name	Older scientific name(s) / Synonyms	Descriptive notes	
	379					AK	Fern	<i>Woodwardia limbriata</i>	giant chain fern, giant chainfern, western chain fern	Shaded creek banks																Blechnaceae	Deer Fern			
	380					AK	Fern	<i>Pteridium aquilinum</i> var. <i>pubescens</i>	bracken fern	Open areas throughout park																Dennstaedtiaceae	Bracken			
	381					AK	Fern	<i>Athyrium filix-femina</i>	western lady fern, common lady fern	Along creek below pond																Dryopteridaceae	Wood Fern			
	382					KK	AK	Fern	<i>Dryopteris arguta</i>	coastal wood fern	Along creek; backside of Italian trail															Dryopteridaceae	Wood Fern			
	383					KK	AK	Fern	<i>Polystichum munitum</i>	western sword fern	Redwood areas throughout park															Dryopteridaceae	Wood Fern			
	384					AK	Fern	<i>Equisetum telmateia</i> var. <i>braunii</i>	giant horsetail	Orchard marsh																Equisetaceae	Horsetail		Other ssp. found in Europe and Asia	
	385						Fern	<i>Equisetum X ferrissii</i>	Ferriss' horsetail	Near post #6 of Discovery trail																Equisetaceae	Horsetail			
	386					KK	AK	Fern	<i>Polypodium californicum</i>	California polypody	Forested areas along backside of Italian trail															Polypodiaceae	Fern			
	387					AK	Fern	<i>Adiantum jordanii</i>	California maidenhair	Double Slide Gulch; E fork, Bonetti Creek; [AK:] Woodrat Trail																Pteridaceae	Brake			
	388	X				KK	AK	Fern	<i>Pellaea mucronata</i> var. <i>mucronata</i>	birdfoot cliffbrake, bird's foot fern	Sand Parkland															Pteridaceae	Brake			
	389					AK	Fern	<i>Pentagramma triangularis</i> ssp. <i>triangularis</i>	goldback fern	Forested areas along backside of Italian trail																Pteridaceae	Brake	<i>Ptyrogramma triangularis</i>		
	390	X				KK	AK	G/S/R	<i>Carex barbarae</i>	Santa Barbara sedge	Areas in meadows with high water tables															Cyperaceae	Sedge			
	391					KK	G/S/R	<i>Carex densa</i>	dense sedge	Meadow between pond and driveway																Cyperaceae	Sedge			
	392					KK	G/S/R	<i>Carex globosa</i>	roundfruit sedge, round-fruited sedge	Italian trail and sandhills																Cyperaceae	Sedge			
	393	X				KK	AK	G/S/R	<i>Carex harfordii</i>	Harford's sedge	Around pond. [AK:] Discovery Loop central meadow.																Cyperaceae	Sedge		
	394	X					G/S/R	<i>Carex obnupta</i>	slough sedge	Orchard marsh																Cyperaceae	Sedge			
	395						G/S/R	<i>Carex subbracteata</i>	smallbract sedge, small-bracted sedge	W of pond between pond and driveway																Cyperaceae	Sedge			
	396	X				KK	AK	G/S/R	<i>Cyperus eragrostis</i>	tall flatsedge, tall cyperus	Moist and wet areas throughout the park															Cyperaceae	Sedge			
	397	X				KK		G/S/R	<i>Cyperus fuscus</i>	brown flatsedge	Margins of pond															Cyperaceae	Sedge			
	398	X					G/S/R	<i>Eleocharis palustris</i>	common spikerush, creeping spikerush, spikesedge, pale spikerush	Very wet soil @ margin of pond.																Cyperaceae	Sedge	<i>Eleocharis calva</i> var. <i>australis</i> , <i>E. macrostachya</i> , <i>E. mamillata</i> , <i>E. palustris</i> var. <i>australis</i> , <i>E. palustris</i> var. <i>major</i> , <i>E. palustris</i> var. <i>vicensis</i> , <i>E. perlonga</i> , <i>E. parviflora</i> , <i>E. smallii</i> var. <i>major</i> , <i>E. xyridiformis</i>		
	399	X					G/S/R	<i>Schoenoplectus acutus</i> var. <i>acutus</i>	hardstem bulrush, Tule bulrush, common tule	Orchard marsh																Cyperaceae	Sedge	<i>Scirpus acutus</i> , <i>S. lacustris</i> , <i>Schoenoplectus lacustris</i> ssp. <i>acutus</i>		
	400	X				AK	G/S/R	<i>Schoenoplectus californicus</i>	California bulrush, California Tule	Large clump on edge of pond																Cyperaceae	Sedge	<i>Scirpus californicus</i> , <i>S. c. var. terebinthifolius</i>		
	401					AK	G/S/R	<i>Scirpus microcarpus</i>	panicled bulrush, red-tinge bulrush, smallfruit bulrush	Under Willows near pond [AK:] Compost pile near bottom of Woodrat Trail																Cyperaceae	Sedge			
	402					KK	G/S/R	<i>Juncus bufonius</i>	toad rush	Orchard																Juncaceae	Rush		Annual, 2-10(40)cm; native and naturalized ssp.	
	403	X				KK	AK	G/S/R	<i>Juncus effusus</i> var. <i>pacificus</i>	Pacific rush, common rush, bog rush	Orchard marsh															Juncaceae	Rush		Cespitose perennial, 60-155cm; leaf blades 0; flower pale brown; (fresh) upper stem smooth/shiny	
	404					AK	G/S/R	<i>Juncus patens</i>	spreading rush	Italian Trail. [AK:] Discovery Loop, above the horse corral.																Juncaceae	Rush		Densely cespitose perennial, 30-105cm; leaves 0 or rudimentary; (fresh) stems distinctly grooved	
	405					KK	G/S/R	<i>Juncus phaeocephalus</i>	brownhead rush, brown headed rush																	Juncaceae	Rush		Dense stands; 10-50cm; leaf blade flat; flowers dk. brown to dk. purple to black	
	406	X				KK	AK	G/S/R	<i>Juncus xiphioides</i>	irisleaf rush, iris leaved rush	Around pond																Juncaceae	Rush		Perennial 40-80cm; leaf blade flat; flowers green to red
	407					KK	AK	G/S/R	<i>Luzula comosa</i>	Pacific woodrush, common wood rush																Juncaceae	Rush	<i>Luzula multiflora</i>		
	408					KK	G/S/R	<i>Agrostis avenacea</i>	Pacific bentgrass, hairy-flowered bent grass	Near pond																Poaceae	Grass			
	409					KK	G/S/R	<i>Agrostis capillaris</i>	colonial bent, colonial bentgrass																	Poaceae	Grass			
	410					KK	G/S/R	<i>Agrostis pallens</i>	seashore bentgrass, leafy bent grass	Double Slide Gulch; E fork, Bonetti Creek																Poaceae	Grass	<i>Agrostis diegoensis</i> , <i>Agrostis lepida</i>		
	411					KK	G/S/R	<i>Aira caryophyllea</i>	silver hairgrass, silvery hair grass	Parklands and small meadows across road																Poaceae	Grass			
	412					KK	G/S/R	<i>Anthoxanthum odoratum</i>	sweet vernalgrass, sweet vernal grass																	Poaceae	Grass			
	413					KK	G/S/R	<i>Arrhenatherum elatius</i>	tall oatgrass																	Poaceae	Grass			
	414					KK	AK	G/S/R	<i>Avena barbata</i>	slender oat, slender oats, slender wildoat	Meadows throughout the park																Poaceae	Grass		
	415					KK	G/S/R	<i>Avena sativa</i>	common oat, Common oats, oat, oatgrass, common oatgrass, oats, wild oats, cultivated oat	Roadside near gate																	Poaceae	Grass		

B=blue, b=light blue, Brn = brown, C=cream, G=green, g=pale greenish, Gld=Gold, L=lavender, Li=Lilac, M=magenta, O=orange, P=purple, R=red, r=pink, rR=Rose, S=Salmon, V=violet, v=pale violet, W=white, Y=yellow, y=pale yellow. () = less common color(s), "*" = with, "*" = marked with, "?" = to, "?" = or													Contributor initials: KK = Ken Keilman, VC = Vince Cheap, AK = Al Keuter															
NOTE: THIS IS A WORKING LIST AND NOT COMPLETE - Blooming times, flower color/configuration/size, names and other data are													(inflorescence size for Asteraceae, corolla size for Fabaceae)															
First common name listed is current ITIS 1st choice; bold is my filename.													Lighter gray = inferred QH months (e.g., specimen documented near last day of prior month)															
Bold outline = published blooming period													Solid gray = documented Quail Hollow blooms															
Flower Color													Petal size (mm)															
Family name													Family common name															
Older scientific name(s) / Synonyms													Descriptive notes															
Added to Ken's List	Index order	Sandhill	Wet areas	Non-native	Collected	Photo / ID	Type	Plant	Common name	Location in Park (all from KK unless otherwise noted)	January	February	March	April	May	June	July	August	September	October	November	December	Flower Color	Petal size (mm)	Family name	Family common name	Older scientific name(s) / Synonyms	Descriptive notes
AK	416						AK	G/S/R	<i>Briza maxima</i>	big quakinggrass, quaking grass, rattlesnake grass, large quaking grass	Meadows along Italian and Chaparral Trails, roadside.														Poaceae	Grass		
	417						KK	AK	G/S/R	<i>Bromus catharticus</i>	rescue brome, rescue grass, rescuegras, rescuegrass	North field. [AK:] Intersection of main parking lot and access road													Poaceae	Grass	<i>Bromus widenovii</i>	
	418						KK	AK	G/S/R	<i>Bromus diandrus</i>	ripgut brome	Meadows throughout the park													Poaceae	Grass		
	419						KK	G/S/R	<i>Bromus hordeaceus</i>	soft brome, soft chess															Poaceae	Grass	<i>Bromus mollis</i>	
	420						KK	G/S/R	<i>Bromus madritensis</i>	foxtail brome, red brome	Near corral														Poaceae	Grass	<i>Bromus rubens</i> ssp. <i>rubens</i> as per ITIS (Jepson online exchange lists as valid ssp.)	
	421						KK	G/S/R	<i>Bromus stamineus</i>	roadside brome, Chilean brome	Meadow between pond and driveway														Poaceae	Grass		
	422	X					KK	G/S/R	<i>Bromus tectorum</i>	cheat grass, cheatgrass, downy brome, early chess, military grass, wild oats	Sand Parkland														Poaceae	Grass		
	423						KK	G/S/R	<i>Cynodon dactylon</i>	Bermudagrass, chiendent pied-de-poule, common bermudagrass, devilgrass, grama-seda, manienie, motie molulu	Meadows throughout the park														Poaceae	Grass		
	424						KK	AK	G/S/R	<i>Cynosurus echinatus</i>	bristly dogtail grass, hedgehog dogtail	[AK:] Meadows along lower Italian Trail													Poaceae	Grass		
	425						KK	AK	G/S/R	<i>Dactylis glomerata</i>	cocksfoot, orchard grass, orchardgrass	[AK:] Along lower, shady part of Discovery Loop, on meadow side													Poaceae	Grass		
	426						KK	G/S/R	<i>Elymus glaucus</i>	blue wild rye, blue wildrye	Open areas in Oak woods; meadows														Poaceae	Grass		
	427						KK	AK	G/S/R	<i>Festuca arundinacea</i>	tall fescue, Alta fescue, coarse fescue, reed fescue	North Field near Cat-tail marsh. [AK:] Orchard													Poaceae	Grass	ITIS says <i>Lolium arundinaceum</i> is current name. Jepson online says <i>Festuca arundinacea</i>	
	428						KK	G/S/R	<i>Festuca pratensis</i>	meadow fescue, meadow ryegrass	Meadows throughout the park														Poaceae	Grass	<i>Festuca pratensis</i> as per ITIS. Jepson online exchange says <i>Lolium pratense</i> , <i>F. atator</i>	
	429						KK	G/S/R	<i>Gastridium phleoides</i>	nit grass															Poaceae	Grass	<i>Gastridium ventricosum</i> as per ITIS (still a valid name, as per Jepson online exchange)	
	430						KK	AK	G/S/R	<i>Holcus lanatus</i>	common velvetgrass, velvetgrass, Yorkshire fog, purple velvet grass, velvet grass	Meadows throughout the park													Poaceae	Grass		
AK	431						AK	G/S/R	<i>Hordeum brachyantherum</i> ssp. <i>brachyantherum</i>	meadow barley	Meadow along Discovery Trail near horse corral.														Poaceae	Grass		
	432						KK	G/S/R	<i>Hordeum marinum</i>	seaside barley, mediterranean barley															Poaceae	Grass	<i>Hordeum hystrix</i>	
	433						KK	AK	G/S/R	<i>Hordeum marinum</i> ssp. <i>leporinum</i>	lepor barley, leporinum barley, farmers foxtail														Poaceae	Grass	<i>Hordeum leporinum</i>	
	434						KK	G/S/R	<i>Hordeum vulgare</i>	Barley, cereal barley, common barley	Roadside @ Park entrance														Poaceae	Grass		Not currently accepted as naturalized, only as a weed and/or garden escapee
	435	X					KK	AK	G/S/R	<i>Koeleria macrantha</i>	junegrass, prairie Junegrass	Sand parklands													Poaceae	Grass		
	436						KK	G/S/R	<i>Lolium perenne</i> ssp. <i>multiflorum</i>	annual ryegrass, Italian ryegrass, perennial ryegrass															Poaceae	Grass	<i>Lolium multiflorum</i> , L. m. var. <i>diminutum</i> , L. m. var. <i>multicolum</i> , L. <i>perenne</i> var. <i>aristatum</i> , L. p. var. <i>multiflorum</i> . ITIS says this name is good, but Jepson online says it's a synonym for L. <i>perenne</i>	Lemmas awnless
AK	437						AK	G/S/R	<i>Lolium temulentum</i>	darnel, Darnel ryegrass, poison darnel	Meadow between access road and pond.														Poaceae	Grass		Lemmas awnless to awned at tip; glume = or > rest of spikelet (excl awns)
	438						KK	AK	G/S/R	<i>Melica imperfecta</i>	smallflower melicgrass, small-flowered melica	Open woods													Poaceae	Grass		Sterile cluster at axis tip 0.5 - 4mm, widest at middle or below; lemma glabrous or minutely scabrous
	439						KK	G/S/R	<i>Melica torreyana</i>	Torrey's melicgrass, Torrey's melica	Slopes @ base of Sand parkland, oak woods														Poaceae	Grass		Sterile cluster at axis tip 0.5 - 1.5 mm, truncate or widest above middle; lemma margin oen. hairy
	440						KK	G/S/R	<i>Nassella lepida</i>	smallflower tussockgrass, small-flowered needle grass	Chaparral edges along Italian trail														Poaceae	Grass		
	441						KK	G/S/R	<i>Nassella pulchra</i>	purple tussockgrass, purple needlegrass	Meadow near redwoods on lower Italian trail														Poaceae	Grass		
	442	X					KK	AK	G/S/R	<i>Paspalum dilatatum</i>	dallas grass, dallas grass, dallisgrass, herbe de miel, herbe sirop, hiku nua, palpalum dilate, water grass	Drainage ditch near parking lot; [AK:] along Chaparral Trail near orchard													Poaceae	Grass		
	443	X					KK	G/S/R	<i>Paspalum distichum</i>	knotgrass, knotroot paspatum	In the edge of the pond														Poaceae	Grass		
	444						KK	G/S/R	<i>Phalaris aquatica</i>	bulbous canarygrass, Harding grass, Hardinggrass	Meadows throughout the park														Poaceae	Grass	<i>Phalaris tuberosa</i>	
	445						KK	G/S/R	<i>Phalaris paradoxa</i>	hood canarygrass, paradox canary grass	Meadow between pond and driveway														Poaceae	Grass		
	446						KK	AK	G/S/R	<i>Poa annua</i>	annual blue grass, annual bluegrass, walkgrass	Meadows and lawns throughout park													Poaceae	Grass		
	447						KK	G/S/R	<i>Poa pratensis</i>	Kentucky bluegrass	Meadow between pond and driveway														Poaceae	Grass		

B=blue, b=light blue, Brn = brown, C=cream, G=green, g=pale greenish, Gld=gold, L=lavender, Li=Lilac, M=magenta, O=orange, P=purple, R=red, r=pink, rR=Rose, S=Salmon, V=violet, v=pale violet, W=white, Y=yellow, y=pale yellow, '()' = less common color(s), "*" = with, "*" = marked with, "7" = to, "7" = or																													
31 6.8%	457	43 9.4%	38 32.4%	148 27.1%	124 67.0%	306	NOTE - THIS IS A WORKING LIST AND NOT COMPLETE - Blooming times, flower color/configuration/size, names and other data are		First common name listed is current ITIS 1st choice; bold is my filename.	Lighter gray = inferred QH months (e.g., specimen documented near last day of prior month)	Bold outline = published blooming period Solid gray = documented Quail Hollow blooms												Contributor initials: KK = Ken Kelman, VC = Vince Cheap, AK = Al Keuter						
Added to Ken's List	Index order	Sandhill	Wet areas	Non-native	Collected	Photo / ID	Type	Plant	Common name	Location in Park (all from KK unless otherwise noted)	January	February	March	April	May	June	July	August	September	October	November	December	Flower Color	Petal # (if # of perianth parts, if = fused, = sepal #)	Petal size (mm)	Family name	Family common name	Older scientific name(s) / Synonyms	Descriptive notes
	448				KK		G/S/R	<i>Poa secunda</i> ssp. <i>secunda</i>	one-sided bluegrass, pine bluegrass	Sand parkland adjunct															Poaceae	Grass	<i>Poa scabrella</i>		
	449				KK		G/S/R	<i>Polygonum monspeliensis</i>	annual rabbit's-foot grass, annual rabbitsfoot grass, rabbit'sfootgrass, rabbitfoot beardgrass, rabbit foot grass, rabbitfoot polygon, rabbitfootgrass, annual beard grass	Near pond															Poaceae	Grass			
	450				KK		G/S/R	<i>Setaria pumila</i>	cattail grass, yellow bristle grass, yellow bristlegrass	Near announcer's booth at show ring															Poaceae	Grass	<i>Setaria glauca</i> , <i>S. lutescens</i>		
	451				KK		G/S/R	<i>Trisetum canescens</i>	tall trisetum	Redwood Meadow of Italian Trail															Poaceae	Grass			
	452				KK	AK	G/S/R	<i>Vulpia bromoides</i>	brome fescue , brome six-weeks grass, desert fescue	Sandy hillsides; along nature trail, across QH rd.															Poaceae	Grass	<i>Festuca dertonensis</i>		
	453				KK		G/S/R	<i>Vulpia microstachys</i> var. <i>pauciflora</i>	Pacific fescue	Sandhills; Double Slide Gulch.															Poaceae	Grass	<i>Festuca pacifica</i>		
	454				KK		G/S/R	<i>Vulpia myuros</i> var. <i>hirsuta</i>	foxtail fescue, rat-tail fescue, rat-tailed fescue, rattail fescue	First bench on ridge trail															Poaceae	Grass	<i>Festuca megalura</i> , <i>Vulpia myuros</i> var. <i>hirsuta</i> is likely a synonym for <i>V. myuros</i>		
	455	X			KK		G/S/R	<i>Vulpia myuros</i> var. <i>myuros</i>	foxtail fescue, rat-tail fescue, rat-tailed fescue, rattail fescue	Sand parkland across road															Poaceae	Grass	<i>Vulpia myuros</i> var. <i>myuros</i> is likely a synonym for <i>V. myuros</i>		
	456				KK		G/S/R	<i>Vulpia octoflora</i>	eight-flower six-weeks grass, pullout grass, sixweeks fescue, sixweeks grass, slender fescue	Near pygmy Redwoods on Italian trail															Poaceae	Grass	<i>Festuca octoflora</i>		
	457		X			AK	G/S/R	<i>Typha latifolia</i>	broadleaf cattail , broad-leaved cattail, cattail, common cattail	Marsh on north side of driveway															Typhaceae	Cat-Tail			

4-spotted clarkia, Onagraceae - 235	androsace monkey flower, Scrophulariaceae - 328	aster (sessileflower, false, golden), Asteraceae - 46
acacia (false), Fabaceae - 356	androsaceus (Linanthus), Polemoniaceae - 264	aster (sessileflower, false, golden), Asteraceae - 47
Acacia dealbata, Fabaceae - 355	androsaceus (Mimulus), Scrophulariaceae - 328	aster (woodland), Asteraceae - 34
acacia, Fabaceae - 355	annua (Poa), Poaceae - 446	Asyneuma prenanthoides, Campanulaceae - 103
Acer macrophyllum, Aceraceae - 346	annual beard grass, Poaceae - 449	Athyrium filix-femina, Dryopteridaceae - 381
Acer rubrum, Aceraceae - 347	annual blue grass, Poaceae - 446	attenuata (Pinus), Pinaceae - 365
acetosella (Rumex), Polygonaceae - 276	annual bluegrass, Poaceae - 446	aurantiacus (Mimulus, aurantiacus, ssp.), Scrophulariaceae - 329
Achillea millefolium, Asteraceae - 13	annual lupine, Fabaceae - 154	aurantiacus (Mimulus, ssp., aurantiacus), Scrophulariaceae - 329
achilleaeifolia (Gilia), Polemoniaceae - 262	annual pearlwort, Caryophyllaceae - 113	Australian cotula, Asteraceae - 29
Actaea rubra, Ranunculaceae - 287	annual rabbitsfoot grass, Poaceae - 449	Australian waterbuttons, Asteraceae - 29
acutus (Schoenoplectus, acutus, var.), Cyperaceae - 399	annual rabbit's-foot grass, Poaceae - 449	australis (Cotula), Asteraceae - 29
acutus (Schoenoplectus, var., acutus), Cyperaceae - 399	annual ryegrass, Poaceae - 436	australis (Romulea, rosea, var.), Iridaceae - 196
Adenostoma fasciculatum, Rosaceae - 296	annual sowthistle, Asteraceae - 71	avellana (Corylus), Betulaceae - 79
Adiantum jordanii, Pteridaceae - 387	Anthemis cotula, Asteraceae - 15	Avena barbata, Poaceae - 414
Aesculus californica, Aceraceae - 348	Anthoxanthum odoratum, Poaceae - 412	Avena sativa, Poaceae - 415
aestivum (Leucojum, ssp., pulchellum), Liliaceae - 219	aparine (Galium), Rubiaceae - 315	avenacea (Agrostis), Poaceae - 408
affine (Lithophragma), Saxifragaceae - 319	apetala (Sagina), Caryophyllaceae - 113	awnless geranium, Geraniaceae - 185
affinis (Castilleja), Scrophulariaceae - 322	Aphanes arvensis, Rosaceae - 297	azalea (western), Ericaceae - 134
affinis (Fritillaria, affinis, var.), Liliaceae - 218	apple (map), Solanaceae - 336	azolla (fern), Azollaceae - 378
affinis (Fritillaria, var., affinis), Liliaceae - 218	apple (thorn), Solanaceae - 336	azolla (Pacific), Azollaceae - 378
agoseris (bigflower), Asteraceae - 14	apple mint, Lamiaceae - 203	Azolla filiculoides, Azollaceae - 378
agoseris (shortbeak), Asteraceae - 14	apple, Rosaceae - 370	azolla, Azollaceae - 378
Agoseris grandiflora, Asteraceae - 14	aquatica (Phalaris), Poaceae - 444	babystars (false), Polemoniaceae - 264
agrifolia (Quercus, agrifolia, var.), Fagaceae - 358	aquifolium (Berberis), Berberidaceae - 78	baccharis (Douglas'), Asteraceae - 19
agrifolia (Quercus, var., agrifolia), Fagaceae - 358	aquifolium (Ilex), Celastraceae - 351	baccharis (saltmarsh), Asteraceae - 19
Agrostis avenacea, Poaceae - 408	Aquilegia formosa, Ranunculaceae - 288	Baccharis douglasii, Asteraceae - 19
Agrostis capillaris, Poaceae - 409	aquilinum (Pteridium, var., pubescens), Dennstaedtiaceae - 380	Baccharis pilularis, Asteraceae - 20
Agrostis pallens, Poaceae - 410	arborescens (Ericameria), Asteraceae - 31	balsam poplar, Salicaceae - 372
Aira caryophyllea, Poaceae - 411	arboreus (Lupinus, arboreus, var.), Fabaceae - 153	balsamifera (Populus, ssp., trichocarpa), Salicaceae - 372
ajugoides (Stachys, var., rigida), Lamiaceae - 210	arboreus (Lupinus, var., arboreus), Fabaceae - 153	baneberry (red), Ranunculaceae - 287
akulikuli-kula, Portulacaceae - 282	arbutifolia (Heteromeles), Rosaceae - 302	baneberry (western), Ranunculaceae - 287
albiflorum (Hieracium), Asteraceae - 48	Arbutus menziesii, Ericaceae - 354	Barbara (Santa, sedge), Cyperaceae - 390
albifrons (Lupinus, albifrons, var.), Fabaceae - 152	Arctostaphylos nummularia var. sensitiva, Ericaceae - 131	barbarae (Carex), Cyperaceae - 390
albifrons (Lupinus, var., albifrons), Fabaceae - 152	Arctostaphylos silvicola, Ericaceae - 132	Barbarea orthoceras, Brassicaceae - 90
alborpurpureum (Trifolium), Fabaceae - 161	Arctostaphylos tomentosa ssp. crinita, Ericaceae - 133	barbata (Avena), Poaceae - 414
albus (Calochortus), Liliaceae - 214	arenastrum (Polygonum), Polygonaceae - 273	barley (cereal), Poaceae - 434
albus (Symphoricarpos, var., laevigatus), Caprifoliaceae - 107	Argentina egedii ssp. egedii, Rosaceae - 306	barley (common), Poaceae - 434
Allium neapolitanum, Liliaceae - 213	arguta (Dryopteris), Dryopteridaceae - 382	barley (lepor), Poaceae - 433
allocarya (Hickman's), Boraginaceae - 86	Arisaema sp., Araceae - 11	barley (leporinum), Poaceae - 433
Alta fescue, Poaceae - 427	Arrhenatherum elatius, Poaceae - 413	barley (meadow), Poaceae - 431
American (south, soliva), Asteraceae - 69	arroyo willow, Salicaceae - 373	barley (mediterranean), Poaceae - 432
American bird's-foot trefoil, Fabaceae - 148	Artemisia californica, Asteraceae - 16	barley (seaside), Poaceae - 432
American bird's-foot-trefoil, Fabaceae - 148	Artemisia douglasiana, Asteraceae - 17	Barley, Poaceae - 434
American black elderberry, Caprifoliaceae - 106	Artemisia dracuncululus, Asteraceae - 18	bartsifolia (Collinsia, bartsifolia, var.), Scrophulariaceae - 325
American black nightshade, Solanaceae - 337	arundinacea (Festuca), Poaceae - 427	bartsifolia (Collinsia, var., bartsifolia), Scrophulariaceae - 325
American brooklime, Scrophulariaceae - 334	arvense (Ceratium), Caryophyllaceae - 109	bathurst burr, Asteraceae - 77
American deervetch, Fabaceae - 173	arvensis (Anagallis), Primulaceae - 283	bay (California), Lauraceae - 363
American oenanthe, Apiaceae - 6	arvensis (Aphanes), Rosaceae - 297	beak (rigid, bird's), Scrophulariaceae - 326
American purple vetch [English], Fabaceae - 173	arvensis (Convolvulus), Convolvulaceae - 124	beak (stiffbranch, bird's), Scrophulariaceae - 326
American speedwell, Scrophulariaceae - 334	arvensis (Mentha), Lamiaceae - 201	beard (annual, grass), Poaceae - 449
American vetch, Fabaceae - 173	arvensis (Spergula), Caryophyllaceae - 117	beardgrass (rabbitfoot), Poaceae - 449
American wild carrot, Apiaceae - 3	arvensis (Torilis), Apiaceae - 9	bedstraw (California), Rubiaceae - 316
American winter cress, Brassicaceae - 90	arvensis (Veronica), Scrophulariaceae - 335	bedstraw (catchweed), Rubiaceae - 315
American yellowrocket, Brassicaceae - 90	asper (Sonchus, asper, ssp.), Asteraceae - 70	bedstraw (climbing), Rubiaceae - 317
americana (Veronica), Scrophulariaceae - 334	asper (Sonchus, ssp., asper), Asteraceae - 70	bedstraw (climbing), Rubiaceae - 318
americana (Vicia), Fabaceae - 173	aster (bristly, golden), Asteraceae - 46	bedstraw (climbing), Rubiaceae - 318
americanum (Solanum), Solanaceae - 337	aster (bristly, golden), Asteraceae - 47	bedstraw (San, Diego), Rubiaceae - 317
amole, Liliaceae - 216	aster (broadleaf), Asteraceae - 34	bedstraw, Rubiaceae - 315
amplexicaule (Lamium), Lamiaceae - 198	aster (California), Asteraceae - 74	bee (California, plant), Scrophulariaceae - 333
Amsinckia menziesii var. intermedia, Boraginaceae - 81	aster (coastal), Asteraceae - 74	Bellis perennis, Asteraceae - 21
Anagallis arvensis, Primulaceae - 283	aster (Pacific), Asteraceae - 74	bells (Hooker's, fairy), Liliaceae - 223
anagaloides (Hypericum), Hypericaceae - 193	aster (roughleaf), Asteraceae - 34	bellum (Sisyrinchium), Iridaceae - 197

Reference: Plant Family Name and QH Index Order #

Ben Lomond buckwheat, Polygonaceae - 272
 Ben Lomond spineflower, Polygonaceae - 270
 Ben Lomond wallflower, Brassicaceae - 94
 beneolens (*Gnaphalium, canescens, ssp.*), Asteraceae - 40
 bent (colonial), Poaceae - 409
 bent (hairy-flowered, grass), Poaceae - 408
 bent (leafy, grass), Poaceae - 410
 bentgrass (colonial), Poaceae - 409
 bentgrass (Pacific), Poaceae - 408
 bentgrass (seashore), Poaceae - 410
 Berberis aquifolium, Berberidaceae - 78
 Bermuda buttercup, Oxalidaceae - 253
 Bermuda sorrel, Oxalidaceae - 253
 bermudagrass (common), Poaceae - 423
 Bermudagrass, Poaceae - 423
 berry (California, coffee), Rhamnaceae - 295
 berry (Christmas), Rosaceae - 302
 berry (Himalaya), Rosaceae - 311
 berry (oso), Rosaceae - 305
 berteroi (*Osmorhiza*), Apiaceae - 7
 bicolor (*Lupinus, and, L., bicolor, var., trifida*), Fabaceae - 154
 bicolor (*Lupinus, bicolor, and, L., var., trifida*), Fabaceae - 154
 bicolor lupine, Fabaceae - 154
 bifidum (*Trifolium, bifidum, var.*), Fabaceae - 162
 bifidum (*Trifolium, var., bifidum*), Fabaceae - 162
 biflora (*Triodanis*), Campanulaceae - 104
 big heron bill, Geraniaceae - 181
 big quakinggrass, Poaceae - 416
 bigflower agoseris, Asteraceae - 14
 Big-hop (Field, clover), Fabaceae - 163
 bigleaf lupine, Fabaceae - 157
 bigleaf maple, Aceraceae - 346
 bigleaf periwinkle, Apocynaceae - 10
 bignonioides (*Catalpa*), Bignoniaceae - 350
 bill (big, heron), Geraniaceae - 181
 bill (musky, stork's), Geraniaceae - 183
 bill (redstem, stork's), Geraniaceae - 182
 bindweed (chaparral, false), Convolvulaceae - 123
 bindweed (European), Convolvulaceae - 124
 bindweed (field), Convolvulaceae - 124
 birdfoot cliffbrake, Pteridaceae - 388
 birdfoot deervetch, Fabaceae - 144
 bird's (rigid, beak), Scrophulariaceae - 326
 bird's (stiffbranch, beak), Scrophulariaceae - 326
 bird's foot fern, Pteridaceae - 388
 bird's-foot (American, trefoil), Fabaceae - 148
 bird's-foot (Chilean, trefoil), Fabaceae - 151
 bird's-foot (streambank, trefoil), Fabaceae - 147
 bird's-foot (strigose, trefoil), Fabaceae - 150
 birdsfoot trefoil, Fabaceae - 144
 bird's-foot-trefoil (American), Fabaceae - 148
 Bisbee peak rushrose, Cistaceae - 122
 Bishop lotus, Fabaceae - 150
 bitter (little, western, cress), Brassicaceae - 93
 bitter cress, Brassicaceae - 92
 black (American, elderberry), Caprifoliaceae - 106
 black (American, nightshade), Solanaceae - 337
 black cottonwood, Salicaceae - 372
 black locust, Fabaceae - 356
 black sage, Lamiaceae - 207
 blackberry (California), Rosaceae - 313
 blackberry (Himalaya), Rosaceae - 311
 blackberry (Himalayan), Rosaceae - 311
 blacksnakeroot (Pacific), Apiaceae - 8
 blakei (*Ericameria, ericoides, ssp.*), Asteraceae - 32
 bleeding (Pacific, heart), Fumariaceae - 178
 bleeding heart, Fumariaceae - 178
 blinks, Portulacaceae - 281
 bloodwort, Asteraceae - 13
 bloom (checker), Malvaceae - 229
 bloomfell, Fabaceae - 144
 blossom (blue, ceanothus), Rhamnaceae - 294
 blue (annual, grass), Poaceae - 446
 blue (Tasmanian, gum), Myrtaceae - 364
 blue (white, eyed, Mary), Scrophulariaceae - 325
 blue blossom ceanothus, Rhamnaceae - 294
 blue brush, Rhamnaceae - 294
 blue dicks, Liliaceae - 217
 blue elder, Caprifoliaceae - 106
 blue elderberry, Caprifoliaceae - 106
 blue eyed grass, Iridaceae - 197
 blue gilias, Polemoniaceae - 262
 blue gum eucalyptus, Myrtaceae - 364
 blue skullcap, Lamiaceae - 209
 blue toadflax, Scrophulariaceae - 327
 blue wild rye, Poaceae - 426
 blue wildrye, Poaceae - 426
 blue witch, Solanaceae - 338
 blueberry (evergreen), Ericaceae - 135
 blueblossom, Rhamnaceae - 294
 bluegrass (annual), Poaceae - 446
 bluegrass (Kentucky), Poaceae - 447
 bluegrass (one-sided), Poaceae - 448
 bluegrass (pine), Poaceae - 448
 bog rush, Juncaceae - 403
 Bonny Doon manzanita, Ericaceae - 132
 botrys (*Erodium*), Geraniaceae - 181
 brachyantherum (*Hordeum, brachyantherum, ssp.*), Poaceae - 431
 brachyantherum (*Hordeum, ssp., brachyantherum*), Poaceae - 431
 brachycarpum (*Epilobium*), Onagraceae - 239
 bracken fern, Dennstaedtiaceae - 380
 brass buttons, Asteraceae - 30
 brassbuttons (common), Asteraceae - 30
 brassbuttons, Asteraceae - 30
 braunii (*Equisetum, telmateia, var.*), Equisetaceae - 384
 breviflora (*Cuscuta, californica, var.*), Convolvulaceae - 125
 bristle (yellow, grass), Poaceae - 450
 bristlegrass (yellow), Poaceae - 450
 bristly dogtail grass, Poaceae - 424
 bristly golden aster, Asteraceae - 46
 bristly golden aster, Asteraceae - 47
 brittle-leaved manzanita, Ericaceae - 133
 Briza maxima, Poaceae - 416
 broad leaved lupine, Fabaceae - 155
 broadleaf aster, Asteraceae - 34
 broadleaf cattail, Typhaceae - 457
 broadleaf lupine, Fabaceae - 155
 broad-leaf lupine, Fabaceae - 155
 broadleaf starflower, Primulaceae - 286
 broad-leaved cat-tail, Typhaceae - 457
 brome (Chilean), Poaceae - 421
 brome (downy), Poaceae - 422
 brome (foxtail), Poaceae - 420
 brome (red), Poaceae - 420
 brome (rescue), Poaceae - 417
 brome (ripgut), Poaceae - 418
 brome (roadside), Poaceae - 421
 brome (soft), Poaceae - 419
 brome fescue, Poaceae - 452
 brome six-weeks grass, Poaceae - 452
 bromoides (*Vulpia*), Poaceae - 452
 Bromus catharticus, Poaceae - 417
 Bromus diandrus, Poaceae - 418
 Bromus hordeaceus, Poaceae - 419
 Bromus madritensis, Poaceae - 420
 Bromus stamineus, Poaceae - 421
 Bromus tectorum, Poaceae - 422
 brooklime (American), Scrophulariaceae - 334
 brooklime, Scrophulariaceae - 334
 broom (California), Fabaceae - 149
 broom (Cape), Fabaceae - 141
 broom (English), Fabaceae - 140
 broom (French), Fabaceae - 141
 broom (Montpellier), Fabaceae - 141
 broom (Scotch), Fabaceae - 140
 broomrape (chaparral), Orobanchaceae - 250
 broomrape (clustered), Orobanchaceae - 251
 brown flatsedge, Cyperaceae - 397
 brown headed rush, Juncaceae - 405
 brownhead rush, Juncaceae - 405
 brush (blue), Rhamnaceae - 294
 brush (buck), Rhamnaceae - 292
 brush (coyote), Asteraceae - 20
 brush (Indian, paint), Scrophulariaceae - 322
 buck brush, Rhamnaceae - 292
 buckeye (California), Aceraceae - 348
 buckhorn plantain, Plantaginaceae - 259
 buckthorn (California), Rhamnaceae - 295
 buckthorn (coast), Boraginaceae - 81
 buckwheat (Ben, Lomond), Polygonaceae - 272
 buckwheat (sandhills), Polygonaceae - 272
 buena (yerba), Lamiaceae - 208
 bufonius (*Juncus*), Juncaceae - 402
 bulbosa (*Orobanche*), Orobanchaceae - 250
 bulbous canarygrass, Poaceae - 444
 bull thistle, Asteraceae - 25
 bullata (*Stachys*), Lamiaceae - 211
 bulrush (California), Cyperaceae - 400
 bulrush (hardstem), Cyperaceae - 399
 bulrush (panicked), Cyperaceae - 401
 bulrush (red-tinge), Cyperaceae - 401
 bulrush (smallfruit), Cyperaceae - 401
 bulrush (Tule), Cyperaceae - 399
 bur clover, Fabaceae - 158
 burclover (California), Fabaceae - 158
 burclover, Fabaceae - 158
 burnet (salad), Rosaceae - 314
 burnet (small), Rosaceae - 314
 burning nettle, Urticaceae - 340
 burr (bathburst), Asteraceae - 77
 bursa-pastoris (*Capsella*), Brassicaceae - 91
 bush (golden), Asteraceae - 31
 bush (orange, monkeyflower), Scrophulariaceae - 329
 bush (silver, lupine), Fabaceae - 152
 bush (yellow, lupine), Fabaceae - 153
 bush (yellow, poppy), Papaveraceae - 254

Reference: Plant Family Name and QH Index Order #

bush poppy, Papaveraceae - 254	californica (Aesculus), Aceraceae - 348	Carex densa, Cyperaceae - 391
buttercup (Bermuda), Oxalidaceae - 253	californica (Artemisia), Asteraceae - 16	Carex globosa, Cyperaceae - 392
buttercup (California), Ranunculaceae - 290	californica (Cardamine, californica, var.), Brassicaceae - 92	Carex harfordii, Cyperaceae - 393
buttercup (spinyfruit), Ranunculaceae - 291	californica (Cardamine, var., californica), Brassicaceae - 92	Carex obnupta, Cyperaceae - 394
buttons (brass), Asteraceae - 30	californica (Corethrogyne, filaginifolia, var.), Asteraceae - 57	Carex subbracteata, Cyperaceae - 395
caerulea (Sambucus, nigra, ssp.), Caprifoliaceae - 106	californica (Corylus, cornuta, var.), Betulaceae - 80	carpenter's weed, Asteraceae - 13
Calandrinia ciliata, Portulacaceae - 278	californica (Cuscuta, var., breviflora), Convolvulaceae - 125	carrot (American, wild), Apiaceae - 3
calf lotus, Fabaceae - 151	californica (Eschscholzia), Papaveraceae - 255	carrot (rattlesnake), Apiaceae - 3
California (northern, walnut), Juglandaceae - 362	californica (Filago), Asteraceae - 36	carrot (southwest, wild), Apiaceae - 3
California aster, Asteraceae - 74	californica (Frangula, californica, ssp.), Rhamnaceae - 295	caryophyllea (Aira), Poaceae - 411
California bay, Lauraceae - 363	californica (Frangula, ssp., californica), Rhamnaceae - 295	Castilleja affinis, Scrophulariaceae - 322
California bedstraw, Fabaceae - 316	californica (Polygala), Polygalaceae - 268	Castilleja exserta ssp. exserta, Scrophulariaceae - 323
California bee plant, Scrophulariaceae - 333	californica (Rafinesquia), Asteraceae - 64	Castilleja foliolosa, Scrophulariaceae - 324
California blackberry, Rosaceae - 313	californica (Saxifraga), Saxifragaceae - 320	catalpa (southern), Bignoniaceae - 350
California broom, Fabaceae - 149	californica (Scrophularia, californica, ssp.), Scrophulariaceae - 333	Catalpa bignonioides, Bignoniaceae - 350
California buckeye, Aceraceae - 348	californica (Scrophularia, ssp., californica), Scrophulariaceae - 333	catchfly (common), Caryophyllaceae - 115
California buckthorn, Rhamnaceae - 295	californica (Solidago), Asteraceae - 68	catchfly (windmill), Caryophyllaceae - 115
California bulrush, Cyperaceae - 400	californica (Umbellularia), Lauraceae - 363	catchweed bedstraw, Rubiaceae - 315
California burclover, Fabaceae - 158	californicum (Eriodictyon), Hydrophyllaceae - 187	catharticus (Bromus), Poaceae - 417
California buttercup, Ranunculaceae - 290	californicum (Galium), Rubiaceae - 316	cat's (hairy, ear), Asteraceae - 50
California chicory, Asteraceae - 64	californicum (Gnaphalium), Asteraceae - 39	cat's (rough, ear), Asteraceae - 50
California coffee berry, Rhamnaceae - 295	californicum (Polypodium), Polypodiaceae - 386	cat's (smooth, ear), Asteraceae - 49
California cottonrose, Asteraceae - 36	californicus (Ranunculus), Ranunculaceae - 290	cat's clover, Fabaceae - 144
California cudweed, Asteraceae - 39	californicus (Schoenoplectus), Cyperaceae - 400	catsear (smooth), Asteraceae - 49
California dodder, Convolvulaceae - 125	Callitriche marginata, Callitrichaceae - 102	cattail (broadleaf), Typhaceae - 457
California dogwood, Cornaceae - 126	Calocedrus decurrens, Cupressaceae - 352	cat-tail (broad-leaved), Typhaceae - 457
California figwort, Scrophulariaceae - 333	Calochortus albus, Liliaceae - 214	cattail (common), Typhaceae - 457
California filago, Asteraceae - 36	Calochortus luteus, Liliaceae - 215	cattail grass, Poaceae - 450
California filbert, Betulaceae - 80	calycina (Lepechinia), Lamiaceae - 199	cattail, Typhaceae - 457
California fluffweed, Asteraceae - 36	Calystegia occidentalis ssp. occidentalis, Convolvulaceae - 123	ceanothus (blue, blossom), Rhamnaceae - 294
California fuchsia, Onagraceae - 240	Camissonia contorta, Onagraceae - 230	Ceanothus (coast), Rhamnaceae - 292
California gilja, Polemoniaceae - 262	Camissonia micrantha, Onagraceae - 231	Ceanothus (wartleaf), Rhamnaceae - 293
California goldenbush, Asteraceae - 32	Camissonia ovata, Onagraceae - 232	Ceanothus (warty, leaved), Rhamnaceae - 293
California goldenrod, Asteraceae - 68	Camissonia strigulosa, Onagraceae - 233	Ceanothus cuneatus var. cuneatus, Rhamnaceae - 292
California harebell, Campanulaceae - 103	campestre (Trifolium), Fabaceae - 163	Ceanothus papillosus var. papillosus, Rhamnaceae - 293
California hazel, Betulaceae - 80	camphorata (Heterotheca, sessiliflora, ssp., echioides, (var.), Asteraceae - 47	Ceanothus thyrsiflorus, Rhamnaceae - 294
California hazelnut, Betulaceae - 80	campion (Dolores), Caryophyllaceae - 116	cedar (incense), Cupressaceae - 352
California heathgoldenrod, Asteraceae - 32	campion (San, Francisco), Caryophyllaceae - 116	Centaurea melitensis, Asteraceae - 23
California hedge nettle, Lamiaceae - 211	campion (sandhill), Caryophyllaceae - 116	Centunculus minimus, Primulaceae - 284
California horse-chestnut, Aceraceae - 348	Canada hedgeparsely, Apiaceae - 9	cerasiformis (Oemleria), Rosaceae - 305
California huckleberry, Ericaceae - 135	Canada horseweed, Asteraceae - 26	Cerastium arvense, Caryophyllaceae - 109
California laurel, Lauraceae - 363	Canada toadflax, Scrophulariaceae - 327	Cerastium glomeratum, Caryophyllaceae - 110
California live oak, Fagaceae - 358	canadensis (Coryza), Asteraceae - 26	cereal barley, Poaceae - 434
California lotus, Fabaceae - 151	canadensis (Nuttallanthus), Scrophulariaceae - 327	Chaenomeles speciosa, Rosaceae - 298
California maidenhair, Pteridaceae - 387	Canadian horseweed, Asteraceae - 26	chaffweed, Primulaceae - 284
California manroot, Cucurbitaceae - 130	canary (paradox, grass), Poaceae - 445	chain (giant, fern), Blechnaceae - 379
California milkwort, Polygalaceae - 268	canarygrass (bulbous), Poaceae - 444	chain (western, fern), Blechnaceae - 379
California mugwort, Asteraceae - 17	canarygrass (hood), Poaceae - 445	chainfern (giant), Blechnaceae - 379
California plantain, Plantaginaceae - 258	canescens (Gnaphalium, ssp., beneolens), Asteraceae - 40	chamise, Rosaceae - 296
California plumseed, Asteraceae - 64	canescens (Trisetum), Poaceae - 451	chamomile, Asteraceae - 15
California polypody, Polypodiaceae - 386	canum (Epilobium, canum, ssp.), Onagraceae - 240	chamomille (mayweed), Asteraceae - 15
California poppy, Papaveraceae - 255	canum (Epilobium, ssp., canum), Onagraceae - 240	chamomille (stinking), Asteraceae - 15
California sagebrush, Asteraceae - 16	Cape broom, Fabaceae - 141	chaparral broomrape, Orobanchaceae - 250
California sandaster, Asteraceae - 27	caper spurge, Euphorbiaceae - 137	chaparral dodder, Convolvulaceae - 125
California saxifrage, Saxifragaceae - 320	capillaris (Agrostis), Poaceae - 409	chaparral false bindweed, Convolvulaceae - 123
California strawberry, Rosaceae - 301	capitatum (Dichelestermma), Liliaceae - 217	cheat grass, Poaceae - 422
California sycamore, Platanaceae - 369	capreolata (Fumaria), Fumariaceae - 179	cheatgrass, Poaceae - 422
California tea, Fabaceae - 159	Capsella bursa-pastoris, Brassicaceae - 91	checker bloom, Malvaceae - 229
California toothwort, Brassicaceae - 92	Cardamine californica var. californica, Brassicaceae - 92	checker lily, Liliaceae - 218
California Tule, Cyperaceae - 400	Cardamine oligosperma, Brassicaceae - 93	checkerbloom (dwarf), Malvaceae - 229
California vervain, Verbenaceae - 341	Carduus pycnocephalus, Asteraceae - 22	checkweed (sticky), Caryophyllaceae - 110
California water starwort, Callitrichaceae - 102	Carex barbarae, Cyperaceae - 390	cheeseweed, Malvaceae - 228

Reference: Plant Family Name and QH Index Order #

chess (early), Poaceae - 422
chess (soft), Poaceae - 419
chickweed (common), Caryophyllaceae - 119
chickweed (field), Caryophyllaceae - 109
chickweed (field, mouse-ear), Caryophyllaceae - 109
chickweed (mouse, ear), Caryophyllaceae - 110
chickweed (nodding), Caryophyllaceae - 119
chickweed (starry), Caryophyllaceae - 109
chickweed (sticky), Caryophyllaceae - 110
chickweed (water), Portulacaceae - 281
chickweed, Caryophyllaceae - 119
chicory (California), Asteraceae - 64
chiendent pied-de-poule, Poaceae - 423
Chile lotus, Fabaceae - 151
Chile Tarweed, Asteraceae - 59
Chilean bird's-foot trefoil, Fabaceae - 151
Chilean brome, Poaceae - 421
Chilean lotus, Fabaceae - 151
Chilean sweet cicely, Apiaceae - 7
Chilean trefoil, Fabaceae - 151
chilense (Symphyotrichum, chilense, var.), Asteraceae - 74
chilense (Symphyotrichum, var., chilense), Asteraceae - 74
Chinese (purple, houses), Polemoniaceae - 261
Chinese (white, houses), Scrophulariaceae - 325
Chinese elm, Ulmaceae - 377
Chinese evergreen elm, Ulmaceae - 377
Chlorogalum pomeridianum var. pomeridianum, Liliaceae - 216
chorisianus (Plagiobothrys, var., hickmanii), Boraginaceae - 86
Chorizanthe diffusa, Polygonaceae - 269
Chorizanthe pungens var. hartwegiana, Polygonaceae - 270
Christmas berry, Rosaceae - 302
cicely (Chilean, sweet), Apiaceae - 7
cicely (sweet), Apiaceae - 7
cicely, Apiaceae - 7
cicutarium (Erodium), Geraniaceae - 182
cigue maculee, Apiaceae - 2
cigue tachete, Apiaceae - 2
ciliata (Calandrinia), Portulacaceae - 278
ciliatum (Epilobium, ciliatum, ssp.), Onagraceae - 241
ciliatum (Epilobium, ssp., ciliatum), Onagraceae - 241
ciliatum (Epilobium, var., watsonii), Onagraceae - 242
ciliolatum (Trifolium), Fabaceae - 164
cinquefoil (gland), Rosaceae - 307
cinquefoil (sticky), Rosaceae - 307
ciprés Monterrey, Cupressaceae - 353
Cirsium occidentale var. venustum, Asteraceae - 24
Cirsium vulgare, Asteraceae - 25
Cistus incanus ssp. creticus, Cistaceae - 120
Cistus x purpureus, Cistaceae - 121
clarkia (4-spotted), Onagraceae - 235
clarkia (elegant), Onagraceae - 238
clarkia (purple), Onagraceae - 234
clarkia (purple), Onagraceae - 236
clarkia (winecup), Onagraceae - 234
Clarkia purpurea var. purpurea, Onagraceae - 234
Clarkia purpurea var. quadrivulnera, Onagraceae - 235
Clarkia purpurea var. viminea, Onagraceae - 236
Clarkia rubicunda, Onagraceae - 237
Clarkia unguiculata, Onagraceae - 238
Claytonia exigua ssp. glauca, Portulacaceae - 279
Claytonia perfoliata ssp. perfoliata, Portulacaceae - 280
cleavers, Rubiaceae - 315
clevelandii (Cryptantha), Boraginaceae - 82
clevelandii (Dodecatheon), Primulaceae - 285
Cleveland's cryptantha, Boraginaceae - 82
cliffbrake (birdfoot), Pteridaceae - 388
climbing bedstraw, Rubiaceae - 317
climbing bedstraw, Rubiaceae - 318
clotbur (spiny), Asteraceae - 77
clover (bur), Fabaceae - 158
clover (cat's), Fabaceae - 144
clover (common, Indian), Fabaceae - 161
clover (Dutch), Fabaceae - 170
clover (field), Fabaceae - 163
clover (Field, Big-hop), Fabaceae - 163
clover (foothill), Fabaceae - 164
clover (hop), Fabaceae - 163
clover (hop), Fabaceae - 165
clover (ladino), Fabaceae - 170
clover (large, hop), Fabaceae - 163
clover (lesser, hop), Fabaceae - 163
clover (little, Hop), Fabaceae - 165
clover (low, hop), Fabaceae - 163
clover (notchleaf), Fabaceae - 162
clover (owl), Scrophulariaceae - 323
clover (pinpoint), Fabaceae - 166
clover (pin-point), Fabaceae - 166
clover (purple, owl's), Scrophulariaceae - 323
clover (rancheria), Fabaceae - 161
clover (rose), Fabaceae - 167
clover (small-headed), Fabaceae - 168
clover (smallhop), Fabaceae - 165
clover (Spanish), Fabaceae - 148
clover (sub), Fabaceae - 171
clover (subterranean), Fabaceae - 171
clover (suckling), Fabaceae - 165
clover (thimble), Fabaceae - 169
clover (tomcat), Fabaceae - 172
clover (tree), Fabaceae - 164
clover (white), Fabaceae - 170
clover (white, Dutch), Fabaceae - 170
clustered broomrape, Orobanchaceae - 251
coarse fescue, Poaceae - 427
coast buckthorn, Boraginaceae - 81
coast Ceanothus, Rhamnaceae - 292
coast fiddleneck, Boraginaceae - 81
coast figwort, Scrophulariaceae - 333
coast Indian paintbrush, Scrophulariaceae - 322
coast live oak, Fagaceae - 358
coast redwood, Taxodiaceae - 375
coast silk tassel, Garryaceae - 180
Coast Tarweed, Asteraceae - 59
coastal aster, Asteraceae - 74
coastal tidytip, Asteraceae - 53
coastal tidytips, Asteraceae - 53
coastal wood fern, Dryopteridaceae - 382
cobwebby thistle, Asteraceae - 24
cocklebur (spiny), Asteraceae - 77
cocklebur, Asteraceae - 77
cocksfoot, Poaceae - 425
coffee (California, berry), Rhamnaceae - 295
Collinsia bartsiiifolia var. bartsiiifolia, Scrophulariaceae - 325
collomia (varied-leaved), Polemoniaceae - 261
Collomia heterophylla, Polemoniaceae - 261
colonial bent, Poaceae - 409
colonial bentgrass, Poaceae - 409
columbine (crimson), Ranunculaceae - 288
columbine (red), Ranunculaceae - 288
columbine (western), Ranunculaceae - 288
common (smaller, vetch), Fabaceae - 174
common (springtime, madia), Asteraceae - 55
common barley, Poaceae - 434
common bermudagrass, Poaceae - 423
common brassbuttons, Asteraceae - 30
common catchfly, Caryophyllaceae - 115
common cattail, Typhaceae - 457
common chickweed, Caryophyllaceae - 119
common cowparsnip, Apiaceae - 4
common dandelion, Asteraceae - 75
common deerweed, Fabaceae - 149
common elderberry, Caprifoliaceae - 106
common fiddleneck, Boraginaceae - 81
common filbert, Betulaceae - 79
common groundsel, Asteraceae - 66
common Indian clover, Fabaceae - 161
common knotweed, Polygonaceae - 273
common lady fern, Dryopteridaceae - 381
common madia, Asteraceae - 54
common muilla, Liliaceae - 222
common oat, Poaceae - 415
common oatgrass, Poaceae - 415
Common oats, Poaceae - 415
common Pacific pea, Fabaceae - 143
common pear, Rosaceae - 371
common phacelia, Hydrophyllaceae - 189
common plantain, Plantaginaceae - 260
common purslane, Portulacaceae - 282
common rush, Juncaceae - 403
common sandaster, Asteraceae - 28
common snowberry, Caprifoliaceae - 107
common soliva, Asteraceae - 69
common sow thistle, Asteraceae - 71
common sowthistle, Asteraceae - 71
common speedwell, Scrophulariaceae - 335
common spikerush, Cyperaceae - 398
common thistle, Asteraceae - 25
common tule, Cyperaceae - 399
common velvetgrass, Poaceae - 430
common vetch, Fabaceae - 174
common wood rush, Juncaceae - 407
common yarrow, Asteraceae - 13
communis (Pyrus), Rosaceae - 371
comosa (Luzula), Juncaceae - 407
compact-headed thistle, Asteraceae - 22
confertiflorum (Eriophyllum), Asteraceae - 33
Conium maculatum, Apiaceae - 2
connata (Crassula), Crassulaceae - 127
contorta (Camissonia), Onagraceae - 230
contorted primrose, Onagraceae - 230
Convolvulus arvensis, Convolvulaceae - 124
Conyza canadensis, Asteraceae - 26
coral (striped, root), Orchidaceae - 247
coral (unspotted, spotted, root), Orchidaceae - 246
Corallorhiza maculata var. maculata, Orchidaceae - 246
Corallorhiza striata, Orchidaceae - 247
Cordylanthus rigidus, Scrophulariaceae - 326

Reference: Plant Family Name and QH Index Order #

Corethrogyne filaginifolia var. californica, Asteraceae - 27	cudweed (pink), Asteraceae - 43	deervetch (birdfoot), Fabaceae - 144
Corethrogyne filaginifolia var. filaginifolia, Asteraceae - 28	cudweed (purple), Asteraceae - 38	deervetch (desert), Fabaceae - 146
corn speedwell, Scrophulariaceae - 335	cudweed (weedy), Asteraceae - 41	deervetch (foothill), Fabaceae - 145
corn spurry, Caryophyllaceae - 117	cudweed (western, marsh), Asteraceae - 42	deerweed (common), Fabaceae - 149
corniculata (Oxalis), Oxalidaceae - 252	cudweed (winged), Asteraceae - 41	deerweed, Fabaceae - 149
corniculatus (Lotus), Fabaceae - 144	cudweed (Wright's), Asteraceae - 40	Delphinium hesperium, Ranunculaceae - 289
Cornus sericea ssp. sericea, Cornaceae - 126	cudweed (Zayante), Asteraceae - 44	Dendromecon rigida, Papaveraceae - 254
cornuta (Corylus, var., californica), Betulaceae - 80	cultivated hazelnut, Betulaceae - 79	densa (Carex), Cyperaceae - 391
coronopifolia (Cotula), Asteraceae - 30	cultivated oat, Poaceae - 415	dense sedge, Cyperaceae - 391
coronopus (Plantago), Plantaginaceae - 257	cuneata (Horkelia, cuneata, ssp.), Rosaceae - 304	densiflorus (Lithocarpus), Fagaceae - 357
Cortaduras (Hierba, de, las), Asteraceae - 13	cuneata (Horkelia, ssp., cuneata), Rosaceae - 304	desert deervetch, Fabaceae - 146
Corylus avellana, Betulaceae - 79	cuneatus (Ceanothus, cuneatus, var.), Rhamnaceae - 292	desert fescue, Poaceae - 452
Corylus cornuta var. californica, Betulaceae - 80	cuneatus (Ceanothus, var., cuneatus), Rhamnaceae - 292	desertdandelion (woolly), Asteraceae - 60
cotoneaster (silverleaf), Rosaceae - 299	cup (dew), Rosaceae - 297	devilgrass, Poaceae - 423
Cotoneaster pannosus, Rosaceae - 299	Cupressus macrocarpa, Cupressaceae - 353	devil's gut, Caryophyllaceae - 117
cottonrose (California), Asteraceae - 36	cups (sun), Onagraceae - 232	dew cup, Rosaceae - 297
cottonrose (narrowleaf), Asteraceae - 37	curly dock, Polygonaceae - 277	diandrus (Bromus), Poaceae - 418
cottonwood (black), Salicaceae - 372	curly-leaved coyote mint, Lamiaceae - 204	Dicentra formosa, Fumariaceae - 178
cotula (Anthemis), Asteraceae - 15	curvipes (Thysanocarpus), Brassicaceae - 101	Dichelestemma capitatum, Liliaceae - 217
cotula (Australian), Asteraceae - 29	Cuscuta californica var. breviflora, Convolvulaceae - 125	dicks (blue), Liliaceae - 217
Cotula australis, Asteraceae - 29	cutleaf geranium, Geraniaceae - 184	Diego (San, bedstraw), Rubiaceae - 317
Cotula coronopifolia, Asteraceae - 30	cut-leaved cranesbill, Geraniaceae - 184	diffusa (Chorizanthe), Polygonaceae - 269
Coulter's thistle, Asteraceae - 24	cut-leaved geranium, Geraniaceae - 184	diffuse spineflower, Polygonaceae - 269
cow parsnip, Apiaceae - 4	cut-leaved plantain, Plantaginaceae - 257	dilatatum (Paspalum), Poaceae - 442
cowparsnip (common), Apiaceae - 4	Cynodon dactylon, Poaceae - 423	dilate (palpalum), Poaceae - 442
coyote (curly-leaved, mint), Lamiaceae - 204	Cynoglossum grande, Boraginaceae - 83	dioica (Urtica, ssp., holosericea), Urticaceae - 339
coyote brush, Asteraceae - 20	Cynosurus echinatus, Poaceae - 424	disc mayweed, Asteraceae - 61
coyote mint, Lamiaceae - 205	cyperus (tall), Cyperaceae - 396	discoidea (Matricaria), Asteraceae - 61
crabapple (European), Rosaceae - 370	Cyperus eragrostis, Cyperaceae - 396	discolor (Holodiscus), Rosaceae - 303
cranesbill (cut-leaved), Geraniaceae - 184	Cyperus fuscus, Cyperaceae - 397	discolor (Rubus), Rosaceae - 311
cranesbill, Geraniaceae - 185	cypress (Monterey), Cupressaceae - 353	dissectum (Geranium), Geraniaceae - 184
crassicaulis (Sanicula), Apiaceae - 8	cypress (Monterrey), Cupressaceae - 353	distans (Phacelia), Hydrophyllaceae - 189
Crassula connata, Crassulaceae - 127	Cytisus scoparius, Fabaceae - 140	distichum (Paspalum), Poaceae - 443
Crassula tillaea, Crassulaceae - 128	Dactylis glomerata, Poaceae - 425	divaricatum (Ribes, var., pubiflorum), Grossulariaceae - 186
Crataegus monogyna, Rosaceae - 300	dactylon (Cynodon), Poaceae - 423	diversilobum (Toxicodendron), Anacardiaceae - 1
creambush oceanspray, Rosaceae - 303	daisy (English), Asteraceae - 21	dock (curly), Polygonaceae - 277
creek gooseberry, Grossulariaceae - 186	daisy (European), Asteraceae - 21	dodder (California), Convolvulaceae - 125
creeping jenny, Convolvulaceae - 124	daisy (lawn), Asteraceae - 21	dodder (chaparral), Convolvulaceae - 125
creeping snowberry, Caprifoliaceae - 108	dallas grass, Poaceae - 442	dodder (western), Convolvulaceae - 125
creeping spikerush, Cyperaceae - 398	dallis grass, Poaceae - 442	Dodecatheon clevelandii, Primulaceae - 285
creeping water primrose, Onagraceae - 245	dallisgrass, Poaceae - 442	dog fennel, Asteraceae - 15
creeping wood sorrel, Oxalidaceae - 252	d'Amérique (vesce, [French]), Fabaceae - 173	dogfennel (mayweed), Asteraceae - 15
creeping woodsorrel, Oxalidaceae - 252	dandelion (common), Asteraceae - 75	dogfennel, Asteraceae - 15
cress (American, winter), Brassicaceae - 90	dandelion (grand, mountain), Asteraceae - 14	dogtail (bristly, grass), Poaceae - 424
cress (bitter), Brassicaceae - 92	dandelion (woolly), Asteraceae - 60	dogtail (hedgehog), Poaceae - 424
cress (little, western, bitter), Brassicaceae - 93	Dannie's skullcap, Lamiaceae - 209	dogwood (California), Cornaceae - 126
Cretan rockrose, Cistaceae - 120	Danny's skullcap, Lamiaceae - 209	dogwood (redosier), Cornaceae - 126
creticus (Cistus, incanus, ssp.), Cistaceae - 120	darnel (poison), - 437	dogwood, Cornaceae - 126
crimson columbine, Ranunculaceae - 288	Darnel ryegrass, - 437	Dolores champion, Caryophyllaceae - 116
crinita (Arctostaphylos, tomentosa, ssp.), Ericaceae - 133	Datura stramonium, Solanaceae - 336	Doon (Bonny, manzanita), Ericaceae - 132
crispus (Rumex), Polygonaceae - 277	Daucus pusillus, Apiaceae - 3	Douglas' baccharis, Asteraceae - 19
crowtoes, Fabaceae - 144	de (herbe, miel), Poaceae - 442	Douglas' mugwort, Asteraceae - 17
Cruz (Santa, iris), Iridaceae - 195	de (Hierba, las, Cortaduras), Asteraceae - 13	Douglas' phacelia, Hydrophyllaceae - 190
Cruz (Santa, monkeyflower), Scrophulariaceae - 332	deadly hemlock, Apiaceae - 2	Douglas' sagewort, Asteraceae - 17
Cruz (Santa, mountains, manzanita), Ericaceae - 133	dealbata (Acacia), Fabaceae - 355	Douglas' sandwort, Caryophyllaceae - 111
Cruz (Santa, wallflower), Brassicaceae - 94	deathcamas (Fremont's), Liliaceae - 226	Douglas' stitchwort, Caryophyllaceae - 111
cryptantha (Cleveland's), Boraginaceae - 82	decumbens (Sagina, ssp., occidentalis), Caryophyllaceae - 114	Douglas-fir, Pinaceae - 368
Cryptantha clevelandii, Boraginaceae - 82	decurrens (Calocedrus), Cupressaceae - 352	douglasiana (Artemisia), Asteraceae - 17
cucumber (wild), Cucurbitaceae - 130	decurrens (Eriogonum, nudum, var.), Polygonaceae - 272	douglasii (Baccharis), Asteraceae - 19
cudweed (California), Asteraceae - 39	decurtatus (Mimulus, rattanii, var.), Scrophulariaceae - 332	douglasii (Minuartia), Caryophyllaceae - 111
cudweed (Jersey), Asteraceae - 41	deervetch (American), Fabaceae - 173	douglasii (Phacelia), Hydrophyllaceae - 190
cudweed (lowland), Asteraceae - 42		douglasii (Satureja), Lamiaceae - 208

Reference: Plant Family Name and QH Index Order #

dovefoot geranium, Geraniaceae - 185
doveweed, Euphorbiaceae - 136
downy brome, Poaceae - 422
dracunculus (Artemisia), Asteraceae - 18
dragon sagewort, Asteraceae - 18
drops-of-gold, Liliaceae - 223
drymarioides (Pterostegia), Polygonaceae - 275
Dryopteris arguta, Dryopteridaceae - 382
dubium (Trifolium), Fabaceae - 165
duckweed (valdivia), Lemnaceae - 212
duckweed, Portulacaceae - 282
dudleya (spreading), Crassulaceae - 129
Dudleya palmeri, Crassulaceae - 129
Dutch (white, clover), Fabaceae - 170
Dutch clover, Fabaceae - 170
dwarf checkerbloom, Malvaceae - 229
dwarf nettle, Urticaceae - 340
dwarf pearlwort, Caryophyllaceae - 113
dwarf rose, Rosaceae - 308
ear (hairy, cat's), Asteraceae - 50
ear (mouse, chickweed), Caryophyllaceae - 110
ear (rough, cat's), Asteraceae - 50
ear (smooth, cat's), Asteraceae - 49
early chess, Poaceae - 422
ease (western, heart's), Violaceae - 342
echinatus (Cynosurus), Poaceae - 424
echioides (Heterotheca, sessiliflora, ssp.), Asteraceae - 46
echioides (Heterotheca, sessiliflora, ssp., (var., camphorata)), Asteraceae - 47
effusus (Juncus, var., pacificus), Juncaceae - 403
egedii (Argentina, egedii, ssp.), Rosaceae - 306
egedii (Argentina, ssp., egedii), Rosaceae - 306
eggleaf spurge, Euphorbiaceae - 138
eggs (golden), Onagraceae - 232
eight-flower six-weeks grass, Poaceae - 456
elatus (Arrhenatherum), Poaceae - 413
elder (blue), Caprifoliaceae - 106
elder, Caprifoliaceae - 106
elderberry (American, black), Caprifoliaceae - 106
elderberry (blue), Caprifoliaceae - 106
elderberry (common), Caprifoliaceae - 106
elderberry (Mexican), Caprifoliaceae - 106
elderberry, Caprifoliaceae - 106
elegans (Madia, elegans, ssp.), Asteraceae - 54
elegans (Madia, ssp., elegans), Asteraceae - 54
elegans (Madia, ssp., vernalis), Asteraceae - 55
elegant clarkia, Onagraceae - 238
Eleocharis palustris, Cyperaceae - 398
elliptica (Garrya), Garryaceae - 180
elm (Chinese), Ulmaceae - 377
elm (Chinese, evergreen), Ulmaceae - 377
elm (lacebark), Ulmaceae - 377
Elymus glaucus, Poaceae - 426
English broom, Fabaceae - 140
English daisy, Asteraceae - 21
English hawthorn, Rosaceae - 300
English holly, Celastraceae - 351
English ivy, Araliaceae - 12
English plantain lanceleaf Indianwheat, Plantaginaceae - 259
Epilobium brachycarpum, Onagraceae - 239
Epilobium canum ssp. canum, Onagraceae - 240
Epilobium ciliatum ssp. ciliatum, Onagraceae - 241
Epilobium ciliatum var. watsonii, Onagraceae - 242
Epilobium minutum, Onagraceae - 243
Epipactis helleborine, Orchidaceae - 248
Equisetum telmateia var. braunii, Equisetaceae - 384
Equisetum X ferrissii, Equisetaceae - 385
eragrostis (Cyperus), Cyperaceae - 396
erecta (Plantago), Plantaginaceae - 258
Eremocarpus setigerus, Euphorbiaceae - 136
Ericameria arborescens, Asteraceae - 31
Ericameria ericoides ssp. blakei, Asteraceae - 32
ericoides (Ericameria, ssp., blakei), Asteraceae - 32
Eriodictyon californicum, Hydrophyllaceae - 187
erigonum (wicker), Polygonaceae - 271
Eriogonum gracile, Polygonaceae - 271
Eriogonum nudum var. decurrens, Polygonaceae - 272
Eriophyllum confertiflorum, Asteraceae - 33
Erodium botrys, Geraniaceae - 181
Erodium cicutarium, Geraniaceae - 182
Erodium moschatum, Geraniaceae - 183
Erysimum teretifolium, Brassicaceae - 94
Eschscholzia californica, Papaveraceae - 255
eucalyptus (blue, gum), Myrtaceae - 364
Eucalyptus globulus, Myrtaceae - 364
eucalyptus, Myrtaceae - 364
Euphorbia lathyris, Euphorbiaceae - 137
Euphorbia oblongata, Euphorbiaceae - 138
Euphorbia peplus, Euphorbiaceae - 139
European bindweed, Convolvulaceae - 124
European crabapple, Rosaceae - 370
European daisy, Asteraceae - 21
European filbert, Betulaceae - 79
European helleborine, Orchidaceae - 248
Eurybia radulina, Asteraceae - 34
Euthamia occidentalis, Asteraceae - 35
evening (plains, primrose), Onagraceae - 230
evergreen (Chinese, elm), Ulmaceae - 377
evergreen blueberry, Ericaceae - 135
evergreen violet, Violaceae - 343
everlasting (marsh), Asteraceae - 42
everlasting (purple), Asteraceae - 38
everlasting (sandhills), Asteraceae - 44
everlasting (spoonleaf, purple), Asteraceae - 38
everlasting nest straw, Asteraceae - 73
everlasting pea, Fabaceae - 142
everlasting peavine, Fabaceae - 142
everlasting stylocline, Asteraceae - 73
everlasting-pea, Fabaceae - 142
excelsa (Trachycarpus), Arecaceae - 349
exigua (Claytonia, ssp., glauca), Portulacaceae - 279
exigua (Madia), Asteraceae - 56
exserta (Castilleja, exserta, ssp.), Scrophulariaceae - 323
exserta (Castilleja, ssp., exserta), Scrophulariaceae - 323
exserted Indian paintbrush, Scrophulariaceae - 323
eyed (blue, grass), Iridaceae - 197
eyed (white, blue, Mary), Scrophulariaceae - 325
fabaceus (Marah), Cucurbitaceae - 130
fairy (Hooker's, bells), Liliaceae - 223
false (chaparral, bindweed), Convolvulaceae - 123
false (feathery, lily, of, the, valley), Liliaceae - 220
false (sessileflower, golden, aster), Asteraceae - 46
false (sessileflower, golden, aster), Asteraceae - 47
false (starflower, solomon's-seal), Liliaceae - 221
false (starry, lily, of, the, valley), Liliaceae - 221
false acacia, Fabaceae - 356
false babystars, Polemoniaceae - 264
false lupine, Fabaceae - 160
false pimpinell, Primulaceae - 284
false Solomon's seal, Liliaceae - 220
false tarragon, Asteraceae - 18
farewell-to-spring, Onagraceae - 237
farmers foxtail, Poaceae - 433
fasciculata (Orobanche), Orobanchaceae - 251
fasciculatum (Adenostoma), Rosaceae - 296
feathery false lily of the valley, Liliaceae - 220
fennel (dog), Asteraceae - 15
fern (bird's, foot), Pteridaceae - 388
fern (bracken), Dennstaedtiaceae - 380
fern (coastal, wood), Dryopteridaceae - 382
fern (common, lady), Dryopteridaceae - 381
fern (giant, chain), Blechnaceae - 379
fern (goldback), Pteridaceae - 389
fern (western, chain), Blechnaceae - 379
fern (western, lady), Dryopteridaceae - 381
fern (western, sword), Dryopteridaceae - 383
fern azolla, Azollaceae - 378
fernaldii (Iris), Iridaceae - 194
Ferriss' horsetail, Equisetaceae - 385
ferrissii (Equisetum, X), Equisetaceae - 385
fescue (Alta), Poaceae - 427
fescue (brome), Poaceae - 452
fescue (coarse), Poaceae - 427
fescue (desert), Poaceae - 452
fescue (foxtail), Poaceae - 454
fescue (foxtail), Poaceae - 455
fescue (meadow), Poaceae - 428
fescue (Pacific), Poaceae - 453
fescue (rattail), Poaceae - 454
fescue (rat-tail), Poaceae - 454
fescue (rattail), Poaceae - 455
fescue (rat-tail), Poaceae - 455
fescue (rat-tailed), Poaceae - 454
fescue (rat-tailed), Poaceae - 455
fescue (reed), Poaceae - 427
fescue (sixweeks), Poaceae - 456
fescue (slender), Poaceae - 456
fescue (tall), Poaceae - 427
Festuca arundinacea, Poaceae - 427
Festuca pratensis, Poaceae - 428
fiddleneck (coast), Boraginaceae - 81
fiddleneck (common), Boraginaceae - 81
Field (Big-hop) clover, Fabaceae - 163
field bindweed, Convolvulaceae - 124
field chickweed, Caryophyllaceae - 109
field clover, Fabaceae - 163
field hedge parsley, Apiaceae - 9
field mouse-ear chickweed, Caryophyllaceae - 109
field parsley piert, Rosaceae - 297
fieldspurry, Caryophyllaceae - 117
figwort (California), Scrophulariaceae - 333
figwort (coast), Scrophulariaceae - 333
filaginifolia (Corethrogyne, filaginifolia, var.), Asteraceae - 28
filaginifolia (Corethrogyne, var., californica), Asteraceae - 27
filaginifolia (Corethrogyne, var., filaginifolia), Asteraceae - 28
filago (California), Asteraceae - 36
filago (narrow, leaved), Asteraceae - 37

Reference: Plant Family Name and QH Index Order #

Filago californica, Asteraceae - 36	fringe pod, Brassicaceae - 101	Gnaphalium luteoalbum, Asteraceae - 41
Filago gallica, Asteraceae - 37	fringed redmaids, Portulacaceae - 278	Gnaphalium palustre, Asteraceae - 42
filaree (long-beaked), Geraniaceae - 181	fringe pod (hairy), Brassicaceae - 101	Gnaphalium ramosissimum, Asteraceae - 43
filaree (musk), Geraniaceae - 183	fringe pod (sand), Brassicaceae - 101	Gnaphalium sp. 2, Asteraceae - 44
filaree (redstem), Geraniaceae - 182	Fritillaria affinis var. affinis, Liliaceae - 218	goldback fern, Pteridaceae - 389
filaree, Geraniaceae - 181	fuchsia (California), Onagraceae - 240	golden (bristly, aster), Asteraceae - 46
filbert (California), Betulaceae - 80	fulvous popcornflower, Boraginaceae - 87	golden (bristly, aster), Asteraceae - 47
filbert (common), Betulaceae - 79	fulvus (Plagiobothrys), Boraginaceae - 87	golden (sessileflower, false, aster), Asteraceae - 46
filbert (European), Betulaceae - 79	Fumaria capreolata, Fumariaceae - 179	golden (sessileflower, false, aster), Asteraceae - 47
filiculoides (Azolla), Azollaceae - 378	fumitory (white, ramping), Fumariaceae - 179	golden bush, Asteraceae - 31
filiix-femina (Athyrium), Dryopteridaceae - 381	fuscus (Cyperus), Cyperaceae - 397	golden eggs, Onagraceae - 232
fimbriata (Woodwardia), Blechnaceae - 379	gaillardiodides (Layia), Asteraceae - 52	golden fleece, Asteraceae - 31
firepink, Caryophyllaceae - 116	Galium aparine, Rubiaceae - 315	goldenbanner (Santa, Inez), Fabaceae - 160
firethorn, Rosaceae - 299	Galium californicum, Rubiaceae - 316	goldenbush (California), Asteraceae - 32
flatsedge (brown), Cyperaceae - 397	Galium nuttallii, Rubiaceae - 317	goldenbush, Asteraceae - 32
flatsedge (tall), Cyperaceae - 396	Galium porrigens var. porrigens, Rubiaceae - 318	goldenfleece, Asteraceae - 31
fleabane (horseweed), Asteraceae - 26	gallica (Filago), Asteraceae - 37	goldenrod (California), Asteraceae - 68
fleece (golden), Asteraceae - 31	gallica (Silene), Caryophyllaceae - 115	goldenrod (western), Asteraceae - 35
floating marsh pennywort, Apiaceae - 5	gambleweed, Apiaceae - 8	goldentop (western), Asteraceae - 35
floating marshpennywort, Apiaceae - 5	Gamochaeta purpurea, Asteraceae - 38	golden-yarrow, Asteraceae - 33
floating pennyroyal, Apiaceae - 5	garden purslane, Portulacaceae - 282	goose grass, Rubiaceae - 315
floating pennywort, Apiaceae - 5	garden vetch, Fabaceae - 174	gooseberry (creek), Grossulariaceae - 186
floating primrose-willow, Onagraceae - 245	garden vetch, Fabaceae - 175	gooseberry (spreading), Grossulariaceae - 186
floccifera (Malacothrix), Asteraceae - 60	garlic (Neapolitan), Liliaceae - 213	gooseberry (straggly), Grossulariaceae - 186
floribunda (Wisteria), Fabaceae - 177	garlic (white), Liliaceae - 213	gopher plant, Euphorbiaceae - 137
flower (androsace, monkey), Scrophulariaceae - 328	Garrya elliptica, Garryaceae - 180	gopher weed, Euphorbiaceae - 137
flower (Pacific, popcorn), Boraginaceae - 89	Gastridium phleoides, Poaceae - 429	graceful bedstraw, Rubiaceae - 318
flower (Rattan's, monkey), Scrophulariaceae - 332	Genista monspessulana, Fabaceae - 141	gracile (Eriogonum), Polygonaceae - 271
flower (seep-spring, monkey), Scrophulariaceae - 330	geranium (awnless), Geraniaceae - 185	gracilens (Monolopia), Asteraceae - 62
flower (sticky, monkey), Scrophulariaceae - 329	geranium (cutleaf), Geraniaceae - 184	gracilentum (Trifolium), Fabaceae - 166
flowered (small, nightshade), Solanaceae - 337	geranium (cut-leaved), Geraniaceae - 184	gracilis (Madia), Asteraceae - 57
flowered (white, hawkweed), Asteraceae - 48	geranium (dovefoot), Geraniaceae - 185	grama-seda, Poaceae - 423
flowering quince, Rosaceae - 298	Geranium dissectum, Geraniaceae - 184	grand mountain dandelion, Asteraceae - 14
fluffweed (California), Asteraceae - 36	Geranium molle, Geraniaceae - 185	grande (Cynoglossum), Boraginaceae - 83
fog (Yorkshire), Poaceae - 430	giant chain fern, Blechnaceae - 379	grandiflora (Agoseris), Asteraceae - 14
foliolosa (Castilleja), Scrophulariaceae - 324	giant chainfern, Blechnaceae - 379	grandiflora (Heterotheca), Asteraceae - 45
fontana (Montia), Portulacaceae - 281	giant horsetail, Equisetaceae - 384	grandifolius (Lupinus, polyphyllus, var.), Fabaceae - 157
foot (bird's, fern), Pteridaceae - 388	giant sequoia, Taxodiaceae - 376	grape (Oregon), Berberidaceae - 78
foot (rabbit, grass), Poaceae - 449	gigantea (Sequoiadendron), Taxodiaceae - 376	grape (wine), Vitaceae - 345
foothill clover, Fabaceae - 164	gilia (blue), Polemoniaceae - 262	grass (annual, beard), Poaceae - 449
foothill deervetch, Fabaceae - 145	gilia (California), Polemoniaceae - 262	grass (annual, blue), Poaceae - 446
foothill larkspur, Ranunculaceae - 289	gilia (slender-flowered), Polemoniaceae - 263	grass (annual, rabbitsfoot), Poaceae - 449
foothill snowdrops, Boraginaceae - 88	Gilia achilleaeifolia, Polemoniaceae - 262	grass (annual, rabbit's-foot), Poaceae - 449
forest madia, Asteraceae - 58	Gilia tenuiflora ssp. tenuiflora, Polemoniaceae - 263	grass (blue, eyed), Iridaceae - 197
forest scurftae, Fabaceae - 159	glabra (Hypochaeris), Asteraceae - 49	grass (bristly, dogtail), Poaceae - 424
forget-me-not, Boraginaceae - 84	gland cinquefoil, Rosaceae - 307	grass (brome, six-weeks), Poaceae - 452
formosa (Aquilegia), Ranunculaceae - 288	glandulosa (Potentilla), Rosaceae - 307	grass (cattail), Poaceae - 450
formosa (Dicentra), Fumariaceae - 178	glass (small, Venus', looking), Campanulaceae - 104	grass (cheat), Poaceae - 422
fourleaf manyseed, Caryophyllaceae - 112	glauca (Claytonia, exigua, ssp.), Portulacaceae - 279	grass (dallas), Poaceae - 442
four-leaved polycarp, Caryophyllaceae - 112	glaucus (Elymus), Poaceae - 426	grass (dallis), Poaceae - 442
foxtail (farmers), Poaceae - 433	globe lily, Liliaceae - 214	grass (eight-flower, six-weeks), Poaceae - 456
foxtail brome, Poaceae - 420	globosa (Carex), Cyperaceae - 392	grass (goose), Rubiaceae - 315
foxtail fescue, Poaceae - 454	globulus (Eucalyptus), Myrtaceae - 364	grass (hairy-flowered, bent), Poaceae - 408
foxtail fescue, Poaceae - 455	glomerata (Dactylis), Poaceae - 425	grass (Harding), Poaceae - 444
Fragaria vesca, Rosaceae - 301	glomeratum (Cerastium), Caryophyllaceae - 110	grass (large, quaking), Poaceae - 416
Francisco (San, campion), Caryophyllaceae - 116	glory (orchard, morning), Convolvulaceae - 124	grass (leafy, bent), Poaceae - 410
Francisco (San, willow, herb), Onagraceae - 242	glory (smallflowered, morning), Convolvulaceae - 124	grass (military), Poaceae - 422
Francisco (San, woodland-star), Saxifragaceae - 319	glory (western, morning), Convolvulaceae - 123	grass (nit), Poaceae - 429
Frangula californica ssp. californica, Rhamnaceae - 295	glossyleaf manzanita, Ericaceae - 131	grass (orchard), Poaceae - 425
fremontii (Zigadenus), Liliaceae - 226	gnaphalioides (Stylocline), Asteraceae - 73	grass (paradox, canary), Poaceae - 445
Fremont's deathcamas, Liliaceae - 226	Gnaphalium californicum, Asteraceae - 39	grass (perennial, rye), Poaceae - 436
French broom, Fabaceae - 141	Gnaphalium canescens ssp. beneolens, Asteraceae - 40	grass (pullout), Poaceae - 456

Reference: Plant Family Name and QH Index Order #

grass (purple, velvet), Poaceae - 430
 grass (quaking), Poaceae - 416
 grass (rabbit, foot), Poaceae - 449
 grass (rattlesnake), Poaceae - 416
 grass (rescue), Poaceae - 417
 grass (silvery, hair), Poaceae - 411
 grass (sixweeks), Poaceae - 456
 grass (small-flowered, needle), Poaceae - 440
 grass (sour), Oxalidaceae - 253
 grass (sweet, vernal), Poaceae - 412
 grass (velvet), Poaceae - 430
 grass (water), Poaceae - 442
 grass (wayside, pepper), Brassicaceae - 97
 grass (yellow, bristle), Poaceae - 450
 grassy tarweed, Asteraceae - 57
 greasewood, Rosaceae - 296
 greater periwinkle, Apocynaceae - 10
 green sagewort, Asteraceae - 18
 ground honeysuckle, Fabaceae - 144
 ground rose, Rosaceae - 310
 groundsel (common), Asteraceae - 66
 groundsel (woodland), Asteraceae - 65
 gum (blue, eucalyptus), Myrtaceae - 364
 gum (sweet), Hamamelidaceae - 361
 gum (Tasmanian, blue), Myrtaceae - 364
 gut (devil's), Caryophyllaceae - 117
 guttatus (Mimulus), Scrophulariaceae - 330
 gymnocarpa (Rosa), Rosaceae - 308
 hair (silvery, grass), Poaceae - 411
 hairgrass (silver), Poaceae - 411
 hairy cat's ear, Asteraceae - 50
 hairy fringe-pod, Brassicaceae - 101
 hairy honeysuckle, Caprifoliaceae - 105
 hairy rockrose, Cistaceae - 120
 hairy-flowered bent grass, Poaceae - 408
 hamata (Navarretia, ssp., parviloba), Polemoniaceae - 266
 Harding grass, Poaceae - 444
 Hardinggrass, Poaceae - 444
 hardstem bulrush, Cyperaceae - 399
 harebell (California), Campanulaceae - 103
 harfordii (Carex), Cyperaceae - 393
 Harford's sedge, Cyperaceae - 393
 hartwegiana (Chorizanthe, pungens, var.), Polygonaceae - 270
 hawkweed (white), Asteraceae - 48
 hawkweed (white, flowered), Asteraceae - 48
 hawthorn (English), Rosaceae - 300
 hawthorn (oneseed), Rosaceae - 300
 hawthorn (singleseed), Rosaceae - 300
 hazel (California), Betulaceae - 80
 hazelnut (California), Betulaceae - 80
 hazelnut (cultivated), Betulaceae - 79
 headed (brown, rush), Juncaceae - 405
 heads (slender, woolly), Asteraceae - 63
 heart (bleeding), Fumariaceae - 178
 heart (Pacific, bleeding), Fumariaceae - 178
 heart's (western, ease), Violaceae - 342
 heathgoldenrod (California), Asteraceae - 32
 Hedera helix, Araliaceae - 12
 hedge (California, nettle), Lamiaceae - 211
 hedge (field, parsley), Apiaceae - 9
 hedge (rigid, nettle), Lamiaceae - 210
 hedge (white), Rubiaceae - 315
 hedge mustard, Brassicaceae - 100
 hedge nettle, Lamiaceae - 210
 hedge parsley, Apiaceae - 9
 hedgehog dogtail, Poaceae - 424
 hedgemustard, Brassicaceae - 100
 hedgeparsely (Canada), Apiaceae - 9
 hedgeparsely (spreading), Apiaceae - 9
 hedgeparsely, Apiaceae - 9
 Helianthemum scoparium, Cistaceae - 122
 helix (Hedera), Araliaceae - 12
 helleborine (Epipactis), Orchidaceae - 248
 helleborine (European), Orchidaceae - 248
 hemlock (deadly), Apiaceae - 2
 hemlock (poison), Apiaceae - 2
 henbit, Lamiaceae - 198
 Heracleum lanatum, Apiaceae - 4
 herb (minute, willow), Onagraceae - 243
 herb (northern, willow), Onagraceae - 241
 herb (panicked, willow), Onagraceae - 239
 herb (San, Francisco, willow), Onagraceae - 242
 herbe de miel, Poaceae - 442
 herbe sirop, Poaceae - 442
 heron (big, bill), Geraniaceae - 181
 hesperium (Delphinium), Ranunculaceae - 289
 Heteromeles arbutifolia, Rosaceae - 302
 heterophylla (Collomia), Polemoniaceae - 261
 Heterotheca grandiflora, Asteraceae - 45
 Heterotheca sessiliflora ssp. echioides (var. camphorata), Asteraceae - 47
 Heterotheca sessiliflora ssp. echioides, Asteraceae - 46
 hickmanii (Plagiobothrys, chorianus, var.), Boraginaceae - 86
 Hickman's allocarya, Boraginaceae - 86
 Hickman's popcornflower, Boraginaceae - 86
 Hieracium albiflorum, Asteraceae - 48
 Hierba de las Cortaduras, Asteraceae - 13
 hiku nua, Poaceae - 442
 hillside oceanspray, Rosaceae - 303
 Himalaya berry, Rosaceae - 311
 Himalaya blackberry, Rosaceae - 311
 Himalayan blackberry, Rosaceae - 311
 hindsii (Juglans), Juglandaceae - 362
 Hirschfeldia incana, Brassicaceae - 95
 hirsuta (Vulpia, myuros, var), Poaceae - 454
 hirtum (Trifolium), Fabaceae - 167
 hispidula (Lonicera), Caprifoliaceae - 105
 hoary stinging nettle, Urticaceae - 339
 hogweed (little), Portulacaceae - 282
 Holcus lanatus, Poaceae - 430
 holly (English), Celastraceae - 351
 holly-leaved navarretia, Polemoniaceae - 266
 Holodiscus discolor, Rosaceae - 303
 holosericea (Urtica, dioica, ssp.), Urticaceae - 339
 honeysuckle (ground), Fabaceae - 144
 honeysuckle (hairy), Caprifoliaceae - 105
 honeysuckle (pink), Caprifoliaceae - 105
 hood canarygrass, Poaceae - 445
 hooked pincushion plant, Polemoniaceae - 266
 hookeri (Prosartes, hookeri, var.), Liliaceae - 223
 hookeri (Prosartes, var., hookeri), Liliaceae - 223
 Hooker's fairy bells, Liliaceae - 223
 hop (large, clover), Fabaceae - 163
 hop (lesser, clover), Fabaceae - 163
 Hop (little, clover), Fabaceae - 165
 hop (low, clover), Fabaceae - 163
 hop clover, Fabaceae - 163
 hop clover, Fabaceae - 165
 hordeaceous (Bromus), Poaceae - 419
 Hordeum brachyantherum ssp. brachyantherum, Poaceae - 431
 Hordeum marinum, Poaceae - 432
 Hordeum murinum ssp. leporinum, Poaceae - 433
 Hordeum vulgare, Poaceae - 434
 horehound (white), Lamiaceae - 200
 horehound, Lamiaceae - 200
 horkelia (wedgeleaf), Rosaceae - 304
 horkelia (wedge-leaved), Rosaceae - 304
 Horkelia cuneata ssp. cuneata, Rosaceae - 304
 horse-chestnut (California), Aceraceae - 348
 horsetail (Ferriss'), Equisetaceae - 385
 horsetail (giant), Equisetaceae - 384
 horseweed (Canada), Asteraceae - 26
 horseweed (Canadian), Asteraceae - 26
 horseweed fleabane, Asteraceae - 26
 horseweed, Asteraceae - 26
 hounds (Pacific, tongue), Boraginaceae - 83
 hounds (western, tongue), Boraginaceae - 83
 houses (purple, Chinese), Polemoniaceae - 261
 houses (white, Chinese), Scrophulariaceae - 325
 huckleberry (California), Ericaceae - 135
 humistratus (Lotus), Fabaceae - 145
 hummingbird trumpet, Onagraceae - 240
 Hydrocotyle ranunculoides, Apiaceae - 5
 Hypericum anagaloides, Hypericaceae - 193
 Hypochaeris glabra, Asteraceae - 49
 Hypochaeris radicata, Asteraceae - 50
 hyssop loosestrife, Lythraceae - 227
 hyssopifolium (Lythrum), Lythraceae - 227
 Ilex aquifolium, Celastraceae - 351
 imbricata (Phacelia), Hydrophyllaceae - 191
 imbricate phacelia, Hydrophyllaceae - 191
 imperfecta (Melica), Poaceae - 438
 incana (Hirschfeldia), Brassicaceae - 95
 incanus (Cistus, ssp., creticus), Cistaceae - 120
 incense cedar, Cupressaceae - 352
 incense-cedar, Cupressaceae - 352
 Indian (coast, paintbrush), Scrophulariaceae - 322
 Indian (common, clover), Fabaceae - 161
 Indian (exserted, paintbrush), Scrophulariaceae - 323
 Indian (Texas, paintbrush), Scrophulariaceae - 324
 Indian paint brush, Scrophulariaceae - 322
 Indian plum, Rosaceae - 305
 Indianwheat (English, plantain, lanceleaf), Plantaginaceae - 259
 Inez (Santa, goldenbanner), Fabaceae - 160
 interior live oak, Fagaceae - 360
 intermedia (Amsinckia, menziesii, var.), Boraginaceae - 81
 ipomopsis (slender-leaved), Polemoniaceae - 263
 iris (Santa, Cruz), Iridaceae - 195
 iris (slender, tubed), Iridaceae - 194
 Iris fernaldii, Iridaceae - 194
 iris leaved rush, Juncaceae - 406
 Iris macrosiphon, Iridaceae - 195
 irisleaf rush, Juncaceae - 406
 Italian plumeless thistle, Asteraceae - 22
 Italian ryegrass, Poaceae - 436
 Italian thistle, Asteraceae - 22
 Ithurief's spear, Liliaceae - 225

Reference: Plant Family Name and QH Index Order #

ivy (English), Araliaceae - 12	leafy bent grass, Poaceae - 410	Lotus micranthus, Fabaceae - 146
Jack-in-the-pulpit, Araceae - 11	leafy malacothrix, Asteraceae - 60	Lotus oblongifolius var. oblongifolius, Fabaceae - 147
Jamestown weed, Solanaceae - 336	leaved (broad, lupine), Fabaceae - 155	Lotus scoparius, Fabaceae - 149
jenny (creeping), Convolvulaceae - 124	leaved (iris, rush), Juncaceae - 406	Lotus strigosus, Fabaceae - 150
Jersey cudweed, Asteraceae - 41	leaved (large, lupine), Fabaceae - 157	Lotus unifoliolatus var. unifoliolatus, Fabaceae - 148
jimsonweed, Solanaceae - 336	leaved (narrow, filago), Asteraceae - 37	Lotus wrangelianus, Fabaceae - 151
jordanii (Adiantum), Pteridaceae - 387	leaved (silver, manzanita), Ericaceae - 132	low hop clover, Fabaceae - 163
Juglans hindsii, Juglandaceae - 362	leaved (warty, Ceanothus), Rhamnaceae - 293	lowland cudweed, Asteraceae - 42
Juncus bufonius, Juncaceae - 402	Lemna valdiviana, Lemnaceae - 212	lucida (Salix, ssp., lasiandra), Salicaceae - 374
Juncus effusus var. pacificus, Juncaceae - 403	Lepechinia calycina, Lamiaceae - 199	Ludwigia palustris var. pacifica, Onagraceae - 244
Juncus patens, Juncaceae - 404	lepida (Nassella), Poaceae - 440	Ludwigia peploides, Onagraceae - 245
Juncus phaeocephalus, Juncaceae - 405	Lepidium nitidum var. nitidum, Brassicaceae - 96	lupine (annual), Fabaceae - 154
Juncus xiphioides, Juncaceae - 406	Lepidium strictum, Brassicaceae - 97	lupine (bicolor), Fabaceae - 154
Junegrass (prairie), Poaceae - 435	lepor barley, Poaceae - 433	lupine (bigleaf), Fabaceae - 157
junegrass, Poaceae - 435	leporinum (Hordeum, murinum, ssp.), Poaceae - 433	lupine (broad, leaved), Fabaceae - 155
Kentucky bluegrass, Poaceae - 447	leporinum barley, Poaceae - 433	lupine (broadleaf), Fabaceae - 155
knapweed (spotted), Asteraceae - 23	lesser hop clover, Fabaceae - 163	lupine (broad-leaf), Fabaceae - 155
knobcone pine, Pinaceae - 365	lettuce (miners), Portulacaceae - 280	lupine (false), Fabaceae - 160
knotgrass, Poaceae - 443	lettuce (prickly, wild), Asteraceae - 51	lupine (large, leaved), Fabaceae - 157
knotroot paspatum, Poaceae - 443	Leucocjum aestivum ssp. pulchellum, Liliaceae - 219	lupine (miniature), Fabaceae - 154
knotweed (common), Polygonaceae - 273	lily (checker), Liliaceae - 218	lupine (silver), Fabaceae - 152
Koeleria macrantha, Poaceae - 435	lily (feathery, false, of, the, valley), Liliaceae - 220	lupine (silver, bush), Fabaceae - 152
L. (Lupinus, bicolor, and, bicolor, var., trifida), Fabaceae - 154	lily (globe), Liliaceae - 214	lupine (sky), Fabaceae - 156
lace pod, Brassicaceae - 101	lily (star), Liliaceae - 226	lupine (yellow, bush), Fabaceae - 153
lacebark elm, Ulmaceae - 377	lily (starry, false, of, the, valley), Liliaceae - 221	lupine, Fabaceae - 157
Lactuca serriola, Asteraceae - 51	lily (yellow, mariposa), Liliaceae - 215	Lupinus albibrions var. albibrions, Fabaceae - 152
ladies' tobacco, Asteraceae - 39	linanthus (variable), Polemoniaceae - 265	Lupinus arboreus var. arboreus, Fabaceae - 153
ladino clover, Fabaceae - 170	Linanthus androsaceus, Polemoniaceae - 264	Lupinus bicolor and L. bicolor var. trifida, Fabaceae - 154
lady (common, fern), Dryopteridaceae - 381	Linanthus parviflorus, Polemoniaceae - 265	Lupinus latifolius, Fabaceae - 155
lady (western, fern), Dryopteridaceae - 381	lindleyii (Uropappus), Asteraceae - 76	Lupinus nanus, Fabaceae - 156
laevigatus (Symphoricarpos, albus, var.), Caprifoliaceae - 107	Lindley's silverpuffs, Asteraceae - 76	Lupinus polyphyllus var. grandifolius, Fabaceae - 157
Lamium amplexicaule, Lamiaceae - 198	Liquidambar styraciflua, Hamamelidaceae - 361	luteoalbum (Gnaphalium), Asteraceae - 41
lanatum (Heracleum), Apiaceae - 4	Lithocarpus densiflorus, Fagaceae - 357	luteus (Calochortus), Liliaceae - 215
lanatus (Holcus), Poaceae - 430	Lithophragma affine, Saxifragaceae - 319	Luzula comosa, Juncaceae - 407
lanceleaf (English, plantain, Indianwheat), Plantaginaceae - 259	little hogweed, Portulacaceae - 282	Lythrum hyssopifolium, Lythraceae - 227
lanceleaf plantain, Plantaginaceae - 259	little Hop clover, Fabaceae - 165	macrantha (Koeleria), Poaceae - 435
lanceolata (Plantago), Plantaginaceae - 259	little springbeauty, Portulacaceae - 279	macrocarpa (Cupressus), Cupressaceae - 353
large hop clover, Fabaceae - 163	little western bitter cress, Brassicaceae - 93	macrophylla (Thermopsis), Fabaceae - 160
large leaved lupine, Fabaceae - 157	live (California, oak), Fagaceae - 358	macrophyllum (Acer), Aceraceae - 346
large quaking grass, Poaceae - 416	live (coast, oak), Fagaceae - 358	macrospiphon (Iris), Iridaceae - 195
larkspur (foothill), Ranunculaceae - 289	live (interior, oak), Fagaceae - 360	maculata (Corallorhiza, maculata, var.), Orchidaceae - 246
larkspur (western), Ranunculaceae - 289	liveforever (Palmer's), Crassulaceae - 129	maculata (Corallorhiza, var., maculata), Orchidaceae - 246
las (Hierba, de, Cortaduras), Asteraceae - 13	lobata (Quercus), Fagaceae - 359	maculatum (Conium), Apiaceae - 2
lasiandra (Salix, lucida, ssp.), Salicaceae - 374	locust (black), Fabaceae - 356	maculee (ciguë), Apiaceae - 2
lasiolepis (Salix), Salicaceae - 373	locust (yellow), Fabaceae - 356	madia (common), Asteraceae - 54
lasiostachys (Verbena), Verbenaceae - 341	Lolium perenne ssp. multiflorum, Poaceae - 436	madia (forest), Asteraceae - 58
lathyrus (Euphorbia), Euphorbiaceae - 137	Lolium temulentum, - 437	madia (slender), Asteraceae - 57
Lathyrus latifolius, Fabaceae - 142	Lomond (Ben, buckwheat), Polygonaceae - 272	madia (springtime, common), Asteraceae - 55
Lathyrus vestitus var. vestitus, Fabaceae - 143	Lomond (Ben, spineflower), Polygonaceae - 270	madia (woodland), Asteraceae - 58
latifolia (Myosotis), Boraginaceae - 84	Lomond (Ben, wallflower), Brassicaceae - 94	Madia elegans ssp. elegans, Asteraceae - 54
latifolia (Trientalis, latifolia, ssp.), Primulaceae - 286	long-beaked filaree, Geraniaceae - 181	Madia elegans ssp. vernalis, Asteraceae - 55
latifolia (Trientalis, ssp., latifolia), Primulaceae - 286	Lonicera hispidula, Caprifoliaceae - 105	Madia exigua, Asteraceae - 56
latifolia (Typha), Typhaceae - 457	looking (small, Venus', glass), Campanulaceae - 104	Madia gracilis, Asteraceae - 57
latifolius (Lathyrus), Fabaceae - 142	loosestrife (hyssop), Lythraceae - 227	Madia madioides, Asteraceae - 58
latifolius (Lupinus), Fabaceae - 155	lotus (Bishop), Fabaceae - 150	Madia sativa, Asteraceae - 59
laurel (California), Lauraceae - 363	lotus (calf), Fabaceae - 151	madioides (Madia), Asteraceae - 58
lawn daisy, Asteraceae - 21	lotus (California), Fabaceae - 151	madritensis (Bromus), Poaceae - 420
lawndaisy, Asteraceae - 21	lotus (Chile), Fabaceae - 151	madrone (Pacific), Ericaceae - 354
laxa (Triteleia), Liliaceae - 225	lotus (Chilean), Fabaceae - 151	madrone, Ericaceae - 354
layia (woodland), Asteraceae - 52	lotus (smallflower), Fabaceae - 146	Maianthemum racemosum, Liliaceae - 220
Layia gaillardoides, Asteraceae - 52	Lotus corniculatus, Fabaceae - 144	Maianthemum stellatum, Liliaceae - 221
Layia platyglossa, Asteraceae - 53	Lotus humistratus, Fabaceae - 145	maidenhair (California), Pteridaceae - 387

Reference: Plant Family Name and QH Index Order #

maids (milk), Brassicaceae - 92
maids (red), Portulacaceae - 278
major (Plantago), Plantaginaceae - 260
major (Vinca), Apocynaceae - 10
malacothrix (leafy), Asteraceae - 60
malacothrix (wooly), Asteraceae - 60
Malacothrix floccifera, Asteraceae - 60
Malta star thistle, Asteraceae - 23
Maltese star thistle, Asteraceae - 23
Maltese starthistle, Asteraceae - 23
Malus sylvestris, Rosaceae - 370
Malva parviflora, Malvaceae - 228
malviflora (Sidalcea), Malvaceae - 229
manienie, Poaceae - 423
manroot (California), Cucurbitaceae - 130
manroot (valley), Cucurbitaceae - 130
manyseed (fourleaf), Caryophyllaceae - 112
manzanita (Bonny, Doon), Ericaceae - 132
manzanita (brittle-leaved), Ericaceae - 133
manzanita (glossyleaf), Ericaceae - 131
manzanita (Santa Cruz, mountains), Ericaceae - 133
manzanita (sensitive), Ericaceae - 131
manzanita (shatterberry), Ericaceae - 131
manzanita (silver, leaved), Ericaceae - 132
manzanita (woolyleaf), Ericaceae - 133
map apple, Solanaceae - 336
maple (bigleaf), Aceraceae - 346
maple (red), Aceraceae - 347
Marah fabaceus, Cucurbitaceae - 130
marbles (wooly), Asteraceae - 63
mares tail, Asteraceae - 26
maresfat, Fabaceae - 145
marestail, Asteraceae - 26
marginata (Callitriche), Callitrichaceae - 102
marianum (Silybum), Asteraceae - 67
marinum (Hordeum), Poaceae - 432
mariposa (yellow, lily), Liliaceae - 215
maritima (Muilla), Liliaceae - 222
Marrubium vulgare, Lamiaceae - 200
marsh (floating, pennywort), Apiaceae - 5
marsh (Pacific, purselane), Onagraceae - 244
marsh (western, cudweed), Asteraceae - 42
marsh everlasting, Asteraceae - 42
marsh mint, Lamiaceae - 201
marshpennywort (floating), Apiaceae - 5
Mary (white, blue, eyed), Scrophulariaceae - 325
Matricaria discoidea, Asteraceae - 61
maxima (Briza), Poaceae - 416
mayweed (disc), Asteraceae - 61
mayweed chamomille, Asteraceae - 15
mayweed dogfennel, Asteraceae - 15
mayweed, Asteraceae - 15
meadow barley, Poaceae - 431
meadow fescue, Poaceae - 428
meadow ryegrass, Poaceae - 428
media (Stellaria), Caryophyllaceae - 119
Medicago polymorpha, Fabaceae - 158
medick (toothed), Fabaceae - 158
mediterranean barley, Poaceae - 432
Mediterranean mustard, Brassicaceae - 95
melica (small-flowered), Poaceae - 438
melica (Torrey's), Poaceae - 439
Melica imperfecta, Poaceae - 438
Melica torreyana, Poaceae - 439
melicgrass (smallflower), Poaceae - 438
melicgrass (Torrey's), Poaceae - 439
melitensis (Centaurea), Asteraceae - 23
mellifera (Salvia), Lamiaceae - 207
Mentha arvensis, Lamiaceae - 201
Mentha spicata var. spicata, Lamiaceae - 202
Mentha suaveolens, Lamiaceae - 203
menziesii (Amsinckia, var., intermedia), Boraginaceae - 81
menziesii (Arbutus), Ericaceae - 354
menziesii (Pseudotsuga, menziesii, var.), Pinaceae - 368
menziesii (Pseudotsuga, var., menziesii), Pinaceae - 368
Mexican elderberry, Caprifoliaceae - 106
micrantha (Camissonia), Onagraceae - 231
micranthus (Lotus), Fabaceae - 146
microcarpus (Scirpus), Cyperaceae - 401
microcephalum (Trifolium), Fabaceae - 168
microdon (Trifolium), Fabaceae - 169
microstachys (Vulpia, var., pauciflora), Poaceae - 453
miel (herbe, de), Poaceae - 442
milfoil, Asteraceae - 13
military grass, Poaceae - 422
milk maids, Brassicaceae - 92
milk thistle, Asteraceae - 67
milkwort (California), Polygalaceae - 268
millefolium (Achillea), Asteraceae - 13
Mimulus androsaceus, Scrophulariaceae - 328
Mimulus aurantiacus ssp. aurantiacus, Scrophulariaceae - 329
Mimulus guttatus, Scrophulariaceae - 330
Mimulus moschatus, Scrophulariaceae - 331
Mimulus rattanii var. decurtatus, Scrophulariaceae - 332
miners lettuce, Portulacaceae - 280
miniature lupine, Fabaceae - 154
miniature suncup, Onagraceae - 231
minimus (Centunculus), Primulaceae - 284
minor (Sanguisorba), Rosaceae - 314
mint (apple), Lamiaceae - 203
mint (coyote), Lamiaceae - 205
mint (curly-leaved, coyote), Lamiaceae - 204
mint (marsh), Lamiaceae - 201
Minuartia douglasii, Caryophyllaceae - 111
minute willow herb, Onagraceae - 243
minutum (Epilobium), Onagraceae - 243
mistletoe (oak), Viscaceae - 344
mock-heather, Asteraceae - 32
moleplant, Euphorbiaceae - 137
molle (Geranium), Geraniaceae - 185
mollis (Symphoricarpos), Caprifoliaceae - 108
molulu (motie), Poaceae - 423
Monardella undulata, Lamiaceae - 204
Monardella villosa var. villosa, Lamiaceae - 205
monkey (androsace, flower), Scrophulariaceae - 328
monkey (Rattan's, flower), Scrophulariaceae - 332
monkey (seep-spring, flower), Scrophulariaceae - 330
monkey (sticky, flower), Scrophulariaceae - 329
monkeyflower (musk), Scrophulariaceae - 331
monkeyflower (orange, bush), Scrophulariaceae - 329
monkeyflower (Rattan's), Scrophulariaceae - 332
monkeyflower (rockjasmine), Scrophulariaceae - 328
monkeyflower (Santa Cruz), Scrophulariaceae - 332
monogyna (Crataegus), Rosaceae - 300
monolopia (woodland), Asteraceae - 62
Monolopia gracilens, Asteraceae - 62
monspeiliensis (Polypogon), Poaceae - 449
monspessulana (Genista), Fabaceae - 141
Monterey cypress, Cupressaceae - 353
Monterrey (ciprés), Cupressaceae - 353
Monterrey cypress, Cupressaceae - 353
Montia fontana, Portulacaceae - 281
Montpellier broom, Fabaceae - 141
moonflower, Solanaceae - 336
morning (orchard, glory), Convolvulaceae - 124
morning (smallflowered, glory), Convolvulaceae - 124
morning (western, glory), Convolvulaceae - 123
morningglory (perennial), Convolvulaceae - 124
morningglory, Convolvulaceae - 124
moschatum (Erodium), Geraniaceae - 183
moschatus (Mimulus), Scrophulariaceae - 331
mosquitofern (Pacific), Azollaceae - 378
moss pygmyweed, Crassulaceae - 128
motie molulu, Poaceae - 423
mountain (grand, dandelion), Asteraceae - 14
mountain neststraw, Asteraceae - 73
mountain sweet-cicely, Apiaceae - 7
mountain sweetroot, Apiaceae - 7
mountains (Santa Cruz, manzanita), Ericaceae - 133
mouse ear chickweed, Caryophyllaceae - 110
mouse-ear (field, chickweed), Caryophyllaceae - 109
mucronata (Pellaea, mucronata, var.), Pteridaceae - 388
mucronata (Pellaea, var., mucronata), Pteridaceae - 388
mugwort (California), Asteraceae - 17
mugwort (Douglas'), Asteraceae - 17
muilla (common), Liliaceae - 222
Muilla maritima, Liliaceae - 222
mullein (turkey), Euphorbiaceae - 136
multiflora (Rosa), Rosaceae - 309
multiflora rose, Rosaceae - 309
multiflorum (Lolium, perenne, ssp.), Poaceae - 436
multiflorus (Sairocarpus), Scrophulariaceae - 321
munitum (Polystichum), Dryopteridaceae - 383
muricatus (Ranunculus), Ranunculaceae - 291
murinum (Hordeum, ssp., leporinum), Poaceae - 433
musk filaree, Geraniaceae - 183
musk monkeyflower, Scrophulariaceae - 331
muskflower, Scrophulariaceae - 331
musky stork's bill, Geraniaceae - 183
mustard (hedge), Brassicaceae - 100
mustard (Mediterranean), Brassicaceae - 95
mustard (shortpod), Brassicaceae - 95
mustard (Summer), Brassicaceae - 95
Myosotis latifolia, Boraginaceae - 84
myuros (Vulpia, myuros, var.), Poaceae - 455
myuros (Vulpia, var. hirsuta), Poaceae - 454
myuros (Vulpia, var., myuros), Poaceae - 455
nanus (Lupinus), Fabaceae - 156
Napa thistle, Asteraceae - 23
narrow leaved filago, Asteraceae - 37
narrowleaf cottonrose, Asteraceae - 37
narrowleaf plantain, Plantaginaceae - 259
Nassella lepida, Poaceae - 440
Nassella pulchra, Poaceae - 441
nasturtium-aquaticum (Rorippa), Brassicaceae - 99
navarretia (holly-leaved), Polemoniaceae - 266

Reference: Plant Family Name and QH Index Order #

navarretia (small-lobe), Polemoniaceae - 266	oblongifolius (Lotus, var., oblongifolius), Fabaceae - 147	Pacific popcorn flower, Boraginaceae - 89
Navarretia hamata ssp. parviloba, Polemoniaceae - 266	obnupta (Carex), Cyperaceae - 394	Pacific rush, Juncaceae - 403
Navarretia squarrosa, Polemoniaceae - 267	occidentale (Cirsium, var., venustum), Asteraceae - 24	Pacific sanicle, Apiaceae - 8
Neapolitan garlic, Liliaceae - 213	occidentale (Rhododendron), Ericaceae - 134	Pacific silverweed, Rosaceae - 306
Neapolitan onion, Liliaceae - 213	occidentalis (Calystegia, occidentalis, ssp.), Convolvulaceae - 123	Pacific starflower, Primulaceae - 286
neapolitanum (Allium), Liliaceae - 213	occidentalis (Calystegia, ssp., occidentalis), Convolvulaceae - 123	Pacific trillium, Liliaceae - 224
needle (small-flowered, grass), Poaceae - 440	occidentalis (Euthamia), Asteraceae - 35	Pacific willow, Salicaceae - 374
needlegrass (purple), Poaceae - 441	occidentalis (Sagina, decumbens, ssp.), Caryophyllaceae - 114	Pacific woodrush, Juncaceae - 407
nemophila (smallflower), Hydrophyllaceae - 188	oceanspray (creambush), Rosaceae - 303	pacifica (Ludwigia, palustris, var.), Onagraceae - 244
nemophila (woodland), Hydrophyllaceae - 188	oceanspray (hillside), Rosaceae - 303	pacificus (Juncus, effusus, var.), Juncaceae - 403
Nemophila parviflora, Hydrophyllaceae - 188	oceanspray, Rosaceae - 303	padre's shootingstar, Primulaceae - 285
memoralis (Phacelia), Hydrophyllaceae - 192	ocellata (Viola), Violaceae - 342	paint (Indian, brush), Scrophulariaceae - 322
nest (everlasting, straw), Asteraceae - 73	octoflora (Vulpia), Poaceae - 456	paintbrush (coast, Indian), Scrophulariaceae - 322
neststraw (mountain), Asteraceae - 73	odoratum (Anthoxanthum), Poaceae - 412	paintbrush (exserted, Indian), Scrophulariaceae - 323
nettle (burning), Urticaceae - 340	Oemleria cerasiformis, Rosaceae - 305	paintbrush (Texas, Indian), Scrophulariaceae - 324
nettle (California, hedge), Lamiaceae - 211	oenanthe (American), Apiaceae - 6	paintbrush (wooly), Scrophulariaceae - 324
nettle (dwarf), Urticaceae - 340	Oenanthe sarmentosa, Apiaceae - 6	pale spikerush, Cyperaceae - 398
nettle (hedge), Lamiaceae - 210	officinale (Sisymbrium), Brassicaceae - 100	pallens (Agrostis), Poaceae - 410
nettle (hoary, stinging), Urticaceae - 339	officinale (Taraxacum), Asteraceae - 75	palm (windmill), Arecaceae - 349
nettle (rigid, hedge), Lamiaceae - 210	officinalis (Rosmarinus), Lamiaceae - 206	palmeri (Dudleya), Crassulaceae - 129
nettle (slim), Urticaceae - 339	oldfield toadflax, Scrophulariaceae - 327	Palmer's liveforever, Crassulaceae - 129
nettle (stinging), Urticaceae - 339	oldfield-toadflax, Scrophulariaceae - 327	palpalum dilate, Poaceae - 442
nightshade (American, black), Solanaceae - 337	old-man-in-the-Spring, Asteraceae - 66	palustre (Gnaphalium), Asteraceae - 42
nightshade (small, flowered), Solanaceae - 337	oleracea (Portulaca), Portulacaceae - 282	palustris (Eleocharis), Cyperaceae - 398
nigra (Sambucus, ssp., caerulea), Caprifoliaceae - 106	oleraceus (Sonchus), Asteraceae - 71	palustris (Ludwigia, var., pacifica), Onagraceae - 244
nigra (Vicia, sativa, ssp.), Fabaceae - 174	oligosperma (Cardamine), Brassicaceae - 93	panicled bulrush, Cyperaceae - 401
nit grass, Poaceae - 429	oneseed hawthorn, Rosaceae - 300	panicled willow herb, Onagraceae - 239
nitidum (Lepidium, nitidum, var.), Brassicaceae - 96	one-sided bluegrass, Poaceae - 448	pannosus (Cotoneaster), Rosaceae - 299
nitidum (Lepidium, var., nitidum), Brassicaceae - 96	onion (Neapolitan), Liliaceae - 213	Papaver somniferum, Papaveraceae - 256
nodding chickweed, Caryophyllaceae - 119	opium poppy, Papaveraceae - 256	papillosus (Ceanothus, papillosus, var.), Rhamnaceae - 293
northern California walnut, Juglandaceae - 362	orange bush monkeyflower, Scrophulariaceae - 329	papillosus (Ceanothus, var., papillosus), Rhamnaceae - 293
northern willow herb, Onagraceae - 241	orchard grass, Poaceae - 425	paradox canary grass, Poaceae - 445
notchleaf clover, Fabaceae - 162	orchard morning glory, Convolvulaceae - 124	paradoxa (Phalaris), Poaceae - 445
nothofulvus (Plagiobothrys), Boraginaceae - 88	orchardgrass, Poaceae - 425	parsely (water), Apiaceae - 6
nua (hiku), Poaceae - 442	orchid (royal, rein), Orchidaceae - 249	parsley (field, hedge), Apiaceae - 9
nudum (Eriogonum, var., decurrens), Polygonaceae - 272	Oregon grape, Berberidaceae - 78	parsley (field, pier), Rosaceae - 297
nummularia (Arctostaphylos, var., sensitiva), Ericaceae - 131	Orobanche bulbosa, Orobanchaceae - 250	parsley (hedge), Apiaceae - 9
Nuttallanthus canadensis, Scrophulariaceae - 327	Orobanche fasciculata, Orobanchaceae - 251	parsley (Poison), Apiaceae - 2
nuttallii (Galium), Rubiaceae - 317	orthoceras (Barbarea), Brassicaceae - 90	parsnip (cow), Apiaceae - 4
oak (California, live), Fagaceae - 358	Osmorhiza berteroi, Apiaceae - 7	parviflora (Malva), Malvaceae - 228
oak (coast, live), Fagaceae - 358	oso berry, Rosaceae - 305	parviflora (Nemophila), Hydrophyllaceae - 188
oak (interior, live), Fagaceae - 360	ovata (Camissonia), Onagraceae - 232	parviflorus (Linanthus), Polemoniaceae - 265
oak (poison), Anacardiaceae - 1	ovatum (Trillium, ovatum, var.), Liliaceae - 224	parviflorus (Rubus), Rosaceae - 312
oak (tan), Fagaceae - 357	ovatum (Trillium, var., ovatum), Liliaceae - 224	parvifolia (Ulmus), Ulmaceae - 377
oak (tanbark), Fagaceae - 357	ovatum (Vaccinium), Ericaceae - 135	parviloba (Navarretia, hamata, ssp.), Polemoniaceae - 266
oak (valley), Fagaceae - 359	owl clover, Scrophulariaceae - 323	Paspalum dilatatum, Poaceae - 442
oak mistletoe, Viscaceae - 344	owl's (purple, clover), Scrophulariaceae - 323	Paspalum distichum, Poaceae - 443
oat (common), Poaceae - 415	owl's-clover (purple), Scrophulariaceae - 323	paspatum (knotroot), Poaceae - 443
oat (cultivated), Poaceae - 415	Oxalis corniculata, Oxalidaceae - 252	patens (Juncus), Juncaceae - 404
oat (slender), Poaceae - 414	Oxalis pes-caprae, Oxalidaceae - 253	pauciflora (Vulpia, microstachys, var.), Poaceae - 453
oat, Poaceae - 415	Pacific (common, pea), Fabaceae - 143	pea (common, Pacific), Fabaceae - 143
oatgrass (common), Poaceae - 415	Pacific aster, Asteraceae - 74	pea (everlasting), Fabaceae - 142
oatgrass (tall), Poaceae - 413	Pacific azolla, Azollaceae - 378	pea (Pacific), Fabaceae - 143
oatgrass, Poaceae - 415	Pacific bentgrass, Poaceae - 408	pea (perennial), Fabaceae - 142
oats (Common), Poaceae - 415	Pacific blacksnakeroot, Apiaceae - 8	peak (Bisbee, rushrose), Cistaceae - 122
oats (slender), Poaceae - 414	Pacific bleeding heart, Fumariaceae - 178	peak rush-rose, Cistaceae - 122
oats (wild), Poaceae - 415	Pacific fescue, Poaceae - 453	pear (common), Rosaceae - 371
oats (wild), Poaceae - 422	Pacific hounds tongue, Boraginaceae - 83	pear, Rosaceae - 371
oats, Poaceae - 415	Pacific madrone, Ericaceae - 354	pearlwort (annual), Caryophyllaceae - 113
oblong spurge, Euphorbiaceae - 138	Pacific marsh purselane, Onagraceae - 244	pearlwort (dwarf), Caryophyllaceae - 113
oblongata (Euphorbia), Euphorbiaceae - 138	Pacific mosquitofern, Azollaceae - 378	pearlwort (western), Caryophyllaceae - 114
oblongifolius (Lotus, oblongifolius, var.), Fabaceae - 147	Pacific pea, Fabaceae - 143	peavine (everlasting), Fabaceae - 142

Reference: Plant Family Name and QH Index Order #

peavine (perennial), Fabaceae - 142
 pectocarya (winged), Boraginaceae - 85
 Pectocarya penicillata, Boraginaceae - 85
 Pellaea mucronata var. mucronata, Pteridaceae - 388
 penicillata (Pectocarya), Boraginaceae - 85
 penny (tinker's), Hypericaceae - 193
 pennyroyal (floating), Apiaceae - 5
 pennywort (floating), Apiaceae - 5
 pennywort (floating, marsh), Apiaceae - 5
 Pentagramma triangularis ssp. triangularis, Pteridaceae - 389
 peploides (Ludwigia), Onagraceae - 245
 peplus (Euphorbia), Euphorbiaceae - 139
 pepper (wayside, grass), Brassicaceae - 97
 peppergrass (shiny), Brassicaceae - 96
 pepperweed (upright), Brassicaceae - 97
 perenne (Lolium, ssp., multiflorum), Poaceae - 436
 perennial morningglory, Convolvulaceae - 124
 perennial pea, Fabaceae - 142
 perennial peavine, Fabaceae - 142
 perennial rye grass, Poaceae - 436
 Perennial sweatpea, Fabaceae - 142
 perennis (Bellis), Asteraceae - 21
 perfoliata (Claytonia, perfoliata, ssp.), Portulacaceae - 280
 perfoliata (Claytonia, ssp., perfoliata), Portulacaceae - 280
 periwinkle (bigleaf), Apocynaceae - 10
 periwinkle (greater), Apocynaceae - 10
 periwinkle, Apocynaceae - 10
 pes-caprae (Oxalis), Oxalidaceae - 253
 petty spurge, Euphorbiaceae - 139
 phacelia (common), Hydrophyllaceae - 189
 phacelia (Douglas'), Hydrophyllaceae - 190
 phacelia (imbricate), Hydrophyllaceae - 191
 phacelia (stinging), Hydrophyllaceae - 192
 Phacelia distans, Hydrophyllaceae - 189
 Phacelia douglasii, Hydrophyllaceae - 190
 Phacelia imbricata, Hydrophyllaceae - 191
 Phacelia nemoralis, Hydrophyllaceae - 192
 phaeocephalus (Juncus), Juncaceae - 405
 Phalaris aquatica, Poaceae - 444
 Phalaris paradoxa, Poaceae - 445
 phleoides (Gastridium), Poaceae - 429
 Phoradendron villosum, Viscaceae - 344
 physodes (Rupertia), Fabaceae - 159
 pickpurse, Caryophyllaceae - 117
 pied-de-poule (chiendent), Poaceae - 423
 piert (field, parsley), Rosaceae - 297
 pigmy stonecrop, Crassulaceae - 127
 pigmyweed (sand), Crassulaceae - 127
 pilularis (Baccharis), Asteraceae - 20
 pimpinella (false), Primulaceae - 284
 pimpinella (scarlet), Primulaceae - 283
 pincushion (hooked, plant), Polemoniaceae - 266
 pine (knobcone), Pinaceae - 365
 pine (ponderosa), Pinaceae - 366
 pine (Scotch), Pinaceae - 367
 pine (Scots), Pinaceae - 367
 pine bluegrass, Poaceae - 448
 pineapple weed, Asteraceae - 61
 pineappleweed, Asteraceae - 61
 pinion wormwood, Asteraceae - 18
 pink (windmill), Caryophyllaceae - 115
 pink cudweed, Asteraceae - 43
 pink honeysuckle, Caprifoliaceae - 105
 pinpoint clover, Fabaceae - 166
 pin-point clover, Fabaceae - 166
 pinto violet, Violaceae - 342
 Pinus attenuata, Pinaceae - 365
 Pinus ponderosa, Pinaceae - 366
 Pinus sylvestris, Pinaceae - 367
 Piperia transversa, Orchidaceae - 249
 pitcher sage, Lamiaceae - 199
 Plagiobothrys chorisianus var. hickmanii, Boraginaceae - 86
 Plagiobothrys fulvus, Boraginaceae - 87
 Plagiobothrys nothofolius, Boraginaceae - 88
 Plagiobothrys tenellus, Boraginaceae - 89
 plains evening primrose, Onagraceae - 230
 plaintain (cut-leaved), Plantaginaceae - 257
 plant (California, bee), Scrophulariaceae - 333
 plant (gopher), Euphorbiaceae - 137
 plant (hooked, pincushion), Polemoniaceae - 266
 plant (soap), Liliaceae - 216
 Plantago coronopus, Plantaginaceae - 257
 Plantago erecta, Plantaginaceae - 258
 Plantago lanceolata, Plantaginaceae - 259
 Plantago major, Plantaginaceae - 260
 plantain (buckhorn), Plantaginaceae - 259
 plantain (California), Plantaginaceae - 258
 plantain (common), Plantaginaceae - 260
 plantain (English, lanceleaf, Indianwheat), Plantaginaceae - 259
 plantain (lanceleaf), Plantaginaceae - 259
 plantain (narrowleaf), Plantaginaceae - 259
 Platanus racemosa, Platanaceae - 369
 platyglossa (Layia), Asteraceae - 53
 platyota (Silene, verecunda, ssp.), Caryophyllaceae - 116
 plum (Indian), Rosaceae - 305
 Plumajillo, Asteraceae - 13
 plumeless (Italian, thistle), Asteraceae - 22
 plumseed (California), Asteraceae - 64
 Poa annua, Poaceae - 446
 Poa pratensis, Poaceae - 447
 Poa secunda ssp. secunda, Poaceae - 448
 pod (fringe), Brassicaceae - 101
 pod (lace), Brassicaceae - 101
 poison darnel, - 437
 poison hemlock, Apiaceae - 2
 poison oak, Anacardiaceae - 1
 Poison parsley, Apiaceae - 2
 polycarp (four-leaved), Caryophyllaceae - 112
 Polycarpon tetraphyllum, Caryophyllaceae - 112
 Polygala californica, Polygalaceae - 268
 Polygonum arenastrum, Polygonaceae - 273
 Polygonum punctatum, Polygonaceae - 274
 polymorpha (Medicago), Fabaceae - 158
 polyphyllus (Lupinus, var., grandifolius), Fabaceae - 157
 Polypodium californicum, Polypodiaceae - 386
 polypody (California), Polypodiaceae - 386
 polygogon (rabbitfoot), Poaceae - 449
 Polygogon monspeliensis, Poaceae - 449
 Polystichum munitum, Dryopteridaceae - 383
 pomeridianum (Chlorogalum, pomeridianum, var.), Liliaceae - 216
 pomeridianum (Chlorogalum, var., pomeridianum), Liliaceae - 216
 ponderosa (Pinus), Pinaceae - 366
 ponderosa pine, Pinaceae - 366
 poor-man's weatherglass, Primulaceae - 283
 popcorn (Pacific, flower), Boraginaceae - 89
 popcornflower (fulvous), Boraginaceae - 87
 popcornflower (Hickman's), Boraginaceae - 86
 poplar (balsam), Salicaceae - 372
 poppy (bush), Papaveraceae - 254
 poppy (California), Papaveraceae - 255
 poppy (opium), Papaveraceae - 256
 poppy (yellow, bush), Papaveraceae - 254
 Populus balsamifera ssp. trichocarpa, Salicaceae - 372
 popweed, Brassicaceae - 93
 porrigens (Galium, porrigens, var.), Rubiaceae - 318
 porrigens (Galium, var., porrigens), Rubiaceae - 318
 portulaca (wild), Portulacaceae - 282
 Portulaca oleracea, Portulacaceae - 282
 Potentilla glandulosa, Rosaceae - 307
 prairie Junegrass, Poaceae - 435
 prairie trefoil, Fabaceae - 148
 pratensis (Festuca), Poaceae - 428
 pratensis (Poa), Poaceae - 447
 prenanthoides (Asyneuma), Campanulaceae - 103
 prickly sow thistle, Asteraceae - 70
 prickly wild lettuce, Asteraceae - 51
 primrose (contorted), Onagraceae - 230
 primrose (creeping, water), Onagraceae - 245
 primrose (plains, evening), Onagraceae - 230
 primrose (small), Onagraceae - 231
 primrose-willow (floating), Onagraceae - 245
 Prosartes hookeri var. hookeri, Liliaceae - 223
 pseudoacacia (Robinia), Fabaceae - 356
 Pseudotsuga menziesii var. menziesii, Pinaceae - 368
 Psilocarphus tenellus var. tenellus, Asteraceae - 63
 Pteridium aquilinum var. pubescens, Dennstaedtiaceae - 380
 Pterostegia drymarioides, Polygonaceae - 275
 pterostegia, Polygonaceae - 275
 Pualele, Asteraceae - 71
 pubescens (Pteridium, aquilinum, var.), Dennstaedtiaceae - 380
 pubiflorum (Ribes, divaricatum, var.), Grossulariaceae - 186
 pulchellum (Leucojum, aestivum, ssp.), Liliaceae - 219
 pulchra (Nassella), Poaceae - 441
 pullout grass, Poaceae - 456
 pumila (Setaria), Poaceae - 450
 punctatum (Polygonum), Polygonaceae - 274
 pungens (Chorizanthe, var., hartwegiana), Polygonaceae - 270
 purple (American, vetch, [English]), Fabaceae - 173
 purple (spoonleaf, everlasting), Asteraceae - 38
 purple Chinese houses, Polemoniaceae - 261
 purple clarkia, Onagraceae - 234
 purple clarkia, Onagraceae - 236
 purple cudweed, Asteraceae - 38
 purple everlasting, Asteraceae - 38
 purple needlegrass, Poaceae - 441
 purple owl's clover, Scrophulariaceae - 323
 purple owl's-clover, Scrophulariaceae - 323
 purple sandspurry, Caryophyllaceae - 118
 purple tussockgrass, Poaceae - 441
 purple velvet grass, Poaceae - 430
 purple wisteria, Fabaceae - 177
 purpurea (Clarkia, purpurea, var.), Onagraceae - 234
 purpurea (Clarkia, var., purpurea), Onagraceae - 234
 purpurea (Clarkia, var., quadrivulnera), Onagraceae - 235
 purpurea (Clarkia, var., viminea), Onagraceae - 236
 purpurea (Gamochoeta), Asteraceae - 38

Reference: Plant Family Name and QH Index Order #

purpureus (Cistus, x), Cistaceae - 121	redstem stork's bill, Geraniaceae - 182	rush (brown, headed), Juncaceae - 405
purse (shepherd's), Brassicaceae - 91	redstem storksbill, Geraniaceae - 182	rush (brownhead), Juncaceae - 405
purselane (Pacific, marsh), Onagraceae - 244	red-tinge bulrush, Cyperaceae - 401	rush (common), Juncaceae - 403
purslane (common), Portulacaceae - 282	redwood (coast), Taxodiaceae - 375	rush (common, wood), Juncaceae - 407
purslane (garden), Portulacaceae - 282	redwood violet, Violaceae - 343	rush (iris, leaved), Juncaceae - 406
pursley, Portulacaceae - 282	reed fescue, Poaceae - 427	rush (irisleaf), Juncaceae - 406
pusillus (Daucus), Apiaceae - 3	rein (royal, orchid), Orchidaceae - 249	rush (Pacific), Juncaceae - 403
pusley, Portulacaceae - 282	repens (Trifolium), Fabaceae - 170	rush (spreading), Juncaceae - 404
pynnocephalus (Carduus), Asteraceae - 22	rescue brome, Poaceae - 417	rush (toad), Juncaceae - 402
pygmy weed, Crassulaceae - 128	rescue grass, Poaceae - 417	rushrose (Bisbee, peak), Cistaceae - 122
pygmyweed (moss), Crassulaceae - 128	rescuegras, Poaceae - 417	rush-rose (peak), Cistaceae - 122
pygmyweed (sand), Crassulaceae - 127	rescuegrass, Poaceae - 417	rye (blue, wild), Poaceae - 426
Pyrus communis, Rosaceae - 371	Rhododendron occidentale, Ericaceae - 134	rye (perennial, grass), Poaceae - 436
quadrivulnera (Clarkia, purpurea, var.), Onagraceae - 235	Ribes divaricatum var. pubiflorum, Grossulariaceae - 186	ryegrass (annual), Poaceae - 436
quaking (large, grass), Poaceae - 416	ribgrass, Plantaginaceae - 259	ryegrass (Darnel), - 437
quaking grass, Poaceae - 416	ribwort, Plantaginaceae - 259	ryegrass (Italian), Poaceae - 436
quakinggrass (big), Poaceae - 416	rigid bird's beak, Scrophulariaceae - 326	ryegrass (meadow), Poaceae - 428
Quercus agrifolia var. agrifolia, Fagaceae - 358	rigid hedge nettle, Lamiaceae - 210	sage (black), Lamiaceae - 207
Quercus lobata, Fagaceae - 359	rigida (Dendromecon), Papaveraceae - 254	sage (pitcher), Lamiaceae - 199
Quercus wislizeni, Fagaceae - 360	rigida (Stachys, ajugoides, var.), Lamiaceae - 210	sagebrush (California), Asteraceae - 16
quince (flowering), Rosaceae - 298	rigidus (Cordylanthus), Scrophulariaceae - 326	sagewort (Douglas'), Asteraceae - 17
rabbit foot grass, Poaceae - 449	rippgut brome, Poaceae - 418	sagewort (dragon), Asteraceae - 18
rabbitfoot beardgrass, Poaceae - 449	roadside brome, Poaceae - 421	sagewort (green), Asteraceae - 18
rabbitfoot polyopogon, Poaceae - 449	Robinia pseudoacacia, Fabaceae - 356	Sagina apetala, Caryophyllaceae - 113
rabbitfootgrass, Poaceae - 449	rock speedwell, Scrophulariaceae - 335	Sagina decumbens ssp. occidentalis, Caryophyllaceae - 114
rabbitsfoot (annual, grass), Poaceae - 449	rockjasmine monkeyflower, Scrophulariaceae - 328	Sairocarpus multiflorus, Scrophulariaceae - 321
rabbit's-foot (annual, grass), Poaceae - 449	rockrose (Cretan), Cistaceae - 120	salad burnet, Rosaceae - 314
rabbit'sfootgrass, Poaceae - 449	rockrose (hairy), Cistaceae - 120	Salix lasiolepis, Salicaceae - 373
racemosa (Platanus), Platanaceae - 369	rockrose, Cistaceae - 121	Salix lucida ssp. lasiandra, Salicaceae - 374
racemosum (Maianthemum), Liliaceae - 220	rod wirelettuce, Asteraceae - 72	saltmarsh baccharis, Asteraceae - 19
radicata (Hypochoeris), Asteraceae - 50	Romulea rosea var. australis, Iridaceae - 196	Salvia mellifera, Lamiaceae - 207
radish (wild), Brassicaceae - 98	root (striped, coral), Orchidaceae - 247	Sambucus nigra ssp. caerulea, Caprifoliaceae - 106
radulina (Eurybia), Asteraceae - 34	root (unspotted, spotted, coral), Orchidaceae - 246	San Diego bedstraw, Rubiaceae - 317
Rafinesquia californica, Asteraceae - 64	Rorippa nasturtium-aquaticum, Brassicaceae - 99	San Francisco campion, Caryophyllaceae - 116
ramosissimum (Gnaphalium), Asteraceae - 43	Rosa gymnocarpa, Rosaceae - 308	San Francisco willow herb, Onagraceae - 242
ramping (white, fumitory), Fumariaceae - 179	Rosa multiflora, Rosaceae - 309	San Francisco woodland-star, Saxifragaceae - 319
rancheria clover, Fabaceae - 161	Rosa spithamea, Rosaceae - 310	sand fringe pod, Brassicaceae - 101
ranunculoides (Hydrocotyle), Apiaceae - 5	rose (dwarf), Rosaceae - 308	sand pigmyweed, Crassulaceae - 127
Ranunculus californicus, Ranunculaceae - 290	rose (ground), Rosaceae - 310	sand pygmyweed, Crassulaceae - 127
Ranunculus muricatus, Ranunculaceae - 291	rose (multiflora), Rosaceae - 309	sandaster (California), Asteraceae - 27
Raphanus sativus, Brassicaceae - 98	rose (wood), Rosaceae - 308	sandaster (common), Asteraceae - 28
rattail fescue, Poaceae - 454	rose clover, Fabaceae - 167	sandcrocus (rosy), Iridaceae - 196
rat-tail fescue, Poaceae - 454	rosea (Romulea, var., australis), Iridaceae - 196	sandhill campion, Caryophyllaceae - 116
rattail fescue, Poaceae - 455	rosemary, Lamiaceae - 206	sandhills buckwheat, Polygonaceae - 272
rat-tail fescue, Poaceae - 455	Rosmarinus officinalis, Lamiaceae - 206	sandhills everlasting, Asteraceae - 44
rat-tailed fescue, Poaceae - 454	rosy sandcrocus, Iridaceae - 196	sandspurry (purple), Caryophyllaceae - 118
rat-tailed fescue, Poaceae - 455	rough cat's ear, Asteraceae - 50	sandspurry (red), Caryophyllaceae - 118
rattanii (Mimulus, var., decurtatus), Scrophulariaceae - 332	roughleaf aster, Asteraceae - 34	sandweed, Caryophyllaceae - 117
Rattan's monkey flower, Scrophulariaceae - 332	roundfruit sedge, Cyperaceae - 392	sandwort (Douglas'), Caryophyllaceae - 111
Rattan's monkeyflower, Scrophulariaceae - 332	round-fruited sedge, Cyperaceae - 392	sandysoil suncup, Onagraceae - 233
rattlesnake carrot, Apiaceae - 3	royal rein orchid, Orchidaceae - 249	Sanguisorba minor, Rosaceae - 314
rattlesnake grass, Poaceae - 416	rubicunda (Clarkia), Onagraceae - 237	sanicle (Pacific), Apiaceae - 8
rattlesnake weed, Apiaceae - 3	rubra (Actaea), Ranunculaceae - 287	Sanicula crassicaulis, Apiaceae - 8
red baneberry, Ranunculaceae - 287	rubra (Spergularia), Caryophyllaceae - 118	santa (yerba), Hydrophyllaceae - 187
red brome, Poaceae - 420	rubrum (Acer), Aceraceae - 347	Santa Barbara sedge, Cyperaceae - 390
red columbine, Ranunculaceae - 288	Rubus discolor, Rosaceae - 311	Santa Cruz iris, Iridaceae - 195
red maids, Portulacaceae - 278	Rubus parviflorus, Rosaceae - 312	Santa Cruz monkeyflower, Scrophulariaceae - 332
red maple, Aceraceae - 347	Rubus ursinus, Rosaceae - 313	Santa Cruz mountains manzanita, Ericaceae - 133
red sandspurry, Caryophyllaceae - 118	Rumex acetosella, Polygonaceae - 276	Santa Cruz wallflower, Brassicaceae - 94
redmaids (fringed), Portulacaceae - 278	Rumex crispus, Polygonaceae - 277	Santa Inez goldenbanner, Fabaceae - 160
redosier dogwood, Cornaceae - 126	Rupertia physodes, Fabaceae - 159	sarmentosa (Oenanthe), Apiaceae - 6
redstem filaree, Geraniaceae - 182	rush (bog), Juncaceae - 403	sativa (Avena), Poaceae - 415

Reference: Plant Family Name and QH Index Order #

sativa (*Madia*), Asteraceae - 59
sativa (*Vicia*, sativa, ssp.), Fabaceae - 175
sativa (*Vicia*, ssp., nigra), Fabaceae - 174
sativa (*Vicia*, ssp., sativa), Fabaceae - 175
sativus (*Raphanus*), Brassicaceae - 98
Satureja douglasii, Lamiaceae - 208
Saxifraga californica, Saxifragaceae - 320
saxifrage (California), Saxifragaceae - 320
scarlet pimpernel, Primulaceae - 283
scarthgrass, Rubiaceae - 315
Schoenoplectus acutus var. *acutus*, Cyperaceae - 399
Schoenoplectus californicus, Cyperaceae - 400
Scirpus microcarpus, Cyperaceae - 401
scoparium (*Helianthemum*), Cistaceae - 122
scoparius (*Cytisus*), Fabaceae - 140
scoparius (*Lotus*), Fabaceae - 149
Scotch broom, Fabaceae - 140
Scotch pine, Pinaceae - 367
scotchbroom, Fabaceae - 140
Scots pine, Pinaceae - 367
Scrophularia californica ssp. *californica*, Scrophulariaceae - 333
scurflea (forest), Fabaceae - 159
Scutellaria tuberosa, Lamiaceae - 209
seal (false, Solomon's), Liliaceae - 220
seal (western, Solomons), Liliaceae - 220
seashore bentgrass, Poaceae - 410
seaside barley, Poaceae - 432
secunda (*Poa*, secunda, ssp.), Poaceae - 448
secunda (*Poa*, ssp., secunda), Poaceae - 448
sedge (dense), Cyperaceae - 391
sedge (Harford's), Cyperaceae - 393
sedge (roundfruit), Cyperaceae - 392
sedge (round-fruited), Cyperaceae - 392
sedge (Santa, Barbara), Cyperaceae - 390
sedge (slough), Cyperaceae - 394
sedge (smallbract), Cyperaceae - 395
sedge (small-bracted), Cyperaceae - 395
seep-spring monkey flower, Scrophulariaceae - 330
sempervirens (*Sequoia*), Taxodiaceae - 375
sempervirens (*Viola*), Violaceae - 343

Senecio sylvaticus, Asteraceae - 65
Senecio vulgaris, Asteraceae - 66
sensitiva (*Arctostaphylos*, nummularia, var.), Ericaceae - 131
sensitive manzanita, Ericaceae - 131
sequoia (giant), Taxodiaceae - 376
Sequoia sempervirens, Taxodiaceae - 375
Sequoiadendron gigantea, Taxodiaceae - 376
sericea (*Cornus*, sericea, ssp.), Cornaceae - 126
sericea (*Cornus*, ssp., sericea), Cornaceae - 126
serpentine springbeauty, Portulacaceae - 279
serriola (*Lactuca*), Asteraceae - 51
sessileflower false golden aster, Asteraceae - 46
sessileflower false golden aster, Asteraceae - 47
sessiliflora (*Heterotheca*, ssp., echioides), Asteraceae - 46
sessiliflora (*Heterotheca*, ssp., echioides, (var., camphorata)), Asteraceae - 47
sessilis (*Soliva*), Asteraceae - 69
Setaria pumila, Poaceae - 450
setigerus (*Eremocarpus*), Euphorbiaceae - 136
shamrock, Fabaceae - 165
shatterberry manzanita, Ericaceae - 131
sheep sorrel, Polygonaceae - 276
shepherdspurse, Brassicaceae - 91

shepherd's purse, Brassicaceae - 91
shepherdspurse, Brassicaceae - 91
shepherd's-purse, Brassicaceae - 91
shining willow, Salicaceae - 374
shiny peppergrass, Brassicaceae - 96
shootingstar (padre's), Primulaceae - 285
shortbeak agoseris, Asteraceae - 14
shortpod mustard, Brassicaceae - 95
short-podded trefoil, Fabaceae - 145
Sidalcea malviflora, Malvaceae - 229
Sierra snapdragon, Scrophulariaceae - 321
Silene gallica, Caryophyllaceae - 115
Silene verecunda ssp. *platyota*, Caryophyllaceae - 116
silk (coast, tassel), Garryaceae - 180
silktassel (wavyleaf), Garryaceae - 180
silky wormwood, Asteraceae - 18
silver bush lupine, Fabaceae - 152
silver hairgrass, Poaceae - 411
silver leaved manzanita, Ericaceae - 132
silver lupine, Fabaceae - 152
silver wattle, Fabaceae - 355
silverleaf cotoneaster, Rosaceae - 299
silverpuffs (Lindley's), Asteraceae - 76
silverweed (Pacific), Rosaceae - 306
silvery hair grass, Poaceae - 411
Silvicola (*Arctostaphylos*), Ericaceae - 132
Silybum marianum, Asteraceae - 100
singleseed hawthorn, Rosaceae - 300
sirop (herbe), Poaceae - 442
Sisymbrium officinale, Brassicaceae - 100
Sisyrinchium bellum, Iridaceae - 197
six-weeks (brome, grass), Poaceae - 452
six-weeks (eight-flower, grass), Poaceae - 456
sixweeks fescue, Poaceae - 456
sixweeks grass, Poaceae - 456
skullcap (blue), Lamiaceae - 209
skullcap (Dannie's), Lamiaceae - 209
skullcap (Danny's), Lamiaceae - 209
skunkweed, Polemoniaceae - 267
sky lupine, Fabaceae - 156

slender fescue, Poaceae - 456
slender madia, Asteraceae - 57
slender oat, Poaceae - 414
slender oats, Poaceae - 414
slender tarweed, Asteraceae - 57
slender tubed iris, Iridaceae - 194
slender wildoat, Poaceae - 414
slender woolly heads, Asteraceae - 63
slender-flowered gilia, Polemoniaceae - 263
slender-leaved ipomopsis, Polemoniaceae - 263
slim nettle, Urticaceae - 339
slim solomon, Liliaceae - 221
slimleaf vetch, Fabaceae - 174
slough sedge, Cyperaceae - 394
small burnet, Rosaceae - 314
small flowered nightshade, Solanaceae - 337
small primrose, Onagraceae - 231
small tarweed, Asteraceae - 56
small Venus' looking glass, Campanulaceae - 104
smallbract sedge, Cyperaceae - 395
small-bracted sedge, Cyperaceae - 395
smaller common vetch, Fabaceae - 174

smallflower lotus, Fabaceae - 146
smallflower melicgrass, Poaceae - 438
smallflower nemophila, Hydrophyllaceae - 188
smallflower tussockgrass, Poaceae - 440
small-flowered melica, Poaceae - 438
smallflowered morning glory, Convolvulaceae - 124
small-flowered needle grass, Poaceae - 440
small-flowered trefoil, Fabaceae - 146
smallfruit bulrush, Cyperaceae - 401
small-headed clover, Fabaceae - 168
smallhop clover, Fabaceae - 165
small-lobe navarretia, Polemoniaceae - 266
smartweed (water), Polygonaceae - 274
smooth cat's ear, Asteraceae - 49
smooth catsear, Asteraceae - 49
smooth vetch, Fabaceae - 176
snapdragon (Sierra), Scrophulariaceae - 321
snapdragon (withered), Scrophulariaceae - 321
snowberry (common), Caprifoliaceae - 107
snowberry (creeping), Caprifoliaceae - 108
snowberry (trailing), Caprifoliaceae - 108
snowdrops (foothill), Boraginaceae - 88
snowflake (Summer), Liliaceae - 219
soap plant, Liliaceae - 216
soft brome, Poaceae - 419
soft chess, Poaceae - 419
Solanum americanum, Solanaceae - 337
Solanum umbelliferum, Solanaceae - 338
Solidago californica, Asteraceae - 68
soliva (common), Asteraceae - 69
soliva (south, American), Asteraceae - 69
Soliva sessilis, Asteraceae - 69
solomon (slim), Liliaceae - 221
Solomon's (false, seal), Liliaceae - 220
Solomons (western, seal), Liliaceae - 220
solomon's-seal (starflower, false), Liliaceae - 221
somniferum (Papaver), Papaveraceae - 256
Sonchus asper ssp. *asper*, Asteraceae - 70
Sonchus oleraceus, Asteraceae - 71
sorrel (Bermuda), Oxalidaceae - 253

sorrel (creeping, wood), Oxalidaceae - 252
sorrel (sheep), Polygonaceae - 276
sorrel (yellow), Oxalidaceae - 252
sour grass, Oxalidaceae - 253
south American soliva, Asteraceae - 69
southern catalpa, Bignoniaceae - 350
southwest wild carrot, Apiaceae - 3
sow (common, thistle), Asteraceae - 71
sow (prickly, thistle), Asteraceae - 70
sowthistle (annual), Asteraceae - 71
sowthistle (common), Asteraceae - 71
Spanish clover, Fabaceae - 148
spear (Ithurie's), Liliaceae - 225
spear thistle, Asteraceae - 25
spearmint, Lamiaceae - 202
speciosa (*Chaenomeles*), Rosaceae - 298
speedwell (American), Scrophulariaceae - 334
speedwell (common), Scrophulariaceae - 335
speedwell (corn), Scrophulariaceae - 335
speedwell (rock), Scrophulariaceae - 335
speedwell (wall), Scrophulariaceae - 335
Spergula arvensis, Caryophyllaceae - 117

Reference: Plant Family Name and QH Index Order

Spergularia rubra, Caryophyllaceae - 118	stinking chamomille, Asteraceae - 15	tan oak, Fagaceae - 357
spicata (Mentha, spicata, var.), Lamiaceae - 202	stinkweed, Asteraceae - 15	tanbark oak, Fagaceae - 357
spicata (Mentha, var., spicata), Lamiaceae - 202	stinkwort, Solanaceae - 336	tanoak, Fagaceae - 357
spikerush (common), Cyperaceae - 398	stitchwort (Douglas'), Caryophyllaceae - 111	Taraxacum officinale, Asteraceae - 75
spikerush (creeping), Cyperaceae - 398	stonecrop (pigmy), Crassulaceae - 127	tarragon (false), Asteraceae - 18
spikerush (pale), Cyperaceae - 398	stork's (musky, bill), Geraniaceae - 183	tarragon (wild), Asteraceae - 18
spikesedge, Cyperaceae - 398	stork's (redstem, bill), Geraniaceae - 182	tarragon, Asteraceae - 18
spineflower (Ben, Lomond), Polygonaceae - 270	storksbill (redstem), Geraniaceae - 182	Tarweed (Chile), Asteraceae - 59
spineflower (diffuse), Polygonaceae - 269	storksbill, Geraniaceae - 181	Tarweed (Coast), Asteraceae - 59
spinosum (Xanthium), Asteraceae - 77	straggly gooseberry, Grossulariaceae - 186	tarweed (grassy), Asteraceae - 57
spiny clotbur, Asteraceae - 77	stramonium (Datura), Solanaceae - 336	tarweed (slender), Asteraceae - 57
spiny cocklebur, Asteraceae - 77	straw (everlasting, nest), Asteraceae - 73	tarweed (small), Asteraceae - 56
spinyfruit buttercup, Ranunculaceae - 291	strawberry (California), Rosaceae - 301	Tasmanian blue gum, Myrtaceae - 364
spithamea (Rosa), Rosaceae - 310	streambank bird's-foot trefoil, Fabaceae - 147	tassel (coast, silk), Garryaceae - 180
spoonleaf purple everlasting, Asteraceae - 38	streambank trefoil, Fabaceae - 147	tea (California), Fabaceae - 159
spotted (unspotted, coral, root), Orchidaceae - 246	striata (Corallorhiza), Orchidaceae - 247	tectorum (Bromus), Poaceae - 422
spotted knapweed, Asteraceae - 23	strictum (Lepidium), Brassicaceae - 97	telegraph weed, Asteraceae - 45
spreading dudleya, Crassulaceae - 129	strigose bird's-foot trefoil, Fabaceae - 150	telmateia (Equisetum, var., braunii), Equisetaceae - 384
spreading gooseberry, Grossulariaceae - 186	strigose trefoil, Fabaceae - 150	temulentum (Lolium), - 437
spreading hedgeparsely, Apiaceae - 9	strigosus (Lotus), Fabaceae - 150	tenellus (Plagiobothrys), Boraginaceae - 89
spreading rush, Juncaceae - 404	strigulosa (Camissonia), Onagraceae - 233	tenellus (Psilocarphus, tenellus, var.), Asteraceae - 63
spring vetch, Fabaceae - 175	striped coral root, Orchidaceae - 247	tenellus (Psilocarphus, var., tenellus), Asteraceae - 63
springbeauty (little), Portulacaceae - 279	stylocline (everlasting), Asteraceae - 73	tenuiflora (Gilia, ssp., tenuiflora), Polemoniaceae - 263
springbeauty (serpentine), Portulacaceae - 279	Stylocline gnaphalioides, Asteraceae - 73	tenuiflora (Gilia, tenuiflora, ssp.), Polemoniaceae - 263
springtime common madia, Asteraceae - 55	styraciflua (Liquidambar), Hamamelidaceae - 361	teretifolium (Erysimum), Brassicaceae - 94
spurge (caper), Euphorbiaceae - 137	suaveolens (Mentha), Lamiaceae - 203	tetraphyllum (Polycarpon), Caryophyllaceae - 112
spurge (eggleaf), Euphorbiaceae - 138	sub clover, Fabaceae - 171	Texas Indian paintbrush, Scrophulariaceae - 324
spurge (oblong), Euphorbiaceae - 138	subbracteata (Carex), Cyperaceae - 395	Thermopsis macrophylla, Fabaceae - 160
spurge (petty), Euphorbiaceae - 139	subterranean clover, Fabaceae - 171	thimble clover, Fabaceae - 169
spurge, Euphorbiaceae - 138	subterranean (Trifolium), Fabaceae - 171	thimbleberry (western), Rosaceae - 312
spurry (corn), Caryophyllaceae - 117	suckling clover, Fabaceae - 165	thimbleberry, Rosaceae - 312
spurry, Caryophyllaceae - 117	Summer mustard, Brassicaceae - 95	thistle (bull), Asteraceae - 25
squarrosa (Navarretia), Polemoniaceae - 267	Summer snowflake, Liliaceae - 219	thistle (cobwebby), Asteraceae - 24
Stachys ajugoides var. rigida, Lamiaceae - 210	sun cups, Onagraceae - 232	thistle (common), Asteraceae - 25
Stachys bullata, Lamiaceae - 211	suncup (miniature), Onagraceae - 231	thistle (common, sow), Asteraceae - 71
stamineus (Bromus), Poaceae - 421	suncup (sandysoil), Onagraceae - 233	thistle (compact-headed), Asteraceae - 22
star (Malta, thistle), Asteraceae - 23	sweatpea (Perennial), Fabaceae - 142	thistle (Coulter's), Asteraceae - 24
star (Maltese, thistle), Asteraceae - 23	sweet (Chilean, cicely), Apiaceae - 7	thistle (Italian), Asteraceae - 22
star (woodland), Saxifragaceae - 319	sweet cicely, Apiaceae - 7	thistle (Italian, plumeless), Asteraceae - 22
star lily, Liliaceae - 226	sweet gum, Hamamelidaceae - 361	thistle (Malta, star), Asteraceae - 23
star zygadene, Liliaceae - 226	sweet vernal grass, Poaceae - 412	thistle (Maltese, star), Asteraceae - 23
starflower (broadleaf), Primulaceae - 286	sweet vernalgrass, Poaceae - 412	thistle (milk), Asteraceae - 67
starflower (Pacific), Primulaceae - 286	sweet-cicely (mountain), Apiaceae - 7	thistle (Napa), Asteraceae - 23
starflower false solomon's-seal, Liliaceae - 221	sweetcicely, Apiaceae - 7	thistle (prickly, sow), Asteraceae - 70
starry chickweed, Caryophyllaceae - 109	sweetroot (mountain), Apiaceae - 7	thistle (spear), Asteraceae - 25
starry false lily of the valley, Liliaceae - 221	sword (western, fern), Dryopteridaceae - 383	thistle (Venus), Asteraceae - 24
starthistle (Maltese), Asteraceae - 23	sycamore (California), Platanaceae - 369	thorn apple, Solanaceae - 336
starwort (California, water), Callitrichaceae - 102	sycamore (western), Platanaceae - 369	thyrsiflorus (Ceanothus), Rhamnaceae - 294
Stellaria media, Caryophyllaceae - 119	sylvaticus (Senecio), Asteraceae - 65	Thysanocarpus curvipes, Brassicaceae - 101
stellatum (Maianthemum), Liliaceae - 221	sylvestris (Malus), Rosaceae - 370	tidytip (coastal), Asteraceae - 53
stephanomeria (tall), Asteraceae - 72	sylvestris (Pinus), Pinaceae - 367	tidytips (coastal), Asteraceae - 53
Stephanomeria virgata, Asteraceae - 72	Symphoricarpos albus var. laevigatus, Caprifoliaceae - 107	tillaea (Crassula), Crassulaceae - 128
sticky checkweed, Caryophyllaceae - 110	Symphoricarpos mollis, Caprifoliaceae - 108	tinker's penny, Hypericaceae - 193
sticky chickweed, Caryophyllaceae - 110	Symphyotrichum chilense var. chilense, Asteraceae - 74	toad rush, Juncaceae - 402
sticky cinquefoil, Rosaceae - 307	tachetea (cigue), Apiaceae - 2	toadflax (blue), Scrophulariaceae - 327
sticky monkey flower, Scrophulariaceae - 329	tail (mares), Asteraceae - 26	toadflax (Canada), Scrophulariaceae - 327
sticky-willy, Rubiaceae - 315	tall cyperus, Cyperaceae - 396	toadflax (oldfield), Scrophulariaceae - 327
sticky-willy, Rubiaceae - 315	tall fescue, Poaceae - 427	tobacco (ladies'), Asteraceae - 39
stiffbranch bird's beak, Scrophulariaceae - 326	tall flatsedge, Cyperaceae - 396	localote, Asteraceae - 23
stinging (hoary, nettle), Urticaceae - 339	tall oatgrass, Poaceae - 413	tomcat clover, Fabaceae - 172
stinging nettle, Urticaceae - 339	tall stephanomeria, Asteraceae - 72	tomentosa (Arctostaphylos, ssp., crinita), Ericaceae - 133
stinging phacelia, Hydrophyllaceae - 192	tall trisetum, Poaceae - 451	tongue (Pacific, hounds), Boraginaceae - 83

Reference: Plant Family Name and QH Index Order #

tongue (western, hounds), Boraginaceae - 83	Ulmus parvifolia, Ulmaceae - 377	villosa (Monardella, var., villosa), Lamiaceae - 205
toothed medick, Fabaceae - 158	umbelliferum (Solanum), Solanaceae - 338	villosa (Monardella, villosa, var.), Lamiaceae - 205
toothwort (California), Brassicaceae - 92	Umbellularia californica, Lauraceae - 363	villosa (Vicia, ssp., varia), Fabaceae - 176
Torey's trefoil, Fabaceae - 147	undulata (Monardella), Lamiaceae - 204	villosum (Phoradendron), Viscaceae - 344
Torilis arvensis, Apiaceae - 9	unguiculata (Clarkia), Onagraceae - 238	viminea (Clarkia, purpurea, var.), Onagraceae - 236
torreyana (Melica), Poaceae - 439	unifoliolatus (Lotus, unifoliolatus, var.), Fabaceae - 148	Vinca major, Apocynaceae - 10
Torrey's melica, Poaceae - 439	unifoliolatus (Lotus, var., unifoliolatus), Fabaceae - 148	vinifera (Vitis), Vitaceae - 345
Torrey's melicgrass, Poaceae - 439	unspotted spotted coral root, Orchidaceae - 246	Viola ocellata, Violaceae - 342
Toxicodendron diversilobum, Anacardiaceae - 1	upright pepperweed, Brassicaceae - 97	Viola sempervirens, Violaceae - 343
toyon, Rosaceae - 302	urens (Urtica), Urticaceae - 340	violet (evergreen), Violaceae - 343
Trachycarpus excelsa, Arecaceae - 349	Uropappus lindleyi, Asteraceae - 76	violet (pinto), Violaceae - 342
trailing snowberry, Caprifoliaceae - 108	uropappus, Asteraceae - 76	violet (redwood), Violaceae - 343
transversa (Piperia), Orchidaceae - 249	ursinus (Rubus), Rosaceae - 313	violet (two-eyed), Violaceae - 342
tree clover, Fabaceae - 164	Urtica dioica ssp. holosericea, Urticaceae - 339	virgata (Stephanomeria), Asteraceae - 72
trefoil (American, bird's-foot), Fabaceae - 148	Urtica urens, Urticaceae - 340	viridis, Portulacaceae - 279
trefoil (birdsfoot), Fabaceae - 144	Vaccinium ovatum, Ericaceae - 135	Vitis vinifera, Vitaceae - 345
trefoil (Chilean), Fabaceae - 151	valdivia duckweed, Lemnaceae - 212	vulgare (Cirsium), Asteraceae - 25
trefoil (Chilean, bird's-foot), Fabaceae - 151	valdiviana (Lemna), Lemnaceae - 212	vulgare (Hordeum), Poaceae - 434
trefoil (prairie), Fabaceae - 148	valley (feathery, false, lily, of, the), Liliaceae - 220	vulgare (Marrubium), Lamiaceae - 200
trefoil (short-podded), Fabaceae - 145	valley (starry, false, lily, of, the), Liliaceae - 221	vulgaris (Senecio), Asteraceae - 66
trefoil (small-flowered), Fabaceae - 146	valley manroot, Cucurbitaceae - 130	Vulpia bromoides, Poaceae - 452
trefoil (streambank), Fabaceae - 147	valley oak, Fagaceae - 359	Vulpia microstachys var. pauciflora, Poaceae - 453
trefoil (streambank, bird's-foot), Fabaceae - 147	var (Vulpia, myuros, hirsuta), Poaceae - 454	Vulpia myuros var hirsuta, Poaceae - 454
trefoil (strigose), Fabaceae - 150	varia (Vicia, villosa, ssp.), Fabaceae - 176	Vulpia myuros var. myuros, Poaceae - 455
trefoil (strigose, bird's-foot), Fabaceae - 150	variable linanthus, Polemoniaceae - 265	Vulpia octoflora, Poaceae - 456
trefoil (Torey's), Fabaceae - 147	varied-leaved collomia, Polemoniaceae - 261	walkgrass, Poaceae - 446
triangularis (Pentagramma, ssp., triangularis), Pteridaceae - 389	velvet (purple, grass), Poaceae - 430	wall speedwell, Scrophulariaceae - 335
triangularis (Pentagramma, triangularis, ssp.), Pteridaceae - 389	velvet grass, Poaceae - 430	wallflower (Ben, Lomond), Brassicaceae - 94
trichocarpa (Populus, balsamifera, ssp.), Salicaceae - 372	velvetgrass (common), Poaceae - 430	wallflower (Santa, Cruz), Brassicaceae - 94
Trientalis latifolia ssp. latifolia, Primulaceae - 286	velvetgrass, Poaceae - 430	walnut (northern, California), Juglandaceae - 362
trifida (Lupinus, bicolor, and, L., bicolor, var.), Fabaceae - 154	Venus' (small, looking, glass), Campanulaceae - 104	wartleaf Ceanothus, Rhamnaceae - 293
Trifolium albobpurpureum, Fabaceae - 161	Venus thistle, Asteraceae - 24	warty leaved Ceanothus, Rhamnaceae - 293
Trifolium bifidum var. bifidum, Fabaceae - 162	venustum (Cirsium, occidentale, var.), Asteraceae - 24	water (California, starwort), Callitrichaceae - 102
Trifolium campestre, Fabaceae - 163	Verbena lasiostachys, Verbenaceae - 341	water (creeping, primrose), Onagraceae - 245
Trifolium ciliolatum, Fabaceae - 164	verecunda (Silene, ssp., platyota), Caryophyllaceae - 116	water (yellow, weed), Onagraceae - 245
Trifolium dubium, Fabaceae - 165	vernal (sweet, grass), Poaceae - 412	water chickweed, Portulacaceae - 281
Trifolium gracilentum, Fabaceae - 166	vernalgrass (sweet), Poaceae - 412	water grass, Poaceae - 442
Trifolium hirtum, Fabaceae - 167	vernalis (Madia, elegans, ssp.), Asteraceae - 55	water parsely, Apiaceae - 6
Trifolium microcephalum, Fabaceae - 168	Veronica americana, Scrophulariaceae - 334	water smartweed, Polygonaceae - 274
Trifolium microdon, Fabaceae - 169	Veronica arvensis, Scrophulariaceae - 335	waterbuttons (Australian), Asteraceae - 29
Trifolium repens, Fabaceae - 170	vervain (California), Verbenaceae - 341	watercress, Brassicaceae - 99
Trifolium subterraneum, Fabaceae - 171	vervain (western), Verbenaceae - 341	water-pennywort, Apiaceae - 5
Trifolium willdenovii, Fabaceae - 172	vesca (Fragaria), Rosaceae - 301	watsonii (Epilobium, ciliatum, var.), Onagraceae - 242
trillium (Pacific), Liliaceae - 224	vesce d'Amérique [French], Fabaceae - 173	wattle (silver), Fabaceae - 355
trillium (western), Liliaceae - 224	vestitus (Lathyrus, var., vestitus), Fabaceae - 143	wavyleaf silktassel, Garryaceae - 180
Trillium ovatum var. ovatum, Liliaceae - 224	vestitus (Lathyrus, vestitus, var.), Fabaceae - 143	wayside pepper grass, Brassicaceae - 97
Triodanis biflora, Campanulaceae - 104	vetch (American), Fabaceae - 173	weatherglass (poor-man's), Primulaceae - 283
trisetum (tall), Poaceae - 451	vetch (American, purple, [English]), Fabaceae - 173	wedgeleaf horkelia, Rosaceae - 304
Trisetum canescens, Poaceae - 451	vetch (common), Fabaceae - 174	wedge-leaved horkelia, Rosaceae - 304
Triteleia laxa, Liliaceae - 225	vetch (garden), Fabaceae - 174	weed (carpenter's), Asteraceae - 13
trumpet (hummingbird), Onagraceae - 240	vetch (garden), Fabaceae - 175	weed (gopher), Euphorbiaceae - 137
tubed (slender, iris), Iridaceae - 194	vetch (slimleaf), Fabaceae - 174	weed (Jamestown), Solanaceae - 336
tuberosa (Scutellaria), Lamiaceae - 209	vetch (smaller, common), Fabaceae - 174	weed (pineapple), Asteraceae - 61
Tule (California), Cyperaceae - 400	vetch (smooth), Fabaceae - 176	weed (pygmy), Crassulaceae - 128
tule (common), Cyperaceae - 399	vetch (spring), Fabaceae - 175	weed (rattlesnake), Apiaceae - 3
Tule bulrush, Cyperaceae - 399	vetch (winter), Fabaceae - 176	weed (telegraph), Asteraceae - 45
turkey mullein, Euphorbiaceae - 136	vetch woolypod, Fabaceae - 176	weed (yellow, water), Onagraceae - 245
tussockgrass (purple), Poaceae - 441	vetch, Fabaceae - 174	weedy cudweed, Asteraceae - 41
tussockgrass (smallflower), Poaceae - 440	Vicia americana, Fabaceae - 173	western (little, bitter, cress), Brassicaceae - 93
twiggy wreath, Asteraceae - 72	Vicia sativa ssp. nigra, Fabaceae - 174	western azalea, Ericaceae - 134
two-eyed violet, Violaceae - 342	Vicia sativa ssp. sativa, Fabaceae - 175	western baneberry, Ranunculaceae - 287
Typha latifolia, Typhaceae - 457	Vicia villosa ssp. varia, Fabaceae - 176	western chain fern, Blechnaceae - 379

Reference: Plant Family Name and QH Index Order #

western columbine, Ranunculaceae - 288
 western dodder, Convolvulaceae - 125
 western goldenrod, Asteraceae - 35
 western goldentop, Asteraceae - 35
 western heart's ease, Violaceae - 342
 western hounds tongue, Boraginaceae - 83
 western lady fern, Dryopteridaceae - 381
 western larkspur, Ranunculaceae - 289
 western marsh cudweed, Asteraceae - 42
 western morning glory, Convolvulaceae - 123
 western pearlwort, Caryophyllaceae - 114
 western Solomons seal, Liliaceae - 220
 western sword fern, Dryopteridaceae - 383
 western sycamore, Platanaceae - 369
 western thimbleberry, Rosaceae - 312
 western trillium, Liliaceae - 224
 western vervain, Verbenaceae - 341
 western yarrow, Asteraceae - 13
 white blue eyed Mary, Scrophulariaceae - 325
 white Chinese houses, Scrophulariaceae - 325
 white clover, Fabaceae - 170
 white Dutch clover, Fabaceae - 170
 white flowered hawkweed, Asteraceae - 48
 white garlic, Liliaceae - 213
 white hawkweed, Asteraceae - 48
 white hedge, Rubiaceae - 315
 white horehound, Lamiaceae - 200
 white ramping fumitory, Fumariaceae - 179
 wicker eriogonum, Polygonaceae - 271
 wild (American, carrot), Apiaceae - 3
 wild (blue, rye), Poaceae - 426
 wild (prickly, lettuce), Asteraceae - 51
 wild (southwest, carrot), Apiaceae - 3
 wild cucumber, Cucurbitaceae - 130
 wild oats, Poaceae - 415
 wild oats, Poaceae - 422
 wild portulaca, Portulacaceae - 282
 wild radish, Brassicaceae - 98
 wild tarragon, Asteraceae - 18
 wildoat (slender), Poaceae - 414
 wildrye (blue), Poaceae - 426
 willdenovii (Trifolium), Fabaceae - 172
 willow (arroyo), Salicaceae - 373
 willow (minute, herb), Onagraceae - 243
 willow (northern, herb), Onagraceae - 241
 willow (Pacific), Salicaceae - 374
 willow (panicled, herb), Onagraceae - 239
 willow (San, Francisco, herb), Onagraceae - 242
 willow (shining), Salicaceae - 374
 windmill catchfly, Caryophyllaceae - 115
 windmill palm, Arecaceae - 349
 windmill pink, Caryophyllaceae - 115
 wine grape, Vitaceae - 345
 winecup clarkia, Onagraceae - 234
 winged cudweed, Asteraceae - 41
 winged pectocarya, Boraginaceae - 85
 winter (American, cress), Brassicaceae - 90
 winter vetch, Fabaceae - 176
 wirelettuce (rod), Asteraceae - 72
 wislizeni (Quercus), Fagaceae - 360
 wisteria (purple), Fabaceae - 177
 Wisteria floribunda, Fabaceae - 177
 witch (blue), Solanaceae - 338
 withered snapdragon, Scrophulariaceae - 321
 wood (coastal, fern), Dryopteridaceae - 382
 wood (common, rush), Juncaceae - 407
 wood (creeping, sorrel), Oxalidaceae - 252
 wood rose, Rosaceae - 308
 woodbalm, Lamiaceae - 199
 woodland aster, Asteraceae - 34
 woodland groundsel, Asteraceae - 65
 woodland layia, Asteraceae - 52
 woodland madia, Asteraceae - 58
 woodland monolopia, Asteraceae - 62
 woodland nemophila, Hydrophyllaceae - 188
 woodland star, Saxifragaceae - 319
 woodland-star (San, Francisco), Saxifragaceae - 319
 woodrush (Pacific), Juncaceae - 407
 woodsorrel (creeping), Oxalidaceae - 252
 Woodwardia fimbriata, Blechnaceae - 379
 woolly (slender, heads), Asteraceae - 63
 woolly dandelion, Asteraceae - 60
 woolly desertdandelion, Asteraceae - 60
 woolly marbles, Asteraceae - 63
 wooly malacothrix, Asteraceae - 60
 wooly paintbrush, Scrophulariaceae - 324
 woolyleaf manzanita, Ericaceae - 133
 woolypod (vetch), Fabaceae - 176
 wormwood (pinion), Asteraceae - 18
 wormwood (silky), Asteraceae - 18
 wormwood, Asteraceae - 18
 wrangelianus (Lotus), Fabaceae - 151
 wreath (twiggy), Asteraceae - 72
 Wright's cudweed, Asteraceae - 40
 x (Cistus, purpureus), Cistaceae - 121
 X (Equisetum, ferrissii), Equisetaceae - 385
 Xanthium spinosum, Asteraceae - 77
 xiphioides (Juncus), Juncaceae - 406
 yarrow (common), Asteraceae - 13
 yarrow (western), Asteraceae - 13
 yarrow, Asteraceae - 13
 yellow bristle grass, Poaceae - 450
 yellow bristlegrass, Poaceae - 450
 yellow bush lupine, Fabaceae - 153
 yellow bush poppy, Papaveraceae - 254
 yellow locust, Fabaceae - 356
 yellow mariposa lily, Liliaceae - 215
 yellow sorrel, Oxalidaceae - 252
 yellow water weed, Onagraceae - 245
 yellowrocket (American), Brassicaceae - 90
 yellow-yarrow, Asteraceae - 33
 yerba buena, Lamiaceae - 208
 yerba santa, Hydrophyllaceae - 187
 Yorkshire fog, Poaceae - 430
 Zayante cudweed, Asteraceae - 44
 Zigadenus fremontii, Liliaceae - 226
 zygadene (star), Liliaceae - 226